



Registered Post

The Director,  
Ministry of Environment & Forests  
Paryavaran Bhavan, CGO Complex,  
Lodhi Road,  
New Delhi – 110003

10/05/2016

Subject: Compliance Status of Environment Clearance conditions

Dear Sir,


We have been granted Environment Clearance to our **Kasarsada Bauxite Mines** on 1<sup>st</sup> March 2007 vide clearance No J-11015/247/2005-IA-II (M).

The compliance for the 6 months duration (October 2015 to March 2016) against the conditions laid down in the Environment Clearance is attached herewith. **In this regard, please be informed that, since 2<sup>nd</sup> October 2011, the mining activities of our above mines has been stopped for want of forest clearance.**

Hope you will please find the above in order.

Thanking you,

Yours very truly,

  
Mainak Chakraborty  
Head-West Coast Mines

Encl. A/a

Copy to:

1. The Chief Conservator of Forests (Central)  
Ministry of Environment & Forests  
Regional office, BHOPAL
2. The Member Secretary,  
Central Pollution Control Board,  
Parivesh Bhavan, East Arjun Nagar,  
DELHI - 110032

3. The Regional Officer  
Maharashtra Pollution Control Board  
Udyog Bhawan, KOLHAPUR

HINDALCO INDUSTRIES LIMITED  
Durgmanwad Mines :  
PO Radhanagari - 416 212  
Dist. Kolhapur, Maharashtra  
Telephone + 91 02321 202072 / 202178 / 133  
Kolhapur Telephone + 91 0231 2661458  
+ 91 0231 2661462

REGISTERED OFFICE  
Century Bhavan, 3rd Floor,  
Dr. Annie Besant Road,  
Worli, Mumbai 400 030  
Telephone + 91 22 6662 6666

Website www.hindalco.com  
E-mail hindalco@adityabirla.com  
Corporate  
Identity No. L27020MH1958PLC011238

**COMPLIANCE TO ENVIRONMENT CLEARANACE CONDITIONS**  
**( Kasarsada Bauxite Mines Environment clearance No J-11015/247/2005-IA-II (M)**  
**Dt. 01/03/2007)**

S.NO	CONDITIONS :	PRESENT COMPLIANCE STATUS
	<b>A. SPECIFIC CONDITIONS</b>	
1	Top soil shall be stacked properly with proper slope and with adequate safeguards and shall be backfilled for reclamation and rehabilitation of mined out area.	The top soil stacked during mine development is rehandled and used for mine restoration. There is no top soil on the mine plateau.
2	Overburden shall be stacked at earmarked dump site(s) only and shall not be active for long period. The maximum height of dump shall not exceed 30m; each stage shall preferably be 10m and over all slope of the dump shall not exceed 28 degree. The mine pit area shall be reclaimed by back filling by back filling O.B in a phased manner. The O.B dump shall be scientifically vegetated with suitable native species to prevent erosion and surface run off.	Overburden generated during development stage has been back filled into the mind out pits for reclamation.
3	Garland drains shall be constructed to arrest silt and sediment flows from soil, and mineral dumps. The water so collected shall be utilized for watering the mine area, roads, green belt development etc. The drains shall be regularly desilted particularly after monsoon and maintained properly. Garland drain (size, gradient and length) shall be constructed for both mine pit and for waste dump.	The drains have been developed to channelise the run-off water to silt check dams.
4	Drilling and blasting shall be using extractors/wet drilling.	Agreed.
5	Plantation shall be raised in an area of 92.6 ha including green belt of adequate width by planting the native species around the ML area, roads, OB dump sites etc. in consultation with local DFO/Agriculture Department. The density of the trees shall be around 2000 plants per ha.	Scientific plantation activities have been carried out with the help of reputed forestry experts & local forest department on the mined out areas. The indigenous species are planted.

6	The project authority shall implement suitable conservation measures to augment ground water resources in the area in consultation with the Regional Director, central Ground Water Board.	Water harvesting ponds are developed in the mined out areas.
7	Regular monitoring of ground water level and quality shall be carried out by establishing a network of existing wells and constructing new piezometers during the mining operation.	The ground water quality was monitored on quarterly basis during the mining operations. The mining carried out to a depth of 7 to 10 mts from the surface. There is no interaction with the ground water and hence there is no disturbance to the ground water table.
8	Prior permission from the competent authority shall be obtained for drawal of ground water, if any.	Agreed.
9	Vehicular emission shall be kept under control and regularly monitored; Measures shall be taken for maintenance of vehicle used in mining operations and in transportation of minerals. The vehicle shall be covered with tarpaulin and shall not be overloaded	There is a system to monitor vehicular emission and monitoring was carried out periodically. All the vehicle carrying mineral were covered with tarpaulin covers and loading were carried out as per the permissible limits. Since 2 <sup>nd</sup> October 2011, there is no mining activity carried out in the mines.
10	A Final Mine Closure plan, along with the details of the Corpus fund, shall be submitted to the ministry of Environment and Forests 5 years in advance of final mine closure in advance.	The progressive mine closure plan is approved by IBM .The final closure plan will be submitted 5 years in advance.
11	The Company shall limit production to 0.25 million TPA of bauxite and shall not operate with 0.45 million TPA till the IBM has granted approval.	Agreed.
	<b>B. GENERAL CONDITIONS</b>	
1	No change in mining technology and scope of working shall be made without prior approval of the Ministry of Environment & Forests.	There is no change in the mining technology and in the scope of working.
2	No change in the calendar plan including excavation, quantum of minerals bauxite and waste shall be made.	Agreed.
3	Conservation measure for protection of flora and fauna in the core & buffer zone shall be drawn up in consultation with the local forest and wildlife department.	The core area flora was protected and the plantation was carried out scientifically. The mining activities were restricted to daylight working only.

4	Four ambient air quality-monitoring stations shall be established in the core zone as well as in the buffer zone for RPM,SPM,SO <sub>2</sub> ,Nox,	Ambient air quality monitoring station was established in the core zone as well as buffer zone as per requirement.
5	Data on the ambient air quality (RPM, SPM, SO <sub>2</sub> , and Nox) should be regularly submitted to the Ministry including its Regional offices located at Bangalore and State Pollution Control Board / Central Pollution Control Board once in six months.	The air quality monitoring was carried out periodically while the mining activity was ongoing.
6	Fugitive dust emission from all the sources shall be controlled regularly water spraying arrangement on haul roads, loading and unloading and at transfer points shall be provided and properly maintained.	Agreed.
7	Measures shall be taken for control of noise level below 85 dBA in the work environment. Workers engaged in operations of HEMM etc shall be provided with ear plugs/muffs.	All the workers use ear plugs / muffs during HEMM operation.
8	Industrial waste water (workshop and waste water from the mine) should be properly collected treated so as to conform to the standards prescribed under GSR 422 (E) dated 19th May 1993 and 31st December, 1993 or as amended from time to time.	There is no industrial waste water as no processing was carried out.
9	Personnel working in dusty areas shall wear protective respiratory devices and they shall also be provided with adequate training and information on safety and health aspects.	All the workers use dust mask during mining operation & training were imparted regarding safety and health aspect to all the workers.
10	Occupational health surveillance program of the workers shall be undertaken periodically to observe any contractions due to exposure to dust and take corrective measures, if needed	The health surveillance was carried out for all the employees and there was no case of any occupational health hazard.
11	A separate environmental management cell with suitable qualified personnel shall be setup under the control of a Senior Executive, who will report directly to the Head of the organization.	A qualified person has been employed at the unit level. A full fledged Environment cell operates at the corporate level.
12	The funds earmarked for Environment protection shall be kept in separate account and should not be diverted for any other purpose.	A budget is allocated every year for environment protection and accounting is done separately.