

HIL/LHD/ENV/MoEF/989

Date: 20.11.2024

To,

The Dy.Director General of Forest (C)
Ministry of Environment, Forests and Climate Changes
2nd Floor, Headquarter-Jharkhand State Housing Board
Harmu Chowk, Ranchi, Jharkhand-834002

Sub: Compliance Report of EC conditions for Serengdag Bauxite Mining (77.89 ha) project of M/s Hindalco Industries Limited located in Dist- Gumla, Jharkhand for the period April'24 to September'24.

Ref: EC Identification No. EC23B001JH161552 dated 11th October 2023.

Sir,

With reference to the above, we are submitting herewith the Compliance status report of EC conditions for **Serengdag (77.89 Ha)** Bauxite Mining project of **M/s Hindalco Industries Limited** located in Gumla, Jharkhand for the period April'24 to September'24.

The lease detail is a	e lease detail is as below.			
Lease area (ha)	Production Capacity (MT)	Lease Period		
77.89	100000	04.10.1978 to 31.03.2030		

Hope you will find the same in order. Thanking You

Yours Sincerely

FOR HINDALCO INDUSTRIES LIMITED

(Basudev Gangopadhyay)
AVP (Planning, Environment & Compliance)

Enclosure: - As Above

CC: ro.ranchi-mef@gov.in, mef@ori.nic.in, mef@nic.in, mef.or@nic.in, mscb.cpcb@nic.in, zokolkatta.cpcb@nic.in, ranchijspcb@gmail.com, roranchi47@gmail.com

Name of the Project : Serangdag Bauxite Mine (77.89 ha)

M/s Hindalco Industries Ltd

Environment Clearance No & date : EC23B001JH161552, dated 11.10.2023

Period of Compliance Report : From 1st April'2024 to 30th September'2024

A. Specific Conditions

Condition 1-This Environmental Clearance is valid subject to the following condition below-That this project has

- a. Obtained all legal rights to operate at concerned place.
- b. Complied with all existing concerned laws of the land and
- c. Complied with the decisions of SEIAA on the issue of Environmental Clearance till date.

Reply – Agreed. All the legal rights and concerned laws are already complied with. The decisions of SEIAA on the issue of Environmental Clearance are being/will be complied.

Condition 2- Gabion Plantation work in the safety zone (7.5 m width around the proposed lease boundary and on either side of approach road in two rows with the spacing of 3x3m with suitable species such as timber & fruit bearing etc. will be done in first year of operation. Maintenance work such as h/w, morality replacement, protection and watering shall be undertaken for the life of mine as per norms and schedule issued by PCCF, Development, Department of Forest, Environment & Clime Change. Govt. of Jharkhand. Records of same to be maintained and will be submitted with compliance report.

Reply to Condition 2- Progressive plantation is being carried out in consultation with local forest Dept. Total 2500 nos. of saplings have been planted during the period from April'24 to September'24 within this lease. Cumulative 6.35 ha areas have been planted till date. In addition to these, agricultural activities (bio plantation) is going on in the reclaimed land as per the consent from landowners. Safety Zone plantation work is already being carried out. Plant survival rate is being taken care of by regular watering and manuring. Protection of saplings by fencing pillar and chain link fencing is being done. Photographs of plantation and chain link fencing are attached below.



Condition 3- No mining/activity shall be undertaken in the forest land or deemed forest without obtaining requisite prior forestry clearance.

Reply to Condition 3- Noted. However, there is no forest land in our mining lease area. Therefore, we are not doing any mining/activity in the forest area.

Condition 4 - The project proponent may apply simultaneously for forest and NBWL clearance in order to complete the formalities without undue delay which till process on their respective merits, no rights will vest in or accrue to them unless all clearance are obtained, if applicable.

Reply to Condition 4 - Noted. However, there is no forest land within the lease hold area. Therefore, there is no need for forest clearance. This mine is also located beyond the ESZ boundary. Hence, NBWL is not applicable for this mine.

B. Statutory Compliance

Condition 1-This Environmental Clearance (EC) is subject to orders/ judgment of Hon'ble Supreme Court of India, Hon'ble High Court, Hon'ble NGT and any other Court of Law, Common Cause Conditions as may be applicable.

Reply to Condition 1 – Noted. However, common cause condition is not applicable for this mine.

Condition 2- In the writ petition (Civil) no. 202/1995, T.N. Godaverman Thirumulpad vs union of India and Ors. the Hon'ble Supreme Court passed an order dated 03.06.2022 "National Park or Wildlife Sanctuary must have an ESZ of minimum 01 km in which the activities prescribed and prescribed in the guidelines of 09th February, 2011 shall be strictly adhered to".

Reply to Condition 2- Noted. However, this mine is tentatively 10 kms away from Mahuadanr ESZ boundary.

Condition 3- The Project proponent complies with all the statutory requirements and judgement of Hon'ble Supreme Court dated 2nd August, 2017 in Writ Petition (Civil) No. 114 of 2014 in matter of common cause versus Union of India & Ors before commencing the mining operations.

Reply to Condition 3- Noted. However, common cause condition is not applicable for this mine.

Condition 4- The Hon'ble Supreme Court vide order dated 08.01.2020 in W.P. (Civil) No. 114/2014 in the matter of Common Cause vs. Union of India has directed that the area which has been mined should be restored so that grass and other vegetation including trees can grow in the mining area for the benefit of animals.

"The mining lease holders shall, after ceasing mining operations, undertake re-grassing the mining area and any other area which may have been disturbed due to their mining activities and restore the land to a condition which is fit for growth of fodder, flora, fauna etc."

Reply to Condition 4- This is running mine. Backfilling & reclamation in the mined-out area are being done simultaneously as per the approved mining plan and progressive mine closure plan. However, at the end of final closure of the mine the entire mined out area will be backfilled and reclaimed for the purpose of plantation, re-grassing, constructing rainwater harvesting pond and agricultural activity as per final mine closure plan.

Condition 5- The State Government concerned shall ensure that mining operation shall not be commenced till the entire compensation levied, if any, for illegal mining paid by the Project Proponent through their respective Department of Mining & Geology in strict compliance of Judgement of Hon'ble Supreme Court dated 2nd August. 2017 in Writ Petition (Civil) No. 114 of 2014 in matter of Common Cause versus Union of India & Ors.

Reply to Condition 5- There had been no illegal mining involved. Hence, there is no demand from the State Government regarding common cause matter for Serangdag Bauxite Mine.

Condition 6- This Environmental Clearance shall become operational only after receiving formal NBWL Clearance from MoEF&CC subsequent to the recommendations of the Standing Committee of National Board for Wildlife. if applicable to the Project.

Reply to Condition 6- Noted. However, this mine is located beyond the ESZ boundary. Hence, it is not applicable for this mine.

Condition 7- This Environmental Clearance shall become operational only after receiving formal Forest Clearance (FC) under the provision of the Forest Conservation Act. 1980. If applicable to the Project.

Reply to Condition 7- Noted. However, no forest area is involved in the lease area. So, this condition is not applicable for this mine.

Condition 8- Project Proponent (PP) shall obtain Consent to Operate after grant of EC and effectively implement all the conditions stipulated therein. The mining activity shall not commence prior to obtaining Consent to Establish / Consent to Operate from the concerned State Pollution Control Board/Committee.

Reply to Condition 8- Noted. Valid CTE and CTO have already been received from JSPCB, Ranchi.

Condition 9- The PP shall adhere to the provision of the Mines Act, 1952, Mines and Mineral (Development & Regulation) Act, 2015 and rules & regulations made there under. PP shall adhere to various circulars issued by Directorate General Mines Safety (DGMS) and Indian Bureau of Mines from time to time.

Reply to Condition 9- This is an operative mine and all the provisions and regulations made under Mines Act, 1952 and MMDR Act, 2015 and various circulars issued by Directorate General Mines Safety (DGMS) and Indian Bureau of Mines are being adhered to.

Condition 10- The Project Proponent shall obtain consent from all the concerned landowners, before mining operations, as per the provisions of the MMDR Act, 1957 and rules made there under in respect of lands which are not owned by it.

Reply to Condition 10- Agreed. This is an operative mine. Therefore, the land is acquired for mining purpose only after getting the written consent from the respective landowners followed by the DC's order.

Condition 11- The Project Proponent shall follow the mitigation measures provided in MoEF & CC's Office Memorandum No. Z-11013/57/2014-IAJI (M), dated 29th October. 2014 titled "Impact of mining activities on Habitations-Issues related to the mining Projects wherein Habitations and villages are the part of mine lease areas or Habitations and villages are surrounded by the mine lease area".

Reply to Condition 11- Noted and being adhered to.

Condition 12- The Project Proponent shall obtain necessary prior permission of the competent authorities for drawl of requisite quantity of surface water and from CGWA for withdrawal of ground water for the project.

Reply to Condition 12- Noted. We have obtained NOC for withdrawal of groundwater for drinking purposes only from CGWA/CGWB. The Scan copy of the same NOC is attached below.



NOC for Groundwater

Condition 13- A copy of EC letter will be marked to concerned Panchayat / local NGO etc. if any from whom suggestion / representation has been received while processing the proposal.

Reply to Condition 13- Noted. The EC Letter has been submitted to Gram Panchayat Mukhiya, District Industries Centre, MoEF&CC, JSPCB, Deputy Commissioner and Zila Parishad. Acknowledgment copy of the same is attached herewith as **Annexure-9.**

Condition 14- State Pollution Control Board/Committee shall be responsible for display of this EC letter at its Regional office, District Industries Centre, and Collector's office/ Tehsildar's Office for 30 days.

Reply to Condition 14- Noted. The EC Letter has been submitted to JSPCB for display of same at its Regional office and other government offices. Acknowledgment copy of the same is attached herewith as **Annexure-9**.

Condition 15- The Project Authorities should widely advertise about the grant of this EC letter by printing the same in at least two local newspapers, one of which shall be in vernacular language of the concerned area. The advertisement shall be done within 7 days of the issue of the clearance letter mentioning that the instant project has been accorded EC and copy of the EC letter is available with the State Pollution Control Board/Committee and website of the Ministry of Environment. Forest and Climate Change (www. Environment clearance.nic.in). A copy of the advertisement may be forwarded to the concerned MoEF & CC Regional Office for compliance and record.

Reply to Condition 15- Noted and complied. The information regarding grant of EC has been published in two local newspapers, namely "Hindustan" and "Hindustan Times." Copies of the advertisement in local newspapers have already been submitted to the Regional Office of MoEF&CC, Ranchi and JSPCB, Ranchi along with the Six-monthly EC compliance report, vide letter no. HIL/LHD/ENV/MoEF/418 dated 25.11.2023. The copy of the same advertisement in the newspapers is attached below.

पर्यावरण स्वीकृति के संबंध में

हिण्डालको इण्डस्ट्रीज लिमिटेड की सेरेंगदाग बॉक्साईट खदान (क्षेत्रफल: 77.89 हैo), बॉक्साईट 100000 टी.पी.ए की उत्पादन क्षमता के साथ गांव: सेरेंगदाग, हंनरूप एवं पवनरी तालुका बिशुनपुर एवं घघरा, जिला गुमला, झारखंड का एस.ई.आई.ए.ए, झारखंड से पुन: मान्य ईसी प्रदान किया गया है।

पर्यावरण स्वीकार करेक बारे में

हिण्डालको इण्डस्ट्रीज लिमिटेड कर सेरेंगदाग बॉक्साईट खदान (क्षेत्रफल: 77.89 हे०), बॉक्साईट 100000 टी.पी.ए कर उत्पादन क्षमता कर साथ गांव: सेरेंगदाग, हंनरूप औउर पवनरी तालुका बिशुनपुर एवं घघरा, जिला गुमला, झारखंड कर एस.ई.आई.ए.ए, झारखंड बट से फिर से मानेक ले ईसी देवल गेले है।

पर्यावरण स्वीकृति के संबंध में

हिण्डालको इण्डस्ट्रीज लिमिटेड की सेरेंगदाग बॉक्साईट खदान (क्षेत्रफल : 77.89 हे०), बॉक्साईट 100000 टी.पी.ए की उत्पादन क्षमता के साथ गांव : सेरेंगदाग, हंनरूप एवं पवनरी तालुका बिशुनपुर एवं घघरा, जिला गुमला, झारखंड का एस.ई.आई.ए.ए, झारखंड से पुन : मान्य ईसी प्रदान किया गया है।

पर्यावरण स्वीकार करेक बारे में

हिण्डालको इण्डस्ट्रीज लिमिटेड कर सेरेंगदाग बॉक्साईट खदान (क्षेत्रफल : 77 .89 हे०), बॉक्साईट 100000 टी .पी .ए कर उत्पादन क्षमता कर साथ गांव : सेरेंगदाग, हंनरूप औउर पवनरी तालुका बिशुनपुर एवं घघरा, जिला गुमला, झारखंड कर एस .ई .आई .ए .ए, झारखंड बट से फिर से मानेक ले ईसी देवल गेले है ।

Advertisement in the "Hindustan" Newspaper

Advertisement in the "Hindustan Times" Newspaper

Condition 16- The Project Proponent shall inform the MoEF & CC for any change in ownership of the mining lease. In case there is any change in ownership or mining lease is transferred then mining operation shall only be carried out after transfer of EC as per provisions of the para 11 of EIA Notification, 2006 as amended from time to time. Reply to Condition 16- Noted and will be informed if applicable.

Condition 17- In all Stone Mining projects, depending upon the air pollution estimates based upon fuel use in operations and activities of the respective projects; required monitoring station-based air quality monitoring shall be done in the influence area of the project with needed mitigation conditions to ensure sustainable. Stone mining as per guidelines, circulars and norms of MOEFCC / Hon'ble NGT or any other directives of regulatory / statutory bodies and competent Courts.

PP to take preventive steps to avoid flash flood conditions arising from mining operations and probably run off in rainy season conditions.

Reply to Condition 17- This is not a stone mine. It is a bauxite mine and all the mitigation measures are being taken to prevent air pollution in Serangdag Bauxite Mine. As shallow depth mining is being carried out, there is no chance of flash flood conditions arising from mining operations.

Condition 18- PP shall maintain minimum distance from Reserved / Protected Forests as stipulated in applicable guidelines.

Reply to Condition 18- Noted and being adhered to.

Condition 19- All statutory clearances shall be obtained before the start of mining operations.

Reply to Condition 19- All statutory clearances have already been obtained as it is a running mine.

C. Air Quality monitoring and preservation

Condition 1- The Project Proponent shall install a minimum of 3 (three) online Ambient Air Quality Monitoring Stations with I (one) in upwind and 2 (two) in downwind direction based on long term climatological data about wind direction such that an angle of 120° is made between the monitoring locations to monitor critical parameters, relevant for mining operations, of air pollution viz. PM10. PM2.5. NO2: CO and S02 etc. as per the methodology mentioned in NAAQS Notification No. B-2901 6/20/90/PCUI, dated 18.11.2009, covering the aspects of transportation and use of heavy machinery in the impact zone. The ambient air quality shall also be monitored at prominent places like office buildings. canteen etc. as per the site condition to ascertain the exposure characteristics at specific places. The above data shall be digitally displayed within 03 months in front of the main Gate of the mine site.

Reply to Condition 1- We have established four ambient air quality monitoring stations in the core zone as well as buffer zone. Monitoring is being carried out and reported to the concerned authorities. Report is attached as **Annexure 2.** A display board is already installed in front of mine gate office. We have already installed an online PM10 analyzer at mine site.

Condition 2- Effective safeguard measures for prevention of dust generation and subsequent Suppression (like regular water sprinkling. metaled road construction etc.) shall be carried out in areas prone to air pollution wherein high levels of PM10 and PM2.5 are evident such as haul road, loading and unloading point and transfer points. The Fugitive dust emissions from all sources shall be regularly controlled by installation of required equipment/ machineries and preventive maintenance. Use of suitable water-soluble chemical dust suppressing agents may be explored for better effectiveness of dust control system. It shall be ensured that the air pollution level conforms to the standards prescribed by the MoEF&CC/ Central Pollution Control Board.

Reply to Condition 2- Continuous water sprinkling is being done to prevent dust suppression on haul road. Online PM10 analyzer has been installed for regular monitoring purpose. Suitable water-soluble chemical dust suppressing agents will be used in future if required.

Condition 3-Approved devices for dust suppression shall be installed.

Reply to Condition 3- USEPA approved online PM10 analyzer has been installed in mine as per the directives of JSPCB. However, dust suppression is also being done by sprinkling water through mobile water tankers.



Dust Suppression through water tanker.

Condition 4- Personnel working in dusty areas should be provided with protective respiratory devices and they should also be provided with adequate training and information on safety and health aspects. Occupational health surveillance program of the workers should be undertaken periodically to observe any contractions due to exposure to dust and take corrective measures, if needed. A detailed report shall be sent to the Pollution Control Board periodically.

Reply to Condition 4- All the workers have been provided with PPEs including dust mask and dust respirators. Periodical Occupational health surveillance program of the workers is being carried out and records maintained as per statute. IME & PME report has been attached as **Annexure 6.**

Condition 5- The proponent shall upload the status of compliance of the environmental clearance conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to Jharkhand State Pollution Control Board and its concerned Regional Office. The criteria pollutant levels are namely SPM, RSPM, SO2, NOx (ambient levels) or critical sectoral parameters, indicated for the project shall be monitored and displayed at a convenient location near the project shall be monitored and displayed at a convenient location near the main gate of the company in the company in the public domain.

Reply to Condition 5- Six-monthly EC compliance along with Environmental monitoring reports is being uploaded on company website regularly. The same is also being submitted to the Regional Office of MoEF&CC, Ranchi and JSPCB, Ranchi. An Environmental Display board is already installed at the Mine Main Gate.

D. Water quality monitoring and preservation:

Condition 1- In case, immediate mining scheme envisages intersection of ground water table, then Environmental Clearance shall become operational only after receiving formal clearance from CGWA. In case, mining operation involves intersection of ground water table at a later stage, then PP shall ensure that prior approval from CGWA and MoEF&CC is in place before such mining operations. The permission for intersection of ground water table shall essentially be based on detailed hydro-geological study of the area.

Reply to Condition 1- Noted. Since shallow depth mining is being carried out in Serangdag Bauxite Mine. Therefore, Mining operation does not involve intersection of ground water table. However, we are regularly monitoring the ground water table through installation of piezometer. The copy of the same report is attached herewith as **Annexure-1**.

As the water table is not intersecting during mining operation, the detailed hydro-geological study is not applicable for this mine.

Condition 2- Regular monitoring of the flow rate of the springs and perennial nallahs flowing in and around the mine lease shall be carried out and records maintained. The natural water bodies and or streams which are flowing in and around the village, should not be disturbed. The Water Table should be nurtured so as not to go down below the pre-mining period. In case of any water scarcity in the area, the Project Proponent has to provide water to the villagers for their use. A provision for regular monitoring of water tables in open dug wall located in village should be incorporated to ascertain the impact of mining over ground water table. The Report on changes in Ground water level and quality shall be submitted on a sixmonthly basis to the Regional Office of the Ministry, CGWA and State Groundwater Department / State Pollution Control Board.

Reply to Condition 2- Noted. Regular monitoring of drinking water along with stream and spring water is being carried out. As shallow depth mining is being carried out, there is no intersection of the groundwater table during the mining operation at present and in the future. A piezometer has also been installed in mine for monitoring of ground water level. Drinking water is being provided to nearby villages regularly.

The ground water level and water quality reports are being submitted regularly on a six-monthly basis to the regional office of the Ministry, CGWA, and JSPCB. The same are attached herewith as **Annexure 1 and 2.**

Condition 3-Project Proponent shall regularly monitor and maintain records w.r.t. ground water level and quality in and around the mine lease by establishing a network of existing wells as well as new piezo-meter installations during the mining operation in consultation with Central Ground Water Authority/ State Ground Water Department. The Report on changes in Ground water level and quality shall be submitted on a six-monthly basis to the Regional

Office of the Ministry. CGWA and State Groundwater Department / State Pollution Control Board.

Reply to Condition 3- We regularly monitor and maintain records w.r.t. ground water level and quality in and around the mine lease. However, we are not using groundwater for any mining purposes. As shallow depth mining is being carried out, there is no intersection of the groundwater table during the mining operation at present and in the future. A piezometer has also been installed in the mine to monitor ground water level.

The ground water level and water quality reports are being submitted regularly on a six-monthly basis to the regional office of the Ministry, CGWA, and JSPCB. The same are attached herewith as **Annexure 1 and 2.**



Piezometer

Condition 4- The Project Proponent shall undertake regular monitoring of natural water course/ water resources/ springs and perennial nallahs existing/ flowing in and around the mine lease and maintain its records. The project proponent shall undertake regular monitoring of water quality upstream and downstream of water bodies passing within and nearby/ adjacent to the mine lease and maintain its records. Sufficient number of gullies shall be provided at appropriate places within the lease for management of water. PP shall carry out regular monitoring w.r.t. pH and included the same in monitoring plan. The parameters to be monitored shall include their water quality vis-à-vis suitability for usage as per CPCB criteria and flow rate. It shall be ensured that no obstruction and/ or alteration be made to water bodies during mining operations without justification and prior approval of MoEF&CC. The monitoring of water courses/ bodies existing in lease area shall be carried out four times in a year viz. pre- monsoon (April-May), Monsoon (August), post-monsoon (November) and winter (January) and the record of monitored data may be sent regularly to Ministry of Environment, Forest and Climate Change and is Regional Office. Central Ground Water Authority and Regional Director, Central Ground Water Board, State Pollution Control Board and Central Pollution Control Board. Clearly showing the trend analysis on a six-monthly basis.

Reply to Condition 4- Regular monitoring of water quality parameters of natural water course/ water resources/ springs and perennial nallahs existing/ flowing in and around the mine lease is being carried out and record is being maintained for the same.

However, we are not using groundwater for any mining purposes. As shallow depth mining is being carried out, there is no intersection of the groundwater table during the mining operation at present and in the future. No natural watercourse and/or water resource is being and will be obstructed due to mining operations.

The water quality reports are being submitted regularly on a six-monthly basis to the regional office of the Ministry, CGWA, and JSPCB. The same are attached herewith as **Annexure 2.**

Condition 5- Quality of polluted water generated from mining operations which include Chemical Oxygen Demand (COD) in mines run-off: acid mine drainage and metal contamination in runoff shall be monitored along with Total Suspended Solids (TDS). Dissolved Oxygen (DO). pH and Total Suspended Solids (TSS). The monitored data shall be uploaded on the website of the company as well as displayed at the project site in public domain, on a display board at a suitable location near the main gate of the Company. The circular No. J- 20012/1/2006-IAJI (M) dated 27.05.2009 issued by Ministry of Environment. Forest and Climate Change may also be referred to in this regard.

Reply to Condition 5- There is no polluted water generated during mining operations. However, a negligible amount of wastewater is generated in the workshop from washing vehicles, and an Oil & grease trap system is already installed for Sherengdag group of mines to treat this effluent. The treated water is in close circuit and being reused for washing of vehicle in the workshop.

Furthermore, the quality of this treated water is being monitored regularly and all water parameters are within permissible limits. The monitoring report is attached herewith as **Annexure-2**

The monitoring report is being uploaded on company website along with Six-monthly EC Compliance report regularly. An Environmental Display board is already installed at the Mine Main Gate.



Environmental Display Board

Condition 6- Project Proponent shall plan, develop and implement rainwater harvesting measures on long term basis to augment ground water resources in the area consultation with Central Ground Water Board/ State Groundwater Department. A report on amount of water recharged needs to be submitted to Regional Office MoEF&CC annually.

Reply to Condition 6 - Rainwater harvesting pond with proper fencing has been already constructed on long term basis to augment ground water in the area of Sherangdag plateau, in consultation with Central Ground Water Board. Photographs of the same have been attached below. Water Positivity study for Sherangdag Group of Mines has been carried out recently. Total amount of water recharge has been found to be 22092.50 m³/Annum.



Rainwater Harvesting Pond

Condition 7- Industrial wastewater (workshop and wastewater from the mine) should be properly collected and treated so as to conform to the notified standards prescribed from time to time. The standards shall be prescribed through Consent to Operate (CTO) issued by concerned State Pollution Control Board (SPCB). The workshop effluent shall be treated after its initial passage through Oil and grease trap.

Reply to Condition 7- There is no polluted water generated during mining operations. However, a negligible amount of wastewater is generated in the workshop from washing vehicles, and an Oil & grease trap system is already installed for Sherengdag group of mines to treat this effluent. The treated water is in close circuit and being reused for washing of vehicle in the workshop.


Furthermore, the quality of this treated water is being monitored regularly and all water parameters are within permissible limits. The monitoring report is attached herewith as **Annexure-2**.



Washing Ramp and Oil and Grease Trap

Condition 8- The water balance/water auditing shall be carried out and measures for reducing the consumption of water shall be taken up and reported to the Regional Office of the MoEF&CC and State Pollution Control Board/Committee.

Reply to Condition 8- Noted. The water balance for this mine is attached below. We are taking water from rainwater harvesting pond for sprinkling and other activities. We are not abstracting any ground water for mining purposes. However, we have obtained NOC from CGWA for drinking purposes only. We have also conducted water study for Sherangdag group of mines and prepared a report. Based on the water study this mine has been turned out to be a water positive mine.



Water Balance

Condition 9- The mining operations shall be restricted to ground above the water table, and it should not intersect the groundwater table. In case of working below the ground water table. Prior approval of the Ground Water Directorate. Government of Jharkhand / Central Ground Water Board shall be obtained. Benches height and slope shall be maintained as per approved Mining Plan. The Mining Plan has to be got approved by concerned authorities as per IBM or equivalent agencies. Safety measures shall be adopted in line with DGMS Guidelines.

Reply to Condition 9- Noted. We are not using groundwater for any mining purposes. As shallow depth mining is being carried out, there is no intersection of the groundwater table during the mining operation at present and in the future.

A piezometer has been installed for monitoring of ground water level. The Mining Plan has already been approved by IBM, Ranchi and Safety measures like Benches height and slope are being maintained as per the guideline by DGMS.

Condition 10- The project proponent shall ensure that no natural watercourse and / or water resources shall be obstructed / diverted due to any mining operations. Adequate measures shall be taken for conservation and protection of the first order and the second order streams. If any emanating / passing through the mine lease area during the course of mining operation.

Reply to Condition 10- There is no natural watercourse and / or water resources within the mining lease area. As Shallow depth mining methodology is adopted for mining process. Hence, there is no impact of mining operation on natural water course.

Condition 11- The project proponent shall implement approved conservation measures to augment ground water resources in the area in consultation with the Ground Water Directorate, Government of Jharkhand/ Central Ground Water Board.

Reply to Condition 11- A detailed plan to augment groundwater has been prepared, and suitable measures like creation of water harvesting ponds etc., are being taken for the augmentation of groundwater in the area of Sherangdag Plateau, in consultation with the Central Ground Water Board.

Condition 12- The project proponent shall, if required, obtain necessary prior permission/NOC from the competent authorities for drawl of requisite quantity of water required from the source for the project.

Reply to Condition 12- No Objection Certificate (NOC) for ground water abstraction has been obtained for drinking purposes only from CGWB/CGWA. The same NOC is attached in the Condition No.12 of Section (B) Statutory Compliance.

However, rainwater harvested during rainy season, is being used for sprinkling on haul roads and raising plantation. We are not using groundwater for any mining purposes.

Condition 13- Suitable rainwater harvesting measures shall be planned and implemented in consultation with the Ground Water Directorate, Government of Jharkhand / Central Ground Water Board.

Reply to Condition 13- Suitable measures such as creation of rainwater harvesting ponds, etc., are implemented in the area of Sherangdag Plateau, in consultation with the Central Ground Water Board.

E. Noise and vibration monitoring and prevention

Condition 1- The peak particle velocity at 500 m distance or within the nearest habitation, whichever is closer shall be monitored periodically as per applicable DGMS Guidelines.

Reply to Condition 1- Noted and being adhered to. Blast vibration study is being carried out at regular interval and the report is attached herewith as Annexure 8.

Condition 2- The illumination and sound at night at project sites disturb the villages in respect of both human and animal population. Consequent sleeping disorders and stress may affect the health in the villages located close to mining operations. Habitations have a right for darkness and minimal noise levels at night. PPs must ensure that the biological clock of the villages is not disturbed: by orienting the floodlights/ masks away from the villagers and keeping the noise levels well within the prescribed limits for day/night hours.

Reply to Condition 2- Noted. Mining operation is restricted to daytime only. So, there is no disturbance created in the nearby villages regarding illumination and sound.

Condition 3-The Project Proponent shall take measures for control of noise levels below 85 dBA in the work environment. The workers engaged in operations of HEMM. etc. should be provided with ear plugs /muffs. All personnel including labours working in dusty area shall be provided with protective respiratory devices along with adequate training, awareness and information on safety and health aspects. The PP shall be held responsible in case it has been found that workers/ personals/ labours are working without personal protective equipment.

Reply to Condition 3- Noted. The noise level monitoring is being conducted at a regular interval. The noise level is below the prescribed norms. Report has been attached as **Annexure 2.** All workers engaged in operation have been provided with PPEs. Training in Health and safety is being imparted by the respective officials.

F. Mining Plan:

Condition 1- The Project Proponent shall adhere to the working parameters of the mining plan which was submitted at the time of EC appraisal wherein year-wise plan was mentioned for total excavation i.e. quantum of mineral, waste. over burden. inter burden and topsoil etc. No change in basic mining proposal like mining technology, total excavation, mineral & waste production, lease area and scope of working (viz. method of mining, overburden & dump management, O.B & dump mining, mineral transportation mode. ultimate depth of mining etc.) shall not be carried out without prior approval of the Ministry of Environment Forest and Climate Change which entail adverse environmental impacts even if it is a part of approved mining plan modified after grant of EC or granted by State Govt. in the form to Short Term Permit (STP), Query license or any other name.

Reply to Condition 1- Noted and being adhered to.

Condition 2-. The Project Proponent shall get the Final Mine Closure Plan along with Financial Assurance approved from Indian Bureau of Mines/Department of Mining &

Geology as required under the Provision of the MMDR Act. 1957 and Rules/ Guidelines made there under. A copy of approved final mine closure plan shall be submitted within 2 months of the approval of the same from the competent authority to the concerned Regional Office of the Ministry of Environment, Forest and Climate Change for record and verification.

Reply to Condition 2- Noted and will be adhered in due course.

Condition 3-The land-use of the mine lease area at various stages of the mining scheme as well as at the end-of-life shall be governed as per the approved Mining Plan. The excavation vis-àvis backfilling in the mine lease area and corresponding afforestation to be raised in the reclaimed area shall be governed as per the approved mining plan. PP shall ensure the monitoring and management of rehabilitated areas until the vegetation becomes self-sustaining. The compliance status shall be submitted half-yearly to the MoEF&CC and its concerning the Regional Office.

Reply to Condition 3- Noted and being adhered. The excavated area is being back filled concurrently and back filled area is used for afforestation/agricultural activity as required after reclamation. Monitoring and management of rehabilitated areas is continuing through supervision. Photograph is attached below.



Reclaimed Land

Condition 4- No change in mining technology and scope of working should be made without prior approval of the Statutory authorities / Department of Mines. Government of Jharkhand / Jharkhand State Pollution Control Board, Ranchi during the EC period. Reply to Condition 4- Noted.

Condition 5- No change in the calendar plan including excavation. quantum of mineral and waste should be made.

Reply to Condition 5- Calendar plan including excavation, quantum of mineral bauxite and waste is being done as per IBM approved mining scheme and in scientific manner. Data pertaining to excavation, quantum of mineral bauxite etc. are mentioned in report attached as **Annexure 4.**

Condition 6- The Project proponent shall make all internal roads pucca as per approved specification of Govt. of Jharkhand and shall maintain a good housekeeping by regular cleaning and wetting of the haul roads and the premises.

Reply to Condition 6- Internal haul road has been provided as per approved specifications. Regular housekeeping and water sprinkling is being carried out for fugitive dust suppression.

Condition 7- The Project proponent shall maintain register for production and dispatch and submit return to the Board.

Reply to Condition 7- Noted and is being complied with, as per the requirement. However, Monthly as well as annual return is being submitted to IBM and District Mining office at stipulated timeframe.

Condition 8- Dispensary facilities for First Aid shall be provided at site.

Reply to Condition 8- Dispensary facilities is available for Serangdag Bauxite Mine. Photographs are attached below.





Dispensary Facility at mines

G. Land Reclamation

Condition 1- The Overburden (O.B.) generated during the mining operations shall be stacked at earmarked OB dump site(s) only and it should not be kept active for a long period of time. The physical parameters of the OB dumps are like height, width and angle of slope shall be governed as per the approved Mining Plan as per the guidelines/circulars issued by D.G.M.S w.r.t safety in mining operations shall be strictly adhered to maintain the

stability of topsoil/OB dumps. The topsoil shall be used for land reclamation and plantation.

Reply to Condition 1: - Overburden and waste rock are being used for concurrent backfilling, and topsoil is being spread on the backfilled area for reclamation as per mining plan approved by IBM. Currently, there is no OB dump present in the mine lease area. All Safety measures are being adhered to the guidelines/circulars issued by DGMS. Data pertaining to backfilling is enclosed as **Annexure 4.** Monitoring and management of rehabilitated areas is being done through effective supervision.

Condition 2- The reject/ waste generated during the mining operations shall be stacked at earmarked waste dump site(s) only. The physical parameters of the waste dumps are like height, width and angle of slope shall be governed as per the approved Mining Plan as per the guidelines/circulars issued by DGMS w.r.t. safety in mining operations shall be strictly adhered to maintain the stability of waste dumps.

Reply to Condition 2- Overburden and waste rock are being used for concurrent backfilling, and topsoil is being spread on the backfilled area for reclamation as per mining plan approved by IBM. Currently, there is no OB dump present in the mine lease area. All Safety measures are being adhered to the guidelines/circulars issued by DGMS. Data pertaining to backfilling is enclosed as **Annexure 4.** Monitoring and management of rehabilitated areas is being done through effective supervision.

Condition 3- The reclamation of waste dump sites shall be done in scientific manner as per the Approved Mining Plan cum Progressive Mine Closure Plan.

Reply to Condition 3- The land reclamation of OB dumps is being done after concurrent backfilling as per approved mining plan in scientific manner. Photograph of the same is attached in reply to Condition 3 of Section (F) Mining Plan.

Condition 4- The slope of dumps shall be vegetated in a scientific manner with suitable native species to maintain the slope stability, prevent erosion and surface run off. The selection of local species regulates local climatic parameters and helps in adaptation of plant species to the microclimate. The gullies formed on slopes should be adequately taken care of as it impacts the overall stability of dumps. The dump mass should be consolidated with the help of dozer/compactors thereby ensuring proper filling/ leveling of dump mass. In critical areas, use of geo textiles/ geo-membranes / clay liners / Bentonite etc. shall be undertaken for stabilization of the dump.

Reply to Condition 4- Noted. Currently, there is no OB dump present in the mine lease area as we are following concurrent backfilling and reclamation process in scientific manner.

Condition 5- The Project Proponent shall carry out slope stability study in case the dump height is more than 30 meters. The slope stability report shall be submitted to concerned regional office of MoEF&CC.

Reply to Condition 5- Noted. There is no dump present currently on site as we are following concurrent backfilling and reclamation process. Therefore, this condition is not applicable for this mine.

Condition 6- Catch drains, settling tanks and ponds of appropriate size shall be constructed around the mine working, mineral yards and Topsoil/OB/Waste dumps to prevent run off of water and flow of sediments directly into the water bodies (Nallah/ River/ Pond etc.). The collected water should be utilized for watering the mine area, roads, green belt development, plantation etc. The drains/ sedimentation sumps, etc. shall be de-silted regularly, particularly after monsoon season, and maintained properly.

Reply to Condition 6- To collect & manage rainwater during monsoon, part of mined out area is used as a settling tank for the runoff. Rainwater stored is being used for watering the mine area, roads, green belt development and sprinkling as necessary. Catch drains, Garland drains of appropriate size are being constructed in both around the mine pit to prevent runoff of water and flow of sediments directly into the agricultural field and water bodies, if applicable.



Garland drains

Condition 7- Check dams of appropriate size. gradient and length shall be constructed around mine pit and OB dumps to prevent storm run-off and sediment flow into adjoining water bodies. A safety margin of 50% shall be kept for designing of sump structures over and above peak rainfall (based on 50 years data) and maximum discharge in the mine and its adjoining which shall also help in providing adequate retention time period thereby allowing proper settling of sediments/ silt material. The sedimentation pits/ sumps shall be constructed at the corners of the garland drains.

Reply to Condition 7- To collect & manage rainwater during monsoon, part of mined out area is used as a settling tank for the runoff. Rainwater stored is being used for watering the mine area, roads, green belt development and sprinkling as necessary. Appropriate check dam has been

provided.



Check dam/ Catchment Area

Condition 8- The topsoil, if any, shall temporarily be stored at earmarked site(s) within the mine lease only and should not be kept unutilized for long. The physical parameters of the topsoil dumps are like height, width and angle of slope shall be governed as per the approved mining Plan and as per the guidelines framed by DGMS w.r.t. safety in mining operations shall be strictly adhered to maintain the stability of dumps. The topsoil shall be used for land reclamation and plantation purposes.

Reply to Condition 8- Topsoil is being used for reclamation and rehabilitation simultaneously. Temporary soil is being stacked separately in the mining premises, if required and the same is being used for reclamation purpose within a month. There is no external OB dump. The excavated area is being back filled concurrently and back filled area is used for afforestation/agricultural activity as required. Monitoring and management of rehabilitated areas is continuing through supervision.

H. Transportation

Condition 1- No Transportation of the minerals shall be allowed in case of roads passing through villages habitations. In such cases, PP shall construct a 'bypass' road for the purpose of transportation of the minerals leaving an adequate gap (say at least 200 meters) so that the adverse impact of sound and dust along with chances of accidents could be mitigated. All costs resulting from widening and strengthening of existing public road network shall be borne by the PP in consultation with nodal State Govt. Department. Transportation of minerals through road movement in case of existing village/ rural roads shall be allowed in consultation with nodal State Govt. Department only after required strengthening such that the carrying capacity of roads is increased to handle the traffic load. The pollution due to transportation load on the environment will be effectively controlled and water sprinkling will also be done regularly. Vehicular emissions shall be kept under control and regularly monitored. Project should obtain Pollution Under Control (PUC) certificate for all the vehicles from authorized pollution testing centers.

Reply to Condition 1- Haul Road has been constructed for transportation of minerals. Mobile water tankers with sprinkling facility have been provided along-haul roads, loading, unloading & at transfer points to arrest dust emission. Regular maintenance of vehicles is undertaken to minimize

vehicular emission. All measures are being taken to control vehicular emission. The vehicles are being covered with tarpaulin while transportation of mineral. PUC Certificates have been attached as **Annexure 7.**



Tarpaulin covered Vehicle

Condition 2- The Main haulage road within the mine lease should be provided with a permanent water sprinkling arrangement for dust suppression. Other roads within the mine lease should be wetted regularly with tanker-mounted water sprinkling system. The other areas of dust generation like crushing zone, material transfer points. material yards etc. should invariably be provided with dust suppression arrangements. The air pollution control equipment like bag filters, vacuum suction hoods. dry fogging system etc. shall be installed in Crushers, belt-conveyors, and other areas prone to air pollution. The belt conveyor should be fully covered to avoid generation of dust while transportation. PP shall take necessary measures to avoid generation of fugitive dust emissions.

Reply to Condition 2- Haul Road has been constructed for transportation of minerals. Mobile water tankers with sprinkling facilities have been provided on long-haul roads, loading, unloading & at transfer points to arrest dust emission. Regular maintenance of vehicles is undertaken to minimize vehicular emission. All measures are being taken to control vehicular emission. The vehicles are being covered with tarpaulin while transportation of mineral.

Condition 3- Vehicular emissions shall be kept under control by regular repairing of transport roads and regular air quality monitoring. Measures shall be taken for maintenance of vehicles used in mining operations and in transportation of minerals. The mineral transportation shall be carried out through the covered trucks only and the vehicles carrying the mineral shall not be overloaded. No transportation of stone / sand outside the mine lease area shall be carried out after sunset.

Reply to Condition 3- To keep vehicular emissions under control, vehicles are periodically checked & repaired. All measures are being taken to control vehicular emission. All vehicles are covered with tarpaulins, and non-overloading guidelines are being followed during transportation of minerals. No transportation of minerals outside the mine lease area is carried out after sunset.

I. Greenbelt

Condition 1-The Project Proponent shall develop greenbelt in 7.5m wide safety zone all along the mine lease boundary as per the guidelines of CPCB in order to arrest pollution emanating from mining operations within the lease. The whole Green belt shall be developed within the first 5 years starting from the windward side of the active mining area. The development of greenbelt shall be governed as per the EC granted by the Ministry irrespective of the stipulation made in approved mine plan.

Reply to Condition 1- Green belt development work is in progress in safety zone of mine lease already. Plantation work is being governed as per approved mining plan and EC granted.







Plantation at mines

Condition 2- The Project Proponent shall carry out plantation/ afforestation in backfilled and reclaimed area of mining lease. around water body, along the roadsides, in community areas etc. by planting the native species in consultation with the State Forest Department/ Agriculture Department/ Rural development department/ Tribal Welfare Department/ Gram Panchayat is such that only those species be selected which are of use to the local people.

The CPCB guidelines in this respect shall also be adhered. The density of the trees should be around 2500 saplings per Hectare. Adequate budgetary provision shall be made for the protection and care of trees.

Reply to Condition 2- Progressive plantation of native species is being carried out in consultation with local forest department within mining lease, reclaimed area etc. Total 2500 nos. saplings have been planted in the period from April'24 to September'24 within the lease. Cumulative 6.35 ha areas have been planted till date. In addition to these agricultural activities (bio plantation) is going on reclaimed land as per the consent from landowners. The Green belt development program is in progress with the progress of mining activities.








Plantation at Mine

Condition 3- The Project Proponent shall make necessary alternative arrangements for livestock feed by developing grazing land with a view to compensating those areas which are coming within the mine lease. The development of such grazing land shall be done in consultation with the State Government. In this regard, Project Proponent should essentially implement the directions of the Hon'ble Supreme Court with regard to acquisition of grazing land. The sparse trees on such grazing ground, which provides mid- day shelter from the scorching sun, should be scrupulously guarded/ protected against felling and plantation of such trees should be promoted.

Reply to Condition 3- As per the agreement by DC, we are acquiring land on the lease basis in consultation with the State Government and with the consent of the landowner. After completing mining operation followed by reclamation and topsoil spreading, we return the land to the landowners for agriculture purpose or plantation whichever is desired by them (landowners /villagers). Hence, we do not deteriorate the quality of the land and there is no need to create grazing land. No cutting of trees/ felling of trees are involved in the mining process.

Condition 4- The Project Proponent shall undertake all precautionary measures for conservation and protection of endangered flora and fauna and Schedule-I species during mining operation. A Wildlife Conservation Plan shall be prepared for the same clearly delineating action to be taken for conservation of flora and fauna. The Plan shall be approved by Chief Wildlife Warden of the State Govt.

Reply to Condition 4- We have prepared Integrated Site-specific Wildlife Conservation in consultation with State Forest Department and obtained approval letter from Principal Chief Conservator of Forest, Wildlife & Chief Wildlife Warden, Jharkhand via Office Order No.26 dated 26.05.2023 for conservation and protection of flora and fauna in the core and buffer zone for Sherangdag Group of Mines. However, Mine is located outside an eco-sensitive zone.





Integrated Site-specific Wildlife Conservation Plan for Sherengdag Group of Mines

Condition 5- And implemented in consultation with the State Forest and Wildlife Department. A copy of the Wildlife Conservation Plan and its implementation status (annual) shall be submitted to the Regional Office of the Ministry.

Reply to Condition 5- Noted and complied with.

Condition 6- The Project proponent shall not cut trees / carry out tree felling in leased out area without the permission of competent authority.

Reply to Condition 6- No cutting of trees/ felling of trees are involved in the mining process.

J. Public hearing and human health issues:

Condition 1- The Project Proponent shall appoint an Occupational Health Specialist for Regular as well as Periodical medical examination of the workers engaged in the mining activities, as per the DGMS guidelines. The records shall be maintained properly. PP shall also carry out Occupational health check-ups in respect of workers which are having ailments, like BP, diabetes, habitual smoking. etc. The check-ups shall be undertaken once in six months and necessary remedial/ preventive measures be taken. A status report on the same may be sent to MoEF&CC Regional Office and DGMS on a half-yearly basis.

Reply to Condition 1- Regular and periodical medical examination of the workers engaged in the project is being carried out and records are being maintained by Medical Officer. IME/PME record is attached in compliance report as **Annexure 6.**

Condition 2-. The Project Proponent must demonstrate commitment to work towards 'Zero Harm' from their mining activities and carry out Health Risk Assessment (HRA) for identification workplace hazards and assess their potential risks to health and determine appropriate control measures to protect the health and wellbeing of workers and nearby community. The proponent shall maintain accurate and systematic records of the HRA. The HRA for neighborhood has to focus on Public Health Problems like Malaria, Tuberculosis, HIV, Anaemia, Diarrhea in children under five, respiratory infections due to biomass cooking. The proponent shall also create awareness and educate the nearby community and workers for Sanitation. Personal Hygiene, Hand washing, not to defecate in the open, Women Health and Hygiene (Providing Sanitary Napkins), hazard of tobacco and alcohol use. The Proponent shall carry out base line HRA for all the categories of workers and thereafter every five years.

Reply to Condition 2- Regular awareness programs are being carried out to educate the local community on healthcare, sanitation, hygiene etc. We have conducted awareness Drive on HEAT Wave at Sherengdag mines operational areas as well as distributed ORS to the workers and Staffs. Also, organized Rural medical camps on Fridays in every week at Bhaisbathan mines operational area and every Wednesday at Itkiri, Lapsar, Nathpur along with regular running First AID center at Lapsar & Nathpur. 100 Nos. of football have been distributed at Sherengdag mines operational area Among Village teams & GOVT. School to encourage children to take up sports.

Also, awareness has been created for Sanitation, Personal Hygiene, Hand washing and not to defecate in the open periodically through "Swacchta Abhiyan". Education and awareness for Women Health and Hygiene, hazard of tobacco and alcohol use is being given on regular intervals to the local villagers. Additionally, Swachhata Pakhbara Program was also organized from 14th September'24 to 02 October'24.

All workers and company staff are provided with proper PPEs and Bleaching powder. Base line HRA for all the categories of workers will be carried out in the future. However, we conduct IME/PME for the health and wellbeing of the workers in the mines.









Swachhata Pakhbara Program and Heat Wave Drive

Condition 3- The Proponent shall carry out Occupational health surveillance which be a part of HRA and include Biological Monitoring where practical and feasible, and the tests and investigations relevant to the exposure (e.g. for Dust X-Ray chest: For Noise Audiometric: for Lead Exposure Blood Lead. For Welders Full Ophthalmologic Assessment: for Manganese Miners a complete Neurological Assessment by a Certified Neurologist. and Manganese (Mn) Estimation in Blood: For Inorganic Chromium- Fortnightly skin inspection of hands and forearms by a responsible person. Except routine tests all tests would be carried out in a Lab accredited by NABH. Records of Health Surveillance must be kept for 30 years, including the results of and the records of Physical examination and tests. The record of exposure due to materials like Asbestos, Hard Rock Mining, Silica, Gold, Kaolin, Aluminum, Iron, Manganese, Chromium, Lead, Uranium needs to be handed over to the Mining Department of the State in case the life of the mine is less than 30 years. It would be obligatory for the State

Mines Departments to make arrangements for the safe and secure storage of the records including X-Ray. Only conventional X-Ray will be accepted for recording purposes and not the digital one). X-Ray must meet ILO criteria (17 x14 inches and of good quality).

Reply to Condition 3- Occupational health surveillance is being conducted in regular intervals by specialized doctors and nurses. Rural medical camps have been organized on Fridays in every week at Bhaisbathan mines operational area and every Wednesday at Itkiri, Lapsar, Nathpur along with regular running first AID center at Lapsar & Nathpur. Periodical medical examination of the workers engaged in the project is being carried out and records are being maintained by Medical Officer. IME/PME record is attached in compliance report as **Annexure 6.**



Rural medical camp

Condition 4- The Proponent shall maintain a record of performance indicators for workers which includes. (a) there should not be a significant decline in their Body Mass Index, and it should stay between 18.5 -24.9, (b) the Final Chest X-Ray compared with the base line X-Ray should not show any capacities (c) At the end of their leaving job there should be no Diminution in their Lung Functions Forced Expiratory Volume in one second (FEV1), Forced Vital Capacity (FVC), and the ratio) unless they are smokers which has to be adjusted, and the effect of age, (d) their hearing should not be affected. As a proof an Audiogram (first and last need to be presented), (c) they should not have developed any Persistent Back Pain, Neck Pain, and the movement of their Hip, Knee and other joints should have a normal range of movement. (f) they should not have suffered loss of any body part. The record of the same should be submitted to the Regional Office, MoEF&CC annually along with details of the relief and compensation paid to workers having the above indications.

Reply to Condition 4- Noted and being complied with. However, Regular, and periodical medical examination of the workers engaged in the project is being carried out and records are being maintained. IME/PME record is attached in compliance report as **Annexure 6.**

Condition 5-The Project Proponent shall ensure that Personnel working in dusty areas should wear protective respiratory devices and they should also be provided with adequate training and information on safety and health aspects.

Reply to Condition 5- Personnel working in dusty areas are provided with proper respiratory devices. Regular training is being conducted on occupational health and work safety environments.

Condition 6- Project Proponent shall make provision for the housing for workers/labours or shall construct labor camps within/outside (company owned land) with necessary basic infrastructure/ facilities like fuel for cooking, mobile toilets. mobile STP, safe drinking water. medical health care, crèche for kids etc. The housing may be provided in the form of temporary structures which can be removed after the completion of the project-related infrastructure. The domestic wastewater should be treated with STP in order to avoid contamination of underground water.

Reply to Condition 6- Rest shelters have been provided to laborers. As most of the workers/laborers are from local village, there is no need for labor camps.

Condition 7- The activities proposed in the Action plan prepared for addressing the issues raised during the Public Hearing shall be completed as per the budgetary provisions mentioned in the Action Plan and within the stipulated time frame. The Status Report on implementation of Action Plan shall be submitted to the concerned Regional Office of the Ministry along with District Administration.

Reply to Condition 7- Noted. The issues raised during the Public Hearing are being implemented as per the budgetary provision.

Condition 8- Measures should be taken for control of noise levels below prescribed norms in the work environment. Workers engaged in operations of HEMM, etc. should be provided with ear plugs /muffs.

Reply to Condition 8- Noise level is maintained below prescribed norms and is being monitored by NABL accredited laboratory. The report is attached as **Annexure 2.** All the workers engaged in operations of HEMM are provided with earplugs.

K. Corporate Environment Responsibility (CER):

Condition 1- The activities and budget earmarked for Corporate Environmental Responsibility (CER) as per Ministry's O.M No 22-65/2017 -IA. II (M) dated 01.05.2018 or as proposed by EAC should be kept in a separate bank account. The activities proposed for CER shall be implemented in a time bound manner and annual report of implementation of the same along with documentary proof viz. photographs, purchase document, latitude & longitude of infrastructure developed & road constructed needs to be submitted to Regional Office MoEF&CC annually along with audited statement.

Reply to Condition 1- Every year, the funds earmarked for environmental protection measures is being budgeted separately and its expenditure is being reported to the regional office of Ministry. The copy of the same is attached as **Annexure 5**.

Condition 2-Project Proponent shall keep the funds earmarked for environmental protection measures in a separate account and refrain from diverting the same for other purposes. The Year wise expenditure of such funds should be reported to the MoEF&CC and its concerned Regional Office.

Reply to Condition 2- Every year, the funds earmarked for environmental protection measures is being budgeted separately and its expenditure is being reported to the regional office of Ministry. The copy of the same is attached as **Annexure 5.**

Condition 3- The funds earmarked for environmental protection measures should be kept in a separate account and should not be diverted for other purposes. Year wise expenditure should be reported to the Jharkhand State Pollution Control Board. Ranchi. PP shall carry out CSR activities as per Government Guidelines (% of Profit / turnover) or at least Rs 1 per ton whichever is higher.

Reply to Condition 3- Every year, the funds earmarked for CSR measures is being budgeted separately as per the govt. guidelines and its expenditure is being reported to the Ministry and JSPCB. The copy of the same is attached as **Annexure 5.**

Condition 4- The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the Jharkhand State Pollution Control Board as prescribed under the Environment (Protection) Rules. 1986, as amended subsequently, shall also be put on the website of the company along the status of compliance of EC conditions and shall also be sent to the concerned Regional Office of JSPCB by e-mail.

Reply to Condition 4- Environment statement is being submitted regularly to Member Secretary, JSPCB. Also, the status of compliance of EC conditions is uploaded on the website of the company on regular basis.

L. Miscellaneous:

Condition 1- The Project Proponent shall prepare a digital map (land use & land cover) of the entire lease area once in five years for the purpose of monitoring land use pattern and submit a report concerned Regional Office of the MoEF & CC.

Reply to Condition 1 – Noted and will be complied with. However, Digital Map of land use and land cover is being prepared every year and is being submitted to IBM Ranchi. The same is attached herewith as **Annexure 10.**

Condition 2- The Project Authorities should inform the Regional office regarding the date of financial closures and final approval of the project by the concerned authorities start of land development work.

Reply to Condition 2- This is an operative mine hence provision related to financial closure is not applicable.

Condition 3- It shall be mandatory for the project management to submit six (06) monthly compliance report in respect of the stipulated prior environmental clearance terms and conditions in hard copies and soft copies to the regulatory authority concerned Regional office of MoEF & CC at Ranchi and Jharkhand State Pollution Control Board (J.S.P.C.B.). Ranchi/JCPCB/SEIAA.

Reply to Condition 3- Six monthly reports on the status of the EC are being submitted regularly.

Condition 4- A separate 'Environmental Management Cell' with suitable qualified manpower should be set-up under the control of a Senior Executive. The Senior Executive shall report directly to the Head of the Organization. Adequate number of qualified Environmental Scientists and Mining Engineers shall be appointed and submit a report to RO, MoEF&CC.

Reply to Condition 4- A separate environmental management cell with suitable qualified personnel has been set up under the control of a Senior Executive, who is reporting directly to the Head of the Organization. The same is being attached herewith as **Annexure 3.**

Condition 5- The concerned Regional Office of the MoEF&CC shall randomly monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the MoEF&CC officer(s) by furnishing the requisite data / information /monitoring reports.

Reply to Condition 5- Noted and Agreed.

Condition 6- Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act. 1986.

Reply to Condition 6- Noted.

Condition 7- The Ministry / SEIAA / SEAC may revoke or suspend the clearance. if implementation of any of the above conditions is not satisfactory. Reply to Condition 7- Noted.

Condition 8- The Ministry /SEIAA /SEAC reserves the right to stipulate additional conditions if found necessary. The Company in a time-bound manner shall implement these conditions. Reply to Condition 8- Noted & Agreed.

Condition 9- No blasting shall be carried out after sunset. Blasting operation shall be carried out only during Daytime, Controlled blasting shall be practiced. The mitigative measures for control of ground vibrations and to arrest fly rocks and boulders should be implemented.

Reply to Condition 9- Blasting time is fixed during Lunch Time i.e. 12:00 PM -1:00 PM. Controlled blasting method is in practice. Ground vibration study has been conducted periodically. Efforts and mitigative measures are being taken to reduce the impact of the blast.

Condition 10- Drilling shall either be operated with dust extractors or equipped with a water injection system.

Reply to Condition 10- Wet Drilling practice is adopted at our mines.



Wet Drilling

Condition 11- Pre-placement medical examination and periodical medical examination of the workers engaged in the project conducted by a Registered Medical Officer shall be carried out and records maintained.

Reply to Condition 11- Pre-placement medical examination and periodical medical examination of the workers engaged in the project are being carried out and records maintained as per statute. IME/PME report is attached as **Annexure-6**

Condition 12- Provision shall be made for the housing of construction labor at a suitable place away from the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets / septic tanks, safe drinking water, medical health care, etc. The housing may be in the form of temporary structures to be removed after the completion of the project.

Reply to Condition 12- This is an existing mine, and all the necessary basic facilities has been provided to the workers. Also, as most of the workers/laborers are from local village, so there is no need of housing infrastructure/ labor camps.

Condition 13-Proper Safety measures as per statutory requirement shall be implemented around the mined-out Pit prior to closure of site.

Reply to Condition 13- Noted and being adhered to.

Condition 14- The Project Proponent shall submit six monthly report on the expenditure incurred on environmental management plan submitted by them.

Reply to Condition 14- Environmental Expenditure is being submitted six-monthly. The report is attached as **Annexure 5.**

Condition 15- Since blasting and mining on Hillock / Rock out crop may also be carried out. Suitable scheme for access / ramp to the highest elevation with gradient shall be submitted for approval from competent authorities.

Reply to Condition 15- We are doing mining operations in a very shallow depth of plateau areas. During mining operations, we carry out drilling and blasting to produce bauxite. After removing OB, we are extracting bauxite from the mine pit. However, there are no outcrops of rock in surrounding areas of our mine, hence this is not applicable for our mine.

Condition 16- A separate environmental management /monitoring cell with suitable qualified personnel should be set up under the control of a Senior Executive. who will report directly to the Head of the Organization.

Reply to Condition 16- A separate environmental management cell with suitable qualified personnel has been set up under the control of a Senior Executive, who is reporting directly to the Head of the Organization. The same is being attached herewith as **Annexure 3.**

Condition 17- The Jharkhand State Pollution Control Board, Ranchi directly or through its Regional Office shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) by furnishing the requisite data information /monitoring reports.

Reply to Condition 17- Noted and Agreed.

Condition 18- A copy of the clearance letter shall be sent by the project proponent to concerned Panchayat, Zila Parishad / Municipal Corporation, Urban Local Body and the

Local NGO if any from whom suggestions/ representations, if any were received while processing the proposal. The clearance letter shall also be put on the website of the company by the project proponent.

Reply to Condition 18- A copy of the clearance letter has been submitted to panchayat office and Zila parishad. No suggestions were received from urban bodies/ local NGOs while processing the proposal.

Condition 19- It shall be mandatory for the project management to submit six (06) monthly compliance report in respect of the stipulated prior environmental clearance terms and conditions in hard copies and soft copies to the regulatory authority concerned Regional Office of MoEF & CC at Ranchi and Jharkhand State Pollution Control Board (J.S.P.C.B.) Ranchi/SEIAA/CPCB.

Reply to Condition 19- Six monthly reports on the status of the EC are being submitted regularly.

Condition 20- Concealing factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environment (Protection) Act. 1986. Reply to Condition 20- Noted.

Condition 21- The Authority reserves the right to add any new condition or modify the above conditions to revoke the clearance if conditions stipulated above are not implemented to the satisfaction of Authority or for that matter for any other Administrative reason.

Reply to Condition 21- Noted and agreed.

Condition 22- In case of any deviation or alteration in the project proposed from those submitted to SEIAA, Jharkhand for clearance, a fresh reference should be made to SEIAA to assess the adequacy of the conditions imposed and to incorporate any new conditions if required.

Reply to Condition 22- Noted and agreed.

Condition 23- The above stipulations would be enforced among others under the Wate-(Prevention & Control of Pollution) Act, 1974. the Air (Prevention & Control of Pollution) Act. 1981 the Environment (Protection) Act, 1986. Hazardous and other Wastes (Management and Transboundary Movement) Rules. 2016 and the Public Liability Insurance Act. 1991 along with their amendments and rules made there under and also any other orders passed by the Hon'ble Supreme Court of India/ High Court of Jharkhand and another Court of Law relating to the subject matter.

Reply to Condition 23- Noted.

Condition 24- The SEIAA, Jharkhand or any other competent Authority may alter modify the above conditions or stipulate any further condition in the interest of Environment protection. Reply to Condition 24- Noted and agreed.

Condition 25-The Environmental Clearance accorded shall be valid for the period of lease of the mine. The PP shall not increase production rate and alter lease area during the validity of Environmental Clearance.

Reply to Condition 25- Noted and agreed.

Condition 26-Any Appeal against this Environmental Clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

Reply to Condition 26- Noted.

Serangdag Bauxite Mine (77.89 Ha)			
Piezometer Reading			
S No	Month	Depth (meter)	
1	Apr-24	35.20	
2	May-24	36.30	
3	Jun-24	36.65	
4	Jul-24	36.20	
5	Aug-24	36.15	
6	Sep-24	36.90	

ENVIROCHECK

Lab: MIG, R-3 Housing Colony, Dhanbad, Pin-826001, State- Jharkhand.

Shrengdag-B Bauxite Mine-Environmental Monitoring Report

April 2024





Lab : MiG. R-2 Housing Colony, Ultrimbed, Pln - 826001, State - Barkband C9830067044 / C9304513737

TEST REPORT

Test Report No.	: ENVJK/1188/APR/TR(W)24-25	Report Release Date	: 28.04.2024	
Work Order No.	: 13612312113	Work Order Date	: 28.03.2024	

CUSTOMER DET	AILS	SAMPLE DETAILS	
Customer Name	:Hindalco Industries Limited	Sample Ref. No. Location	: ENVJK/2024/AA/1713 : Mine Pit Quarry No 2BSerengdag-B Bauxite Mines (140,07ha)
Address	Lohardaga, Jharkhand-835302	Sampling Date Sample Received Date Type of Sample	: 17.04.2024 to 18.04.2024 : 22.04.2024 : Ambient Air
Mines Status	: Operational	Sampling Procedure Sampling Done By	: ELES/DOC/SMPL/02 : ELES Pvt. Ltd.
Period of Analysis	: 22.04.2024 to 28.04.2024	Sample Condition	: Sealed & Preserved

M	ETEOROLOGICAL INFORMATION				
1	Average Temperature ("C) ;31	2	Barometric Pressure (mml-	lg) : 736	
3	Relative Humidity (%) : 58	4	Weather Condition	Clear	

	Disciplin	e: ChemicalGroup: Atmospheric Pollut	ion	
Parameter	Unit	Test Protocol	Result	Regulatory Limit
Particulate Matter (PM10)	µg/m³	IS 5182 (Part 23): 2006	62	100 (24hrs)
Particulate Matter (PM2.5)	$\mu g/m^3$	USEPA 1997a,40 CFR Part 50, Appendix L: 2006	50	60 (24hrs)
Sulphur Di-Oxide (SO ₂)	μg/m³	IS 5182 (Part 2): 2001	N.3	80 (24hrs)
Nitrogen Di-Oxide (NO2)	μg/m³	IS 5182 (Part 6): 2006	27.1	80 (24hrs)
Ozone (O ₂)	µg/m³	IS 5182 (Part- 9): 2019	<20.0	100 (8hrs)
Ammonia (NH ₅)	μg/m ³	1S 5182 (Part- 25): 2018	<10.0	400 (24hrs)
Carbon Monoxide (CO)	mg/m³	IS 5182 (Part- 10): 2019 (NDIR Method)	<1.0	2 (8hrs)
Lead (Pb)	µg/m³	IS 5182 (Part- 22): 2019	0.013	1 (24hrs)
Nickel (Ni)	ng/m²	IS 5182 (Part- 26); 2020	<6.0	20 (Annual)
Arsenic (As)	ng/m ³	USEPA Method 10-3.5 (ICP-MS Method)	<2.0	06 (Annual)
Benzene (C ₆ H ₆)	μg/m³	USEPA Method – TO-3 (GC-MS- Method)	<2.5	05(Annual)
Benzo-(a)-Pyrene	ng/m²	USEPA Method – TO-3A (GC-MS Method)	<0.5	01(Annual)

Reviewed by :

(Saswata Burman Roy, Dy. Quality Manager)

Authorised Signatory:

School

(Bapan Das, Dy. Technical Manager)

Page 1 of 1

Sharkhan

****End of Hepar



\$

Lab J. Mills, R-3 Housing Colony, Disambed, Pin - 826001, State - Hunkford \$ 9830067044 / \$ 9384513237

TEST REPORT

Test Report No.	; ENVJK/1189/APR/TR(W)24-25	Report Release Date	: 28.04.2024
Work Order No.	: 13612312113	Work Order Date	: 28.03.2024

CUSTOMER DET	AILS	SAMPLE DETAILS		
Customer Name	Hindalco Industries Limited	Sample Ref. No. Location	: ENVJK/2024/AA/1714 : Near Baisbhatan VillageSerengdag-B Bauxite Mines (140.07 ha)	
Address	: Lohardaga, Jharkhand-835302	Sampling Date Sample Received Date Type of Sample	: 17.04.2024 to 18.04.2024 : 22.04.2024 : Ambient Air	
Mines Status	: Operational	Sampling Procedure Sampling Done By	: ELES/DOC/SMPL/02 : ELES Pvt. Ltd.	
Period of Analysis	: 22.04.2024 to 28.04,2024	Sample Condition	: Sealed & Preserved	

MI	ETEOROLOGICAL INFORMATION				
1	Average Temperature (°C) : 31	2	Barometric Pressure (mm	Hg) : 736	
3	Relative Humidity (%) : 59	4	Weather Condition	. Clear	

	Disciplin	e: ChemicalGroup: Atmospheric Pollut	ion	
Parameter	Unit	Test Protocol	Result	Regulatory Limit
Particulate Matter (PM10)	µg/m³	IS 5182 (Part 23); 2006	57	100 (24hrs)
Particulate Matter (PM2,5)	µg/m²	USEPA 1997a,40 CFR Part 50, Appendix L: 2006	28	60 (24hrs)
Sulphur Di-Oxide (SO ₂)	μg/m³	IS 5182 (Part 2): 2001	8.1	80 (24hrs)
Nitrogen Di-Oxide (NO:)	μg/m ³	IS 5182 (Part 6): 2006	22.7	80 (24hrs)
Ozone (O ₂)	μg/m³	IS 5182 (Part- 9): 2019	<20.0	100 (8hrs)
Ammonia (NH ₁)	µg/m"	IS 5182 (Part- 25): 2018	<10.0	400 (24hrs)
Carbon Monoxide (CO)	mg/m³	IS 5182 (Part- 10): 2019 (NDIR Method)	<1.0	2 (8hrs)
Lead (Pb)	jig/m³	IS 5182 (Part- 22): 2019	0.011	1 (24hrs)
Nickel (Ni)	ng/m³	IS 5182 (Part- 26); 2020	< 6.0	20 (Annual)
Arsenic (As)	ng/m1	USEPA Method – IO-3.5 (ICP-MS Method)	<2.0	06 (Annual)
Benzene (C ₆ H ₆)	μg/m³	USEPA Method – TO-3 (GC-MS Method)	<2.5	05(Annual)
Benzo-(a)-Pyrene	ng/m³	USEPA Method – TO-3A (GC-MS Method)	<0.5	01(Annual)

Reviewed by:

(Saswata Burman Roy, Dy. Quality Manager)

(3)

Authorised Signatory:

(Bapan Das, Dy. Technical Manager)

Page 1 of 1

520001



PROCESSES THE A STATE THAT TO STATE OF THE PROCESSES OF PARTY.



Lab : MiG, N-3 Housing Colony, Dhantaid, Pin 826001, State - Darkfrand & 9830067044 / \$ 9304513732

TEST REPORT

Test Report No.	; ENVJK/1190/APR/TR(W)24-25	Report Release Date	: 28.04.2024	
Work Order No.	: 13612312113	Work Order Date	: 28.03.2024	

CUSTOMER DET	AILS	SAMPLE DETAILS		
Customer Name	:Hindalco Industries Limited	Sample Ref. No. Location	: ELES/RNC/2024/AA/1715 : Block 2A (Prohopat Village) Serengdag-B Bauxite Mines(140.07ha)	
Address	Lohardaga, Jharkhand-835302	Sampling Date Sample Received Date Type of Sample	: 17.04.2024 to 18.04.2024 : 22.04.2024 : Ambient Air	
Mines Status	: Operational	Sampling Procedure Sampling Done By	: ELES/DOC/SMPL/02 : ELES Pvt. Ltd.	
Period of Analysis	: 22.04.2024 to 28.04.2024	Sample Condition	: Sealed & Preserved	

METEOROLOGICAL INFORMATION				
1	Average Temperature ("C) : 31	2	Barometric Pressure (mml	(g) = 736
3	Relative Humidity (%) : 59		Weather Condition	Clear

	Disciplin	e: ChemicalGroup: Atmospheric Pollut	ion	
Parameter	Unit	Test Protocol	Result	Regulatory Limit
Particulate Matter (PM10)	μg/m ³	IS 5182 (Part 23): 2006	62	100 (24hrs)
Particulate Matter (PM2.5)	μg/m³	USEPA 1997a,40 CFR Part 50, Appendix L: 2006	31	60 (24hrs)
Sulphur Di-Oxide (SO ₂)	μg/m³	IS 5182 (Part 2): 2001	8.4	80 (24hrs)
Nitrogen Di-Oxide (NO ₂)	μg/m³	IS 5182 (Part 6): 2006	25.1	80 (24hrs)
Ozone (O ₃)	µg/m³	IS 5182 (Part- 9): 2019	<20.0	100 (8hrs)
Ammonia (NH ₁)	µg/m³	IS 5182 (Part- 25): 2018	<10.0	400 (24hrs)
Carbon Monoxide (CO)	mg/m ³	IS 5182 (Part- 10): 2019 (NDIR Method)	<1.0	2 (8hrs)
Lead (Pb)	ng/m³	IS 5182 (Part- 22): 2019	0.008	1 (24hrs)
Nickel (Ni)	ng/m ³	IS 5182 (Part- 26): 2020	<6.0	20 (Annual)
Arsenic (As)	ng/m ³	USEPA Method – IO-3.5 (ICP-MS Method)	<2.0	06 (Annual)
Benzene (C ₀ H _a)	µg/m³	USEPA Method – TO-3 (GC-MS Method)	<2.5	05(Annual)
Benzo-(a)-Pyrene	ng/m1	USEPA Method – TO-3A (GC-MS Method)	<0.5	01(Annual)

Reviewed by :

00-1

(Saswata Burman Roy, Dy. Quality Manager)

Authorised Signatory:

(Bapan Das, Dy. Technical Manager)

Page | of |

****End of the pur





TEST REPORT

Test Report No.	: ENVJK/1191/APR/TR(W)24-25	Report Release Date	: 28.04.2024
Work Order No.	: 13612312113	Work Order Date	: 28.03.2024

CUSTOMER DET	AILS	SAMPLE DETAILS		
Customer Name	:Hindalco Industries Limited	Sample Ref. No. Location	: ENVJK/2024/AA/1716 : Harup Block C (Proposed) Serengdag-B Bauxite Mines(140.07ha)	
Address	: Lohardaga, Jharkhand-835302	Sampling Date Sample Received Date Type of Sample	: 17.04.2024 to 18.04.2024 : 22.04.2024 : Ambient Air	
Mines Status	; Operational	Sampling Procedure Sampling Done By	: ELES/DOC/SMPL/02 : ELES Pvt. Ltd.	
Period of Analysis	: 22.04.2024 to 28.04.2024	Sample Condition	: Sealed & Preserved	

MI	ETEOROLOGICAL INFORMATION			
1	Average Temperature ("C") : 31	2	Barometric Pressure (mm	Hg) : 736
3	Relative Humidity (%) : 59	4	Weather Condition	: Clear

	Disciplin	e: ChemicalGroup: Atmospheric Pollut	ion	
Parameter	Unit	Test Protocol	Result	Regulatory Limit
Particulate Matter (PM10)	μg/m ³	IS 5182 (Part 23); 2006	65	100 (24hrs)
Particulate Matter (PM2.5)	$\mu g/m^3$	USEPA 1997a,40 CFR Part 50, Appendix L: 2006	36	60 (24hrs)
Sulphur Di-Oxide (SO ₂)	μg/m ³	IS 5182 (Part 2): 2001	7.5	80 (24hrs)
Nitrogen Di-Oxide (NO ₂)	µg/m³	IS 5182 (Part 6): 2006	25.1	80 (24hrs)
Ozone (O ₂)	µg/m ¹	IS 5182 (Part- 9): 2019	<20.0	100 (8hrs)
Ammonia (NH ₃)	µg/m³	IS 5182 (Part- 25): 2018	<10.0	400 (24hrs)
Carbon Monoxide (CO)	mg/m ⁵	IS 5182 (Part-10); 2019 (NDIR Method)	<1.0	2 (8hrs)
Lead (Pb)	µg/m ¹	IS 5182 (Part- 22): 2019	0.012	1 (24brs)
Nickel (Ni)	ng/m ³	IS 5182 (Part- 26): 2020	<6.0	20 (Annual)
Arsenic (As)	ng/m³	USEPA Method – 10-3.5 (ICP-MS Method)	<2.0	06 (Annual)
Benzene (C _s H ₆)	μg/m²	USEPA Method – TO-3 (GC-MS Method)	<2.5	05(Annual)
Benzo-(a)-Pyrene	ng/m ³	USEPA Method – TO-3A (GC-MS Method)	<0.5	01(Annual)

Reviewed by :

CHILL.

(Saswata Burman Roy, Dy. Quality Manager)

Authorised Signatory:

1

(Bapan Das, Dy. Technical Manager)

Page 1 of 1

Kolkata Office: 63/6, Rastraguru Avenue, Kolkata - 700026 (033-25792891/25497490 (mol) - environmekhommull.sum





TEST REPORT

Test Report No.	: ENVJK/1180/APR/TR(W)24-25	Report Release Date	: 28.04,2024
	americania.	and the second	1 28.03.2024

CUSTOMER DET	CUSTOMER DETAILS		SAMPLE DETAILS		
Customer Name	Hindulco Industries Limited	Sample Ref. No. Location	: ENVJK/2024/AA/1705 Diear Banjari VillageSerengdag-/		
Address	Loherdage, Jhnekhand-835302	Sampling Date Sample Received Date Type of Sample	Bauxite Mines (155.81im) : 16.04.2024 to 17.04.2024 : 22.04.2024 ! Ambient Air		
Mines Status	: Operational	Sampling Procedure Sampling Done By	: ELES/DOC/SMPL/02 ELES Pvt. Ltd.		
Period of Analysis	: 22.04,2024 to 28.04.2024	Sample Condition	Senied &Preserved		

Barometric Pressure (mmHg) : 736
Patrometric Pressure (mmHe) 73/5
Weather Condition : Clear

	Discipli	ne: ChemicalGroup: Atmospheric Pollu	tion	
Parameter	Vait	Test Protocol	Result	Regulatory Limit
Particulate Matter (PM10)	µg/m³	IS 5182 (Part 23): 2006	52	100 (24hrs)
Particulate Matter (PM2.5)	μg/m³	USEPA 1997a,40 CFR Part 50, Appendix L: 2006	30	60 (24hrs)
Sulphur Di-Oxide (SO ₂)	μg/m ³	IS 5182 (Part 2): 2001	6.5	80 (24hrs)
Nitrogen Di-Oxide (NO ₁)	μg/m³	IS 5182 (Part 6): 2006	25.4	80 (24hrs)
Ozone (O ₁)	μg/m ²	IS 5182 (Part-9): 2019	<20.0	100 (8hrs)
Amusonia (NH ₃)	μg/m ³	IS 5182 (Part- 25): 2018	<10.0	400 (24hrs)
Carbon Monoxide (CO)	mg/m³	IS 5182 (Part- 10): 2019 (NDIR Method)	<1,0	2 (Shrs)
Lend (Pb)	μg/m³	IS 5182 (Part- 22): 2019	< 0.002	1 (24hrs)
Nickel (Ni)	ng/m³	IS 5182 (Pari- 26): 2020	<6.0	20 (Annual)
Arsenic (As)	ng/m/	USEPA Method – IO-3.5 (ICP-MS Method)	<2.0	06 (Annual)
Benzene (C ₆ H ₆)	μg/m³	USEPA Method – TO-3 (GC-MS- Method)	<2.5	05(Annual)
Benzo-(a)-Pyrene	ng/m²	USEPA Method – TO-3A (GC-MS Method)	<0.5	01(Annual)

Reviewed by :

Shared

(Seswete Burman Roy, Dy. Ounlity Manager).

Herry Anarkhand Sugar

Authorised Signatory :

TERM

(Bapan Das, Dy. Technical Manager)

Page | or 1





Car M/GT-A Framing Codery Microsoft Pro-RESPA (Alexa Prostrone) (ASSESSED AS) 1 TRANSPORT

TEST REPORT

Test Report No.	: ENVJK/1(81/APR/TR(W)24-25	Report Release Date	: 28,04,2024
Work Order No.	: 13612312113	Work Order Date	: 28.03.2024

CUSTOMER DET	AILS	SAMPLE DETAILS		
Customer Name	Hindulco Industries Limited	Sample Ref. No. Location	: ENVIK/2024/AA/1700 LNess Pauri Village Serengdag-A Bauxite Mines (155.8) ha)	
Address	Lohnrungn, Thankhand-835302	Sampling Date Sample Received Date Type of Sample	: 16.04.2024 to 17.04.2024 : 22.04.2024 - Ambient Air	
Mines Status	: Operational	Sampling Procedure Sampling Done By	: ELES/DOC/SMPL/02 : ELES Pvt. Ltd.	
Period of Analysis	: 22.04.2024 to 28.04.2024	Sample Condition	: Scaled & Preserved	

MI	ETEOROLOGICAL INFORMATION	
1	Average Temperature (°C) :31	2 Barometric Pressure (mmHg) : 736
3	Relative Humidity (%) : 59	4 Wenther Condition : Clear

	Disciplin	ne: ChemicalGroup: Atmospheric Pollut	Sion	
Parameter	Unit	Test Protocol	Result	Regulatory Limit
Particulate Matter (PM10)	µg/m³	IS 5182 (Part 23): 2006	52	100 (24hrs)
Particulate Matter (PM2.5)	µg/m³	USEPA 1997a,40 CFR Part 50, Appendix L: 2006	33	60 (24hrs)
Sulphur Di-Oxide (SO ₂)	μg/m ³	IS 5182 (Part 2); 2001	8.1	80 (24hrs)
Nitrogen Di-Oxide (NO ₂)	μg/m ³	1S 5182 (Part 6): 2006	20.8	80 (24hrs)
Ozone (O ₂)	μg/m ³	IS 5182 (Part- 9): 2019	<20.0	100 (8hrs)
Ammonia (NHs)	µg/m³	IS 5182 (Part- 25); 2018	<10.0	400 (24hrs)
Carbon Monoxide (CO)	.mg/m ¹	1S 5182 (Part- 10): 2019 (NDIR Method)	<1.0	2 (8lirs)
Lead (Pb)	µg/m ¹	IS 5182 (Part- 22): 2019	0.011	1 (24hrs)
Nickel (Ni)	ng/ny	IS 5182 (Part- 26): 2020	<6.0	20 (Annual)
Arsenic (As)	u8/m ₇	USEPA Method – IO-3.5 (ICP-MS Method)	<2.0	06 (Annual)
Benzene (C _n H _n)	µg/m ¹	USEPA Method – TO-3 (GC-MS Method)	<2.5	05(Annual)
Benzo-(a)-Pyrene	ng/m²	USEPA Method – TO-3A (GC-MS Method)	<0.5	91(Annual)

Reviewed by:

(Saswata Burman Roy, Dy. Quality Manager)

Authorised Signatory:

(Bapan Des. Dy. Technical Managers

Page Lof I

Sharkhand

826001

Pourint.





TEST REPORT

Test Report No.	: ENVJE/1182/APR/FR(W)24-25	Report Release Date	: 28.04.2024
Work Order No.	: 13612312113	Work Order Date	: 28.03.2024

CUSTOMER DEL	AHS	SAMPLE DETAILS	
Container Name	Hindaleo Industries Limited	Sample Ref. No.	: ENVIK/2024/AA/1707 Near Harup Village Serengdag-A Bouxite Mines (155.81ha)
Address	Lohardaga, /larkhand-835302	Sampling Date Sample Received Date Type of Sample	16.04,2024 to 17.04,2024 122,04,2024 : Ambient Air
Mines Surus	Operational	Sampling Procedure Sampling Done By	: ELES/DOC/SMPL/02 : ELES Pvt. Ltd.
Period of Asalysis	= 22.04.2024 to 28.04.2034	Sample Condition	· Sealed &Preserves

MI	TEOROLOGICAL INFORMATION			
1	Average Temperature (%C) : 31	2	Barometric Pressure (mmH	g) : 736
3	Relative Humidity (%) : 59	4	Weather Condition	: Clear

	Disciplin	e: ChemicalGroup: Atmospheric Pollui	ion	
Parameter	Unit	Test Protocol	Result	Regulatory Limit
Particulate Matter (PM10)	hā/m3	IS 5182 (Part 23): 2006	:58	100 (24hrs)
Particulate Matter (PM2,5)	µg/m³	USEPA 1997a,40 CFR Part 50, Appendix L: 2006	32	60 (24hrs)
Sulphur Di-Oxide (SO ₂)	μg/m³	IS 5182 (Part 2): 2001	7	80 (24hrs)
Nitrogen Di-Oxide (NO2)	μg/m³	1S 5182 (Part 6): 2006	25.4	80 (24hrs)
Özone (O ₂)	µg/m ⁷	IS 5182 (Part- 9): 2019	<26.0	100 (8hrs)
Ammonia (NH ₃)	jig/m³	IS 5182 (Part- 25): 2018	<10.0	400 (24hrs)
Carbon Monoside (CO)	mg/m ³	IS 5182 (Part- 10): 2019 (NDIR Method)	<1.0	2 (8hrs)
Lead (Pb)	µg/m [†]	1S 5182 (Part- 22): 2019	< 0.002	I (24hrs)
Nickel (Ni)	hg/m³	IS 5182 (Part- 26); 2020	<6.0	20 (Annual)
Arsenic (As)	ng/m³	USEPA Method – IO-3.5 (ICP-MS Method)	<2.0	06 (Annual)
Benzene (C _h H _h)	µg/m²	USEPA Method – TO-3 (GC-MS Method)	<2.5	05(Annual)
Benzn-(a)-Pyrene	ng/m³	USEPA Method – TO-3A (GC-MS Method)	<0.5	Ol(Annual)

Reviewed by a

Saswata Barman Roy, Dy. Quality Manager)

Jharkhand 826001

Authorised Signatory:

SCAN

(Bapur Das, Dy. Technical Manager)

Page | of |



TEST REPORT

Test Report No.	: ENVJK/1183/APR/TR/W)24-25	Report Release Date	: 28.04.2024	
Work Order No.	: 13612312113	Work Order Date	: 28.03.2024	

CUSTOMER DET	AILS	SAMPLE DETAILS	
Customer Name	Hindalco Industriev Limited	Sample Ref. No. Location	: ENV.IIC/2024/AA/1708 : Near Paintoli VillageSerengong-A Baucite Mines (155.81ha)
Adoress	Löherdegs, Jharkhand-835302	Sampling Date Sample Received Date Type of Sample Sampling Procedure	: 16.04.2024 to 17.04.2024 : 22.04.2024 : Ambient Air : ELES/DOC/SMP1/02
Mines Status	: Operational	Sampling Done By	: ELES Pvt. Ltd.
Period of Analysis	: 22,04,2024 to 28,04,2024	Sample Condition	: Senied & Preserved

ME	ETEOROLOGICAL INFOR	WATION			
1	Average Temperature (°C)	:31	2	Barometric Pressure (mmHg)	7.736
3	Relative Humidity (%)	: 59	4	Weather Condition	Clear

	Disciplin	a: ChemicalGroup: Atmospheric Pollut	ion	
Parameter	Unit	Test Protocol	Result	Regulatory Limit
Particulate Matter (PM10)	µg/m³	IS 5182 (Part 23): 2006	58	100 (24hrs)
Particulate Matter (PM2.5)	µg/m³	USEPA 1997a,40 CFR Part 50, Appendix L: 2006	31	60 (24hrs)
Sulphur Di-Oxide (SO ₃)	µg/m³	IS 5182 (Part 2): 2001	8.2	80 (24hrs)
Nitrogen Di-Oxide (NO ₂)	µg/m ³	IS 5182 (Part 6): 2006	23.8	80 (24hrs)
Ozone (O1)	µg/m³	IS 5182 (Part- 9); 2019	<20.0	100 (8hrs)
Ammonia (NH ₃)	µg/m [†]	IS 5182 (Part- 25): 2018	<10.0	400 (24hrs)
Carbon Monoxide (CO)	mg/m³	IS 5182 (Pari- 10); 2019 (NDIR Method)	<1.0	2 (Shrs)
Lead (Pb)	µg/m³	IS 5182 (Part- 22): 2019	0.007	1 (24hrs)
Nickel (Ni)	ng/m ¹	IS 5182 (Part- 26): 2020	<6.0	20 (Annual)
Arsenic (As)	ng/m³	USEPA Method = IO-3.5 (ICP-MS Method)	<2.0	06 (Annual)
Benzene (C ₆ H ₆)	μ <u>φ</u> /m ¹	USEPA Method – TO-3 (GC-MS Method)	<2.5	05(Annual)
Benzo-(a)-Pyrene	ng/m²	USEPA Method – TO-3A (GC-MS Method)	<0.5	01(Annial)

Reviewed by :

7300

(Saswata Burman Roy, Dy. Quality Manager)

Authorised Signatory:

SERM

(Bapan Das, Dy. Technical Manager)

Page | Of |

CONTENT

	alco Industries :Shrengdag B Bauxite Mine Environmental Monitoring Report May2024
	Shrengdag B Bauxite Mine
	AMBIENT AIR QUALITY- CORE ZONE
1	Mine Pit Quarry No 2B
2	Near Baisbhatan Village
3	Block 2A (Prohopat Village)
4	Harup Block C (Proposed)
	AMBIENT AIR QUALITY- BUFFER ZONE
1	Near Banjari Village
2	Near Pauri Village
3	Near Harup Village
4	Near Paintoli Village
	Drinking Water





PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (JHARKHAND) GST NO: 20AAECE97130124

ENGINEERING SERVICES PVT. LTD.

Website: www.elespl.co.in

Email: info@eiespl.co.in , eles ranchi@gmail.com Phone no.: 0651-2290103

TEST REPORT

Test Report No.	: ELES/RNC/2024/2793	Report Release Date	: 23.05.2024	
Work Order No.	: 13612312113	Work Order Date	: 28.03.2024	
ULR No.	: TC135872400000759F			

CUSTOMER DETAILS		SAMPLE DETAILS		
Customer Name	: Hindalco Industries Limited	Sample Ref. No. Location	: ELES/RNC/2024/AA/3062 : Mine Pit Quarry No 2B Serengdag-B Bauxite Mines (77.89ha)	
Address	: Lohardaga, Jharkhand-835302	Sampling Date Sample Received Date	: 15.05.2024 to 16.05,2024 : 18.05.2024	
Mines Status	: Operational	Type of Sample Sampling Procedure	: Ambient Air : ELES/DOC/SMPL/02	
Period of Analysis	: 18.05.2024 to 23.05.2024	Sampling Done By Sample Condition	: ELES Pvt. Ltd. : Sealed & Preserved	

MI	ETEOROLOGICAL INFORMATION			
1	Average Temperature (°C) ; 34	2	Barometric Pressure (mmH	g) : 742
3	Relative Humidity (%) : 59	4	Weather Condition	: Clear

Discipline: 0	Chemical	Group: Atm	Group: Atmospheric Pollution			
Parameter	Unit	Test Protocol	Result	Regulatory Limit		
Particulate Matter (PM10)	µg/m³	IS 5182 (Part-23); 2022	72	100 (24hrs)		
Particulate Matter (PM2.5)	µg/m³	IS 5182 (Part- 24): 2019	42	60 (24hrs)		
Sulphur Di-Oxide (SO ₃)	μg/m ³	IS 5182 (Part-II/Sec- 1): 2023	7.9	80 (24hrs)		
Nitrogen Di-Oxide (NO ₂)	μg/m³	IS 5182 (Part- 6): 2022	26.4	80 (24hrs)		
Ozone (O ₅)	ug/m³	1S 5182 (Part- 9): 2019	<20.0	100 (8hrs)		
Ammonia (NH ₁)	μg/m²	IS 5182 (Part- 25): 2018	<10.0	400 (24hrs)		
Carbon Monoxide (CO)	mg/m³	IS 5182 (Part- 10): 2019 (NDIR Method)	<1.0	2 (8hrs)		
Lead (Pb)	μg/m³	IS 5182 (Part- 22): 2019	0.011) (24hrs)		
Nickel (Ni)	ng/m³	1S 5182 (Part- 26): 2020	<6.0	20 (Annual)		
Arsenic (As)	ng/m³	ELES/AIR/SOP/01: 2021	<2.0	06 (Annual)		

Page 1 of 2

The Discussent stated as Test Report, in issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved farmin. The results shown in the Test Report refer or relates only to the jubianalysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory in the time of involvement only and within the limits of chem's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except to full and any part of the report is not taken out of context, without prairies written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions intess prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of Lability, compensation and jurisdiction issues. Any unauthorized observation of the goment or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date. of retainers say of the Test Report. The samples from Regulatory budies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15thers from the Date of Test Report released/essued. After the time period stated before, no complaints will be occepted. The entire Tene unfindule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BOL (Below Detection Lamit), LDL (Cower Detection Cimit).



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (JHARKHAND) GST NO:-20AAECE9713D1Z4

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in , eles.ranchi@gmall.com Phone no.: 0651-2290103

Phone no.: 0651-2290103 Website: www.elespl.co.in



TEST REPORT

Test Report No. : ELES/RNC/2024/2793 Report Release Date : 23.05.2024

Work Order No. : 13612312113 Work Order Date : 28.03.2024

ULR No. : TC135872400000759F

Discipline	: Chemical	Group: Atmospheric Pollution			
Parameter	Unit	Test Protocol	Result	Regulatory Limit	
Benzene (C ₆ H ₆)	μg/m³	ELES/GC/SOP/06; 2023	<2.5	(05(Annual)	
Вепло-(в)-Рутепе	ng/m³	ELES/GC/SOP/05: 2023	<0.5	01(Amual)	

AKASH KUMAR Quality Managar

Quality Managur ELES PVT LTD ****End of Report****

Authorised Signatory
Dr. Deependra Kumar Sinha
Ph. D Environmental Engg.
ELES Pvt. Ltd. Technical Manager

Page 2 of 2

The Document strated as Test Report, is usually by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or retains only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of classes, restrictions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of crossest, without prior written appropriate of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Actention is drawn to the instattion of liability, compensation and privately assesses. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlessful and offenders may be prosecuted to the fullest extent of the law. All the samples are returned for Malays from the Date of releases from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released issued. After the time period stated before, on complaints will be accorpted. The artire Time schoolide mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable), BDI. (Below Devention I min), LDI. (Lower Detection Limit)



ENVIRONMENTALLABORATO

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (JHARKHAND) GST NO: ZDAAECESTISDIZ4

Website: www.elespi.co.in

Email: info@elespl.co.in , eles.ranchi@gmail.com Phone no.: 0651-2290103



TEST REPORT

Test Report No.	: ELES/RNC/2024/2794	Report Release Date	: 23.05.2024	
Work Order No.	: 13612312113	Work Order Date	: 28.03.2024	
ULR No.	: TC135872400000760F			

CUSTOMER DET	AILS	SAMPLE DETAILS	
Customer Name	; Hindaloo Industries Limited	Sample Ref. No. Location	: ELES/RNC/2024/AA/3063 : Near Baisbhatan Village Serengdag-B Bauxite Mines (77.89ha)
Address	: Lohardaga, Jharkhand-835302	Sampling Date Sample Received Date Type of Sample	: 15.05.2024 to 16.05.2024 : 18.05.2024 : Ambient Air
Mines Status	: Operational	Sampling Procedure	: ELES/DOC/SMPL/02
Period of Analysis	; 18.05.2024 to 23.05.2024	Sampling Done By Sample Condition	: ELES Pvt. Ltd. : Sealed & Preserved

M	ETEOROLOGICAL INFORMATION			
1	Average Temperature (°C) : 34	2	Barometric Pressure (mml-	lg) : 742
3	Relative Humidity (%) : 59	4	Weather Condition	: Clear

Discipline: 0	Chemical	Group: Atm	Group: Atmospheric Pollution			
Parameter	Unit	Test Protocol	Result	Regulatory Limit		
Particulate Matter (PM10)	μg/m³	IS 5182 (Part- 23); 2022	61	100 (24hrs)		
Particulate Matter (PM2.5)	μg/m³	1S 5182 (Part- 24): 2019	34	60 (24hrs)		
Sulphur Di-Oxide (SO ₂)	μg/m³	IS 5182 (Part- II/Sec- 1): 2023	7.9	80 (24hrs)		
Nitrogen Di-Oxide (NO ₂)	μg/m [‡]	IS 5182 (Part- 6): 2022	25,3	80 (24hrs)		
Ozone (O ₁)	μg/m²	1S 5182 (Part- 9); 2019	<20.0	100 (8hrs)		
Ammonia (NH ₂)	μg/m³	IS 5182 (Part- 25); 2018	<10.0	400 (24hrs)		
Carbon Monoxide (CO)	mg/m*	IS 5182 (Part- 10); 2019 (NDIR Method)	<1.0	2 (8hrs)		
Lead (Pb)	µg/m³	IS 5182 (Part- 22): 2019	0.009	1 (24hrs)		
Nickel (Ni)	ng/m²	1S 5182 (Part- 26): 2020	<6.0	20 (Annual)		
Arsenic (As)	ng/m³	ELES/AIR/SOP/01: 2021	<2.0	06 (Annual)		

Page 1 of 2

The Document stated as Test Report, is usued by the Laborators under General Terms and Conditions, only on Company lotter head in pre-approved formst. The results slinen in the Ten Report refer or relates only to the job analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in fall in an part shall not be published, advertise, used for any logal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized attention & tabolication of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release rasio of the Tosi Report. The samples from Regulators hodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall he done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Turic schedule mentioned of Test Report to in 24hours forms. Abbreviation used: N/A (Not Applicable), BDL (Below Detection Limit); LDL (Lower Detection Limit).



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (JHARKHAND) GST NO:- 20AAECE971301Z4

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.ca.in , eles.ranchi@gmail.com Phane no.: 0651-2290103 Website : www.elespl.co.in



TC-19987

TEST REPORT

 Test Report No.
 : ELES/RNC/2024/2794
 Report Release Date
 : 23.05.2024

 Work Order No.
 : 13612312113
 Work Order Date
 : 28.03.2024

ULR No. : TC135872400000760F

Discipline: Chemical		Group: Atmospheric Pollution			
Parameter	Unit	Test Protocol	Result	Regulatory Limit	
Benzene (C ₆ H ₆)	μg/m³	ELES/GC/SOP/06; 2023	<2.5	05(Annual)	
Benzo-(a)-Pyrene	ng/m ¹	ELES/GC/SOP/05: 2023	<0.5	OI(Annual)	

Reviewed by AKASH KUMAR Quality Managor ELES PVT. LTD.

****End of Report***

Dr. Deependra Kumar Sinha Ph. D Environmental Engg. IILES Pvt. Ltd. Technical Manager

Page 2 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the jub'analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or dots provided on the report, except the information which is provided by the client. The Report cannot be reportled except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report is full or in part shall not be published advertise, used for any legal actions unless prove permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, componation and jurisdiction issues. Any unautherized abtention & falsification of the reports of the Test Report is unlawful and offenders may be prosecuted to the failest extent of the law. All the samples are trained in Idditive from the Date of release/issue of the Test Report. The samples from Register's holles are us be resumed as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15 days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24 hours format. Abbreviation used: N/A (Not Applicable). BDI. (Below Detection Limit), LDI. (Lower Detection Limit).



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATTA, RANCHI-834003 (JHARKHAND) GST NO: ZOAAECE9713D1ZN

NGINEERING SERVICES PVT. LTD.

Website: www.elespl.co.in

Email: Info@elespl.co.in , eles.ranchi@amail.com Phone no.: 0651-2290103



TEST REPORT

Test Report No.	: ELES/RNC/2024/2795	Report Release Date	: 23.05.2024	
Work Order No.	: 13612312113	Work Order Date	: 28.03.2024	
ULR No.	: TC135872400000761F			

CUSTOMER DET	AILS	SAMPLE DETAILS	
Customer Name	: Hindalco Industries Limited	Sample Ref. No. Location	: ELES/RNC/2024/AA/3064 : Block ZA (Prohopat Village) Serengdag-B Bauxite Mines (77.89ha)
Address	: Lohardaga, Jharkhand-835302	Sampling Date Sample Received Date	; 15.05.2024 to 16.05.2024 : 18.05.2024
Mines Status	: Operational	Type of Sample Sampling Procedure	: Ambient Air : ELES/DOC/SMPL/02
Period of Analysis	: 18.05.2024 to 23.05.2024	Sampling Done By Sample Condition	: ELES Pvt. Ltd. : Sealed & Preserved

MI	ETEOROLOGICAL INFOR	MATION			
1	Average Temperature (°C)	: 34	2	Barometric Pressure (mmHg)	: 742
3	Relative Humidity (%)	: 59	4	Weather Condition	: Clear

Discipline: 0	Chemical	Group: Atm	Group: Atmospheric Pollution			
Parameter	Unit	Test Protocol	Result	Regulatory Limit		
Particulate Matter (PM10)	μg/m³	IS 5182 (Part- 23): 2022	65	100 (24hrs)		
Particulate Matter (PM2.5)	μg/m³	IS 5182 (Part- 24): 2019	33	60 (24hrs)		
Sulphur Di-Oxide (SO ₂)	μg/m³	IS 5182 (Part- II/Sec- 1): 2023	8.1	80 (24hrs)		
Nitrogen Di-Oxide (NO ₂)	μg/m ³	(S 5182 (Part- 6); 2022	24.9	80 (24hrs)		
Ozone (O ₃)	µg/m ^h	IS 5182 (Part- 9): 2019	<20.0	100 (8hrs)		
Ammonia (NH ₂)	µg/m³	IS 5182 (Part- 25): 2018	<10.0	400 (24hrs)		
Carbon Monoxide (CO)	mg/m³	1S 5182 (Part- 10): 2019 (NDIR Method)	<1.0	2 (8hrs)		
Lead (Pb)	μg/m³	IS 5182 (Part- 22); 2019	0,011	1 (24hrs)		
Nickel (Ni)	ng/m³	IS 5182 (Part- 26): 2020	<6.0	20 (Annual)		
Arsenic (As)	ng/m¹	ELES/AIR/SOP/01: 2021	<2.0	06 (Annual)		

Page 1 of 2

The Document stated as Test Report, is asset by the Laboratory under General Torius and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the jubbandlysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report. except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior writen approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless price permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any sensition set alteration & falls fication of the coment or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/some of the Test Report. The samples from Regulatory hodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall he drive within 15days from the Date of Test Report released/assued. After the time period stated before, no complaints will be accepted. The exemi Time schedule: mentioned in Yest Report is in 24hours format. Aftereviation used N/A (Nos Applicable), BDL (Below Detection Limit) LDL (Lower Detection Limit)



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (JHARKHAND) GST NO:- 20AAECE97130124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in , eles.ranchi@gmail.com Phone no.: 0651-2290103

Phone no.: 0651-2290103 Website: www.elespl.co.in



TEST REPORT

Test Report No.	: ELES/RNC/2024/2795	Report Release Date	; 23.05.2024	
Work Order No.	: 13612312113	Work Order Date	: 28.03.2024	
ULR No.	: TC135872400000761F			

Discipline: Chemical		Group: Atmospheric Pollution		
Parameter	Unit	Test Protocol	Result	Regulatory Limit
Benzene (C _s H _s)	μg/m³	ELES/GC/SOP/06: 2023	<2.5	05(Annual)
Benzo-(a)-Pyrene	ng/m³	ELES/GC/SOP/05: 2023	<0.5	01(Annual)

Reviewed by

AKASH KUMAR Quality Manager ELES PVT, LTD. ****End of Report****

Authorised Signatory

Dr. Deependra Kumar Sinha Ph. D Environments/ Engo ELES Pvt. Ltd. Technical Mennins

Page 2 of 2

The Document stated as Test Report, is asseed by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of compan, without prair worken appearant of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been occured by the content of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alternation & falsification of the content or the Test Report is unlawful and offenders may be prosecuted in the fallest extent of the law. All the samples are retained for 30 days from the Date of release/essat of the Test Report. The samples from Regulatory bestee are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15 days from the Date of Test Report refered/essated. After the time period stated before, in complaints will be accepted. The catare Time schedule mentioned in Test Report is in 24boors format. Abbreviation used. N/A (Not Applicable), BIM. (Below Detection Limit), LDL (Linuar Detection Limit).



ENVIRONIMENTAL LABORATOI

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-BBADOB (JHARKHAND) GST NO:-20/AECE9713D124

Email: Info@eleipl.co.in , eles.ranchi@amail.com Phone no.: 0551-2290103 Website: www.elesal.ca.in

TEST REPORT

Test Report No.	: ELES/RNC/2024/2796	Report Release Date	: 23.05,2024
Work Order No.	: 13612312113	Work Order Date	: 28.03.2024
ULR No.	: TC135872400000762F		

CUSTOMER DETAILS		SAMPLE DETAILS		
Customer Name	: Hindalco Industries Limited	Sample Ref. No. Location	: ELES/RNC/2024/AA/3065 : Harup Block C (Proposed) Serengdag-B Bauxite Mines (77.89ha)	
Address	: Lohardaga, Jharkhand-835302	Sampling Date Sample Received Date	: 15.05,2024 to 16.05.2024 ; 18.05.2024	
Mines Status	: Operational	Type of Sample Sampling Procedure	: Ambient Air : ELES/DOC/SMPL/02	
Period of Analysis	: 18.05.2024 to 23.05.2024	Sampling Done By Sample Condition	: ELES Pvt. Ltd. : Sealed & Preserved	

M	ETEOROLOGICAL INFORMATION			
1	Average Temperature (°C) : 34	2	Barometric Pressure (mml	(g) : 742
3	Relative Humidity (%) : 59	4	Weather Condition	: Clear

Discipline: Chemical		Group: Atm	Group: Atmospheric Pollution		
Parameter	Unit	Test Protocol	Result	Regulatory Limit	
Particulate Matter (PM10)	μg/m³	IS 5182 (Part- 23); 2022	61	100 (24hrs)	
Particulate Matter (PM2.5)	μg/m³	IS 5182 (Part- 24): 2019	33	60 (24hrs)	
Sulphur Di-Oxide (SO ₂)	μg/m³	1S 5182 (Part- II/Sec- 1): 2023	6.4	80 (24hrs)	
Nitrogen Di-Oxide (NO ₂)	μg/m³	IS 5182 (Part- 6): 2022	23.8	80 (24hrs)	
Ozone (O ₃)	μg/m³	IS 5182 (Part- 9); 2019	<20.0	100 (8hrs)	
Ammonia (NH ₁)	μg/m ³	IS 5182 (Part- 25); 2018	<10.0	400 (24hrs)	
Carbon Monoxide (CO)	mg/m³	IS 5182 (Part- 10): 2019 (NDIR Method)	<1.0	2 (8hrs)	
Lead (Pb)	μg/m ³	IS 5182 (Part- 22): 2019	0.010	1 (24hrs)	
Nickel (Ni)	ng/m1	IS 5182 (Part- 26): 2020	<6.0	20 (Annual)	
Arsenic (As)	ng/m³-	ELES/AIR/SOP/01: 2021	<2.0	06 (Annual)	

Page 1 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved forms. The results shown in the Test Report refer or relates only to the jub/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory in the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report. except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless price permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or apparents of the Test Report is unlawful and offendors may be prosecuted to the fullest extent of the law. All the samples are retained for 30 days from the Daw of release issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints segarding the Reports shall he done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire tehedule mentanced in Test Report is in 24 hours formal. Abbreviation used: N/A (Not Applicable). BDI. (Below Detection Limit). 1.DL (Lower Detection Limit).



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (IHARKHAND) GST NO:-20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in , eles.ronchi@gmail.com Phone no.: 0651-2290103 Website : www.elespl.co.in



TC-12007

TEST REPORT

Test Report No.	: ELES/RNC/2024/2796	Report Release Date	: 23.05.2024	
Work Order No.	: 13612312113	Work Order Date	: 28.03.2024	
ULR No.	: TC135872400000762F			

Discipline: Chemical		Group: Att	nospheric Pollu	ition
Parameter	Unit	Test Protocol	Result	Regulatory Limit
Benzene (C ₆ H ₆)	µg/m¹	ELES/GC/SOP/06: 2023	<2.5	05(Annual)
Benzo-(a)-Pyrene	ng/m³	ELES/GC/SOP/05: 2023	< 0.5	01(Annual)

AKASH KUMAR Quality Mananer ELES PVT LTD

****End of Report****

Authorised Signatory
Dr. Deependra Kurnar Sinha
Ph. D Environmental Engg.
ELES Pvt. Ltd. Technical Manager

Page 2 of 2

The Discount stated as Test Report to issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved furnal. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of claims's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the claim. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction assues. Any untuithoused ulteration & fatisfication of the content or appearance of the Test Report is unlineful and offinities may be prosecuted to the fullest extent of the law. All the samples are stated for Malays from the Data of Test Report. The samples from Regulatory bodies are so be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15 days from the Data of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule management is in 24hours formal. Abbreviation used N/A (Not Applicable), (Bellow Detection Limit). LDL (Letter Detection Limit)



PLOT NO-30, MANSAROVAR ENCLAVE, TUPLIDANA HATTA, RANCHI-234003 (IHARKHAND) GST NO:-20448CE9713D1Z4

ENGINEERING SERVICES PVY. LTG

Email: infa@elesal.co.in , eles.runchi@gmail.com

Phone no.: 0651-2290103 Website: www.elespi.co.in



TEST REPORT

Test Report No.	: ELES/RNC/2024/2785	Report Release Date	: 23.05.2024
Work Order No.	: 13612312113	Work Order Date	: 28.03.2024
ULR No.	: TC135872400000751F		

CUSTOMER DETAILS		SAMPLE DETAILS		
Customer Name	; Hindaico Industries Limited	Sample Ref. No. Location	: ELES/RNC/2024/AA/3054 : Near Banjari Village Serengdag-A Bauxite Mines (155.81ha)	
Address	Lohardaga, Jharkhand-835302	Sampling Date Sample Received Date Type of Sample	: 14.05.2024 to 15.05.2024 : 18.05.2024 : Ambient Air	
Mines Status			; ELES/DOC/SMPL/02	
Period of Analysis	: 18.05.2024 to 23.05.2024	Sampling Done By Sample Condition	# ELES Pvt. Ltd. # Sealed & Preserved	

M	ETEOROLOGICAL INFORMATION				
1	Average Temperature (°C) : 33	2	Barometric Pressure (mmHg)	742	
3.	Relative Humidity (%) : 59	.4	Weather Condition	Chray	

Discipline: Chemical		Group: Atmospheric Pollution			
Parameter	t/nit	Test Protocol	Result	Regulatory Limit	
Particulate Matter (PM10)	µµ/m ³	15 5182 (Part- 23): 2022	59	(00 (24hrs)	
Particulate Matter (PM2.5)	µg/m ¹	IS 5182 (Part- 24); 2019	35	60 (24 lus)	
Sulphur Di-Oxide (SO ₂)	µg/m	IS 5182 (Part-11/Sec-1): 2023	7.8	80 (24hrs)	
Nitrogen Di-Oxide (NO ₁)	µg/m	IS 5182 (Part- 6): 2022	27.5	80 (24hrs)	
Ozone (O ₂)	pg/m ⁷	IS 5182 (Part- 9): 2019	<20.0	100 (8hrs)	
Ammonia (NH ₄)	Ma/m²	IS 5182 (Part-25): 2018	<10.0	(00 (24hrs)	
Cirrien Monaxide (CO)	mg/m	15 5182 (Part-10); 2019 (NDIR Method)	<1.0	3 (Bhrs)	
Less (Pb)	uu/m²	IS 5182 (Part-23): 2019	0.01	1 (24hm)	
Nickel (Ni)	ng/m	15 5182 (Part- 26): 2020	<6.0	20 (Annual)	
Arsenie (As)	ngim ^X	ELES/AIR/SOP/01: 2021	<2.0	06 (Armual)	

Page 1 of 2

The Discourse stated as Juni Report is instant by the Landshop many Centers and Conditions, who are Company letter head to prospective discourse the Ten Report reflects to standard discourse and Centers and Conditions, which is the Ten Report reflects to discourse the Laboratory at the time or involvement and and versus the forms of classes are conditions. The regular recept the influence of the Laboratory at the time or involvement and and versus discourse of the Laboratory at the influence of the Laboratory at the condition of the Condition of the Condition of the Laboratory of t



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (JHARKHAND) 831 NO:- 10AAECEE713D124



Email: info@elespl.ca.in , eles.ranchi@gmail.com

Phane no.: 0651-2290103 Website: www.elespi.co.in



TEST REPORT

Test Report No.	: ELES/RNC/2024/2785	Report Release Date	: 23.05/2024
Work Order No.	: 13612312113	Work Order Date	28.03.2024
ULR No.	: TC135872400000751F		

Discipline: Chemical		Group: Atmospheric Pollution			
Purameter	Unit	Test Protocol	Result	Regulatory Limit	
Benzene (C _c H _e)	31 <u>0</u> /m ³	ELES/GC/5OP/06: 2023	<2.5	05(Annual)	
Benzo-(a)-Pyrene	ng/m³	ELES/GC/SOP/05: 2023	<0.5	01(Annual)	

AKASH KUMAR Quality Managur ELES PVT. LTD.

****End of Report****

Authorised Signatory

Ph D Environmental Fung.

BLES Pvt. Ltd. Technical Memory.

Page 2 of 2

The Document stated as Vert Report, is couled by the Laboratory under General Terms and Conditions, only on Company letter hand to pre-improved format. The results almost us the Test Report relates usely to the polyments of the Laboratory as the time of involvement only and within the furnit of client's instruction. The Laboratory is responsible for all the information or date provided on the report, except the information which is provided by the object. The Report courses be reproduced except in full and any part of the report is not better out of courses, without prior soften approval of the Laboratory. The deport in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been accurate the biomagness of the Laboratory. Alternoon is drawn to the limitation of liability, compensation read particularly installated alternation de Test Report is unlawful and affections may be provided intended as permission of the Laboratory installated by the first formation of the Test Report in unlawful and affection are no be retained as specified. Any ope of Observations or Compliante against up the Reports will be done within 15 days from the Date of Test Report reference formation between the first forms and the first forms of the Compliante against of the time period at the first formation Limit. The assignment of the first forms the Date of Test Report reference by the first first formation Limit. LDL (Lower Electrons Limit)



PLOT NO-30, MANSAROVAR ENCLAVE, YUPUDANA HATIA, RANCHI-834003 (HARKHAND) GST NO-2004ECEIT130124

Email: info@elespl.co.in . eles ranchi@amail.com

Phone no.: 0651-2290103 Website: www.elespl.co.in



TEST REPORT

Test Report No.	: ELES/RNC/2024/2786	Report Release Date	23.05.2024
Work Order No.	: 13612312113	Work Order Date	: 28,03.2024
ULR No.	: TC135872400000752F		

CUSTOMER DET	AILS	SAMPLE DETAILS	
Customer Name	: Hindalco Industries Limited	Sample Ref. No. Location	BLES/RNC/2024/AA/3055 Near Pauri Village Serengdag-A Bauxite Mines (155.81ha)
Address	: Lobardaga, Jharkhand-835302	Sampling Date Sample Received Date Type of Sample	: 14.05.2024 to 15.05.2024 : 18.05.2024 : Ambient Air
Mines Status	: Operational	Sampling Procedure	: ELES/DOC/SMPL/02
Period of Analysis	: 18.05.2024 to 23.05.2024	Sampling Done By Sample Condition	: ELES Pyl. Ltd : Sealed & Preserved

MI	ETEOROLOGICAL INFORMATION			
1	Average Temperature (*C) = 33	2	Barometric Pressure (mmHg)	: 742
3	Relative Humidity (%) : 59	4	Weather Condition	Chear

Discipline:	Chemical	Group: Atmospheric Pollution			
Parameter	Unit	Test Protocol	Result	Regulatory Limit	
Particulate Matter (PM10)	µg/m¹	15 5182 (Part- 23): 2022	57	100 (24hrs)	
Particulare Matter (PM2.5)	μg/m ¹	IS 5182 (Part- 24); 2019	30	60 (2-thrs)	
Sulphur Di-Oxide (SO ₂)	µg/m ³	IS 5182 (Part- II/Sec- 1): 2023	9.8	80 (24hrs)	
Nitrogen Di-Oxide (NO ₂)	μg/m¹	IS 5182 (Part- 6): 2022.	23.4	80 (24hrs)	
Ozone (O ₁)	µg/m³	15 5182 (Part- 9): 2019	<20.0	100 (8hrs)	
Ammonia (NH _d)	µg/m²	IS 5182 (Pari- 25); 2018	<10.0	400 (24hrs)	
Carbon Monoxide (CO)	mu/m³	15 5182 (Part- 10); 2019 (NDIR Method)	<1.0	2 (8hrs)	
Lead (Pb)	Mg/m²	IS 5182 (Part- 22): 2019	0.005	1 (24fm)	
Nickel (Mi)	ng/m ³	IS 5182 (Part- 26): 2020	<6.0	20 (Annual)	
Arsenic (As)	ng/m²	ELES/AIR/SOP/01: 2021	<2.0	06 (Annuni)	

Page 1 of 2

The Deciment shared at Test Report is received by the Laboratory under General Terms and Conditions, only in Company letter bench in pre-approved forms. The conditions in the Test Report refer to relieve only or the first only of the Laboratory is received in the Test Report refers the finding done to the Laboratory of the information stated in provided by the claim. The Report cannot be reported except in full and any part of the report of the report or the report of the Laboratory. The Report in full or to part shall so be published, afternoon used for any legal actions only a principle from the provided by the claim. The Report cannot be reported by the first appropriate of the Laboratory. The Report in full or to part shall so be published, afternoon used in any legal actions only a principle of the factorial of the Laboratory. Attention to the finite set of hability, complete atom and carbodicion in the North Condition of the finite set of hability complete atom and the Laboratory is published and oftended on the finite set of hability and the factorial of the Test Report is pullwhill and oftended on the factorial of the Test Report is pullwhill and oftended on the factorial of the Test Report. The samples from Regulatory before sory to be retained as appendict. Any type of Observations of Conditions resulting the Report will be the a worse 15-bys from the Date of the Report of the Report



PEOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA NATIA, RANCHI-834003 (JHARKHAND) GST NO:- 20AAECES7130124

Empli: Info@elesol.co.ln , eles.ranchi@amail.com

Phone no.: 0651-2290103 Website: www.elespi.co.in



TEST REPORT

Test Report No. : ELES/RNC/2024/2786 Report Release Date : 23.05.2024
Work Order No. : 13612312113 Work Order Date : 28.03.2024

ULR No. : TC135872400000752F

Discipline: Chemical		Group: Atmospheric Pollution			
Parameter	Unit	Test Protocol	Result	Regulatory Limit	
Benzene (C _i H _i)	ug/m²	ELES/GC/SOP/06: 2023	<2.5	05(Annual)	
Benzo-(n)-Pyrene	og/m²	ELES/GC/SOP/05: 2023	<0.5	01(Annual)	

AKASH KUMAR Quality Managar ELES PVT. LTD.

****End of Report****

Ph. D Environment 1990.
ELES PVI. Ltd. Technique 1990.

Page 2 of 2

The Deciment stated as 1 est Report, a regard by the 1 shot story attend Corners Turns and Conditions, only on Conspany latter bend in pro-approved forms. The results show in the Task Report reflects the find state only as the philadest of the Laboratory at the turns of involvement only and within the limits of client's instructions. The Laboratory is respectively in the information or date provided on the report, except the reflects the report is not taken and of context, without price written approval of the Laboratory. The Report is full or in part shall not be published advertise, used for any legal schools except in not taken and of context, without price written approval of the Laboratory. The Report is full or in part shall not be published advertise, used for any legal schools except in the fact according to the Report in the Section of the Context and the Part Report is full or in part shall not be published advertise, used for any legal schools except in the Laboratory. Attention is drawn to the limitation of facilities, compensation and particles in section of the Laboratory are related and of the context as appearance of the Task Report is a complaint and officially form the Date of released to the Task Report in the Section of the task of the task and the Task Report in the Report in the time period as and for the same of the task of the properties of the task of the task and the task Report referently to the properties of the task type of Computer will be accorded to the task Report referently tasked to the properties of the task type of the propertie



PLOT NO 30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-534003 (IHARHHAND) GST NG:- 20448CE9713D1Z4

Email: Info@elespl.co.in , eles.sunchl@gmull.com

Phone no.: 0651-2290103 Website: www.elespl.co.in



TEST REPORT

Test Report No.	: ELES/RNC/2024/2787	Report Release Date	: 23.05.2024	
Work Order No.	: 13612312113	Work Order Date	: 28.03.2024	
ULR No.	: TC135872400000753F			

CUSTOMER DET	CUSTOMER DETAILS		
Customer Name	: Hindulco Industries Limited	Sample Raf No. Location	PELES/RNC/2024/AA/3056 Near Harup Village Serengdag-A Bauxite Mines (155:81ha)
Address	: Lohardaga, Jharkhand-835302	Sampling Date Sample Received Date Type of Sample	: 14,05,2024 to 15,05,2024 : 18,05,2024 : Ambient Air
Mines Status	= Operational	Sampling Procedure	: ELES/DOC/SMPL/02
Period of Analysis	= 18.05.2024 to 23.05.2024	Sampling Done By Sample Condition	ELES Pvt. Ltd. Seafed & Preserved

M	ETEOROLOGICAL INFORMATION			
1	Average Temperature (°C) 33	2	Barometric Pressure (mmHg)	±742
7	Relative Humidity (%) : 59	4	Weather Condition	: Clear

Discipline:	Chemical	Group: Atmospheric Pollution			
Parameter	Unit	Test Protocol	Result	Regulatory Limit	
Particulate Matter (PM10)	μg/m ³	TS 5182 (Part-23): 2022	58	100 (24hes)	
Particulate Matter (PM2.5)	µg/m ⁷	IS 5182 (Part- 24); 2019	32	60 (24hrs)	
Sulphur Di-Oxide (SO ₂)	цу/т³	1S 5182 (Part-11/Sec-1): 2023	6.7	80 (24hrs)	
Nitrogen Di-Oxide (NO ₃)	µg/m [†]	15 5182 (Part- 6): 2022	23.9	80 (24hrs)	
Ozone (O ₃)	µg/m³	IS 5182 (Part- 9): 2019	<20.0	(en/8) 001	
Ammonia (NH ₃)	µg/m²	IS \$182 (Part- 25): 2018	<10.0	400 (24hrs)	
Carbon Monoxide (CO)	mg/m	IS 5182 (Part- 10): 2019 (NDIR Method)	<1.0	2 (8lus)	
Lead (Pb)	μg/m ²	(S 5182 (Part- 22): 2019	< 0.002	1 (24hrs)	
Nickel (Ni)	ng/m?	15 5182 (Part- 26): 2020	<6.0	20 (Annual)	
Amenic (As)	ng/m²	ELES/AIR/SOP/01: 2021	<2.0	06 (Annual)	

Page 1 of 2

One from the part of the Laboratory of the Laboratory and the Common and Common only an Company letter head in pre-approved for any the three districts and to the job and a family of the Laboratory and the transfer of the Common of the Comm



PLOT NO-30, MANSAROVAR ÉNCLAVE, TUPUDANA HATIA, RANCHI-834003 (JHARKHAND) GST NO.-304AECES713D124

Email: info@elespl.co.in , eles.ranchi@gmail.com

Phone no.: 0651-2290103 Website: www.elespi.co.in



TEST REPORT

Test Report No.	: E1.ES/RNC/2024/2787	Report Release Date	23.05.2024
Work Order No.	13612312113	Work Order Date	: 28.03.2024
HLR No.	TC135872400000753F		

Discipline: Chemical		Group: Atmospheric Pollution			
Parameter	Unit	Test Protocol	Result	Regulatory Limit	
Benzene (C ₀ H ₀)	pgm	BLES/GC/SOP/06: 2023	<2.5	05(Annual)	
Henzo-(a)-Pyrene	ng/m²	ELES/GC/SOP/05: 2023	=0.5	01(Arenual)	

Reviewed by AKASH KUMAR Quality Managur ELES PVT 17D

End of Report

Ph. D Environments | Triog ELES Pvt. Ltd. Technical Matter

Page 2 of 2

The Cocument manufact Test Report is maded by the Laboratory under General Terms and Coordinate cody on Company letter head in pic approved format. The remits already as the Test Report reflect to the findings done by the Laboratory as the first of the information or data provided on the report experiment for all the information or data provided on the report, except the information which is previded by the claim. The Report cannot be reproduced extent in full and any part of the report is not before any of exercising the information which is previded by the claim. The Report cannot be reproduced extent in full and any part of the report is not before any in full and any part of the report is not before any in full and any part of the report is not before any the full and any part of the report is not before any the full and any part of the report is not before any the full and any part of the report is not before any the full and of the full and any interest of the full and any interest in the Test Report is unliveral and offenders may be pronounted to the full and the date of the test part of the full and the full an



ENVIRONMENTAL LABORATO

PLOT NO-30, MANSAROVAR ENGLAVE, TURUDANA HATIA, RANCHI-234003 (JHARKHAND) 657 NO:- 26AAECE97130124

Email: Info@elespl.ca.in , elex.ranchi@amail.com

Phone no.: 0651-2290103 Website: www.elespi.co.in



TEST REPORT

Test Report No.	: ELES/RNC/2024/2788	Report Release Date	; 23.05.2024	
Work Order No.	: 13612312113	Work Order Date	: 28.03.2024	
ULR No.	: TC135872400000754F			

CUSTOMER DET	CUSTOMER DETAILS		
Customer Name	: Hindulco Industrice Limited	Sample Ref. No. Location	Near Paintoli Village Serengdag-A Bauxite Mines (155.81ha)
Address	: Lohardaga, Jharkhand-835302	Sampling Date Sample Received Date	: 14.05.2024 to 15.05.2024 : 18.05.2024 : Ambient Air
Mines Status	: Operational	Type of Sample Sampling Procedure	ELES/DOC/SMPL/03
Period of Analysis	: 18.05.2024 to 23.05.2024	Sampling Done By Sample Condition	: ELES Pvt. Ltd. : Sealed & Preserved

M	ETEOROLOGICAL INFORMATION			
1	Average Temperature (°C) : 33	2	Barometric Pressure (mmHg	: 742
3	Relative Humidity (%) : 59	4	Weather Condition	: Clear

Discipline:	Chemical	Group: Atmospheric Pollution			
Parameter	Unit	Test Protocol	Result	Regulatory Limit	
Paniculate Matter (PM10)	μg/m ³	15 5182 (Part- 23): 2022	65	100 (24krs)	
Particulate Matter (PM2.5)	µg/m ²	IS 5182 (Part- 24): 2019	34	60 (24hrs)	
Sulphur Di-Oxide (SO ₂)	µg/m	IS 5182 (Part-II/Sec-1): 2023	10.8	80 (24hrs)	
Nimigen Di-Oxide (NO ₁)	µg/m"	18 5182 (Pan-6): 2022	26.1	80 (24hrs)	
Ozone (O ₁)	ag/m	IS 5182 (Part- 9): 2019	<20.0	(e3d8),001	
Ammonia (NH ₂)	μg/m³	18 5182 (Part- 25): 2018	<10.0	400 (24hrs):	
Carbon Monoxide (CO)	mg/m"	IS 5182 (Part- 10): 2019 (NDD: Method)	<1.0	2 (8hrs)	
Lead (Ph)	pg/m	IS 5182 (Part- 22): 2019	0.012	1 (24hrs)	
Nickel (Ni)	ng/m	15 5182 (Part- 26): 2020	<6.0	30 (Annual)	
Arrenic (Arr	ng/m	ELES/AIR/SOP/01: 2021	<2.0	III (Amma)	

Page 1 of 2

The Document Hotel as Ten Benefi, is besief by the Liebertony under Denied Terror and Conditions, only no Company letter local in you approved formst. The results shows in the Test Repair rates we related only in the july analysis done by the Laboratory and . The information against on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of classe's association. The Eubocatory is emponents for all the information or data provided on the region. tracept the information which is provided by the citizs. The Report summs be reproduced except to full and any part of the export is not taken our of coverage without prior waters approved of the Laboratory. The Report is full or in part shall not be policited, advertise, used for any legal actions obtain prior permission has been accured from the Management of the Laboratory. Attention to draws in the Emission of Habbery, compensation and jurisdiction images. Any estimates of distribution of the personal or appearance of the Test Repres to entawing and offending may be processed to the full at parent of the law. All the samples are remined for 10 days from the Date of release later of the Yest Report. The samples from Regulatary budies are to be remised an operation. Any type of Observations or Compliants regarding the Reports shall by done within 15days from the Date of Text Report reheards when Alles the time pured come before the completions will be accupant. The army time adjusted in managed at Year Regards in 6 Salman format, address against and \$100 (600 Applicants) WEL (Balow Direction Limit) LDt (Down) Services Local



FLOT NO-30, MANSARDVAR ENCLAVE, TUPULIANA HATIA, RANCHI-SEADES (HARDOLAND) GET NO: 20848EESTEDIZU Frank info@elesyl.co.ll) , eles canchallamail.com

1 (S)

Phone no.: 0651-2290102 Wybsite reverselespi.co.in

TEST REPORT

tit R No.	: TC135872400000754F			
Work Order No.	: 13612312113	Work Order Date	: 28.03.2024	
Test Report No.	: ELES/RNC/2024/2788	Report Release Date	: 23.05.2024	

Discipline: Chemical		Group: Atmospheric Pollution			
Parameter	Eluit.	Test Protocol	Result	Regulatory Limit	
Benzene (Celli)	ug/m³	ELES/GC/SOP/06; 2023	<2.5	05(Annual)	
Benzn-(a)-Pyrene	og/m³	ELES/GC/SOP/05; 2023	<0.5	OI(Annual)	

AKASH KUMAR Quality Managur ELES PVT LTD

****End of Report****

Authorised Signatory

Ph. Deependra K. Torright Ph. D Environmen Indian ELES Pvr. Ltd. Technical Indian Indi

Page 2 of 2

The Decement assist at Tea Report is trained by the Laboratory under Ocean Terms and Conditions, only to Company total on the agree of forms. The results shown in the Laboratory is the property of the terms of the terms of the terms of the terms of the report of the report of the report of the terms of terms of terms of the



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (JHARKHAND) GST NO:- 20AAECE97130124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in , eles.ranchi@gmail.com

Phone no.: 0651-2290103 Website: www.elespl.ca.in



CON: U749991H3018FTCD111125

TEST REPORT

Test Report No.	: ELES/RNC/2024/2898	Report Release Date	: 28.05.2024	
Work Order No.	1 13612312113	Work Order Date	: 28.03.2024	
ULR No.	: TC135872400000858F			

CUSTOMER DETAILS		SAMPLE DETAILS			
Customer Name	: Hindalco Industries Limited	Sample Ref. No. Sampling Date Sample Received Date	: ELES/RNC/2024/DW/3072 : 15,05,2024 : 18,05,2024		
Address	: Lohardaga, Jharkhand-835302	Type of Sample Source/Location of Sample	: Drinking Water : Near Pauri Village Serengdag-E Bauxite Mines (77.89ha)		
Mines Status	: Operational	Sampling Procedure	: ELES/DOC/SMPL/01		
Period of Analysis	: 18.05.2024 to 28.05.2024	Sampling Done By Sample Condition	: ELES Pvt. Ltd. : Sealed & Preserved		

Discipline : Chemical		Group:	Water	The second secon	tory Limit 10500:2012
Parameter	Unit	Test Protocol	Result	Acceptable Limit	Permissible Limit
pH (at 25.6 °C)	3	APHA 24th Ed.2023, 4500-H	6.52	6,5-8.5	No Relaxation
Turbidity	NTU	APHA 24th Ed.2023, 2130 B	0.41	1.0	5.0
Taste	~	APHA 24 th Ed.2023, 2160 C	Agreeable	Agreeable	Agreeable
Odour		1S 3025 (Part-5) :2018	Agreeable	Agreeable	Agrecable
Colour	Hazen	APHA 24th Ed.2023, 2120B&D	1.0	5	15
Total Dissolved Solids (TDS)	mg/L	APHA 24th Ed.2023, 2540B,C&D	45	500	2000
Chloride (as Cl)	mg/L	APHA 24th Ed.2023, 4500 Cl B	5.7	250	1000
Fluoride (as F)	mg/L	APHA 24 th Ed.2023, 4500 F-D	BDL (DL: 0.1)	1.0	1.5
Total Afkalinity (as CaCO ₃)	mg/L	APHA 24th Ed.2023, 2320 B	10.3	200	600
Total Hardness (as CaCO ₃)	mg/L	APHA 24th Ed.2023, 2340 C	36.8	200	600
Sulphate (as SO ₄)	mg/L	APHA 24th Ed.2023, 4500 SO ₁ th-E	BDL (DL: 1.0)	200	400

Page 1 of 4

The Document stated as Test Report, is assued by the Laboratory under General Terms and Conditions, only on Company latter head in pre-approved forms. The results shown in the Test Report science or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report scilicos the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report is full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of hability, compensation and jurisdiction issues. Any unauthorized alternation & Infafrication of the content or appearance of the Test Report is unlawful and offenders may be pensecuted to the follows extent of the limit. All the samples are retained for 30 days from the Date of release issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15 days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The antire I time schedule mentioned in Test Report is in 24 hours formal. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit), LDL (Lower Detection Limit).



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIÀ, RANCHI-E34003 (JHARKHAND) GST NO:- ZMAECE9713D124

ENGINEERING SCRVICES PUT, LTD

Emall: Info@elespl.co.in , eles.ranchi@amail.com

Phone no.: 0651-2290103 Website: www.elespi.co.in



TG-13567

TEST REPORT

Test Report No.	: ELES/RNC/2024/2898	Report Release Date	: 28.05.2024
Work Order No.	: 13612312113	Work Order Date	: 28.03.2024
ULR No.	: TC135872400000858F		

Discipline: Chemic	al	Grou	p: Water	Regulatory Limit as per IS10500:2012	
Parameter	Unit	Test Protocol	Result	Acceptable Limit	Permissible Limit
Nitrate (as NO ₁)	mg/L	APHA 24 th Ed.2023, 4500 NO ₃ -B	BDL (DL: 0.5)	45	No Relaxation
Phenolic Compound (as C ₀ H ₂ OH)	mg/L	IS 3025 (Part 43/Sec1); 2022	BDL (DL: 0.001)	100.0	0.002
Free Residual Chlorine (RFC)	mg/L	IS 3025 (Part-26): 2021	BDL (DL: 0.1)	0.2	1.0
Calcium (as Ca)	mg/L	APHA 24th Ed.2023, 3500 Ca B	9.8	75	200
Anionic Surfactants (as MBAS)	mg/L	APHA 24 th Ed.2023, 5540-C	BDL (DL: 0.025)	0.2	1.0
Discipline : Chemic	cal	Gre	oup: Residues i	n Water	
Aluminum (as Al)	mg/L	IS 3025 (Part-55) :2003; RA2019	BDL (DL: 0.02)	0.03	0.2
Arsenic (as As)	mg/L	IS 3025 (Part-37): 2022	BDL (DL: 0.005)	0.01	No Relaxation
Boron (as B)	mg/L	15 3025 (Part-57): 2021	BDL (DL: 0.2)	0.5	2.4
Cadmium (as Cd)	mg/L	APHA 24th Ed.2023; 3111B	BDL (DL: 0.003)	0.003	No Relaxation
Total Chromium(as Cr)	mg/L	APHA 24th Ed,2023; 3111B	BDL (DL: 0.03)	0.05	No Relaxation
Copper (as Cu)	mg/L	APHA 24th Ed.2023; 3111B	BDL (DL: 0.03)	0.05	1.5
Cyanide (as CN)	mg/L	APHA 24th Ed.2023, 4500 CN-E	BDL (DL: 0.012)	0.05	No Relaxation
Iron (as Fe)	mg/L	APHA 24th Ed.2023; 3111B	0.107	0.1	1.0
Lead (as Pb)	mg/L	APRA 24 th Ed.2023; 3111B	BDL (DL: 0.01)	0.01	No Relaxation
Manganese (as Mn)	mg/L	APHA 24th Ed.2023; 3111B	BDL (DL: 0.05)	0.1	0,3
Mercury (as Hg)	mg/L	IS 3025 (Part-48): 2019	BDL (DL: 0.001)	0.001	No Relaxation

Page 2 of 4

The Document stated as Test Report is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown to the Test Report refer or relates only to the job/analysis date by the Laboratory only. The information stated on the Test Report reflects the findings alone by the Laboratory as the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information of data provided on the report, except the information which is provided by the client. The Report caused be reproduced except in full and any part of the report is not taken out of context without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unanthorized alternation & filtification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fallest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complainty regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used N/A (Not Applicable): BDL (Below Detection Limit); LDL (Lower Detection Limit).



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (JHARKHAND) GST NO:-20AAECE97130124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in , eles ranchi@gmail.com

Phone no.: 0651-2290103 Website: www.elespi.co.in



TEST REPORT

Test Report No. : ELES/RNC/2024/2898 Report Release Date : 28.05.2024

Work Order No. : 13612312113 Work Order Date : 28.03.2024

ULR No. : TC135872400000858F

Discipline : Chemical		Group : Resid	nes in Water		Regulatory Limit s per 1S10500:2012	
Parameter	Unit	Test Protocol	Result	Acceptable Limit	Permissible Limit	
Selenium (as Se)	mg/L	IS 3025 (Part-56): 2019	BDL (DL: 0.01)	0.01	No Relaxation	
Zinc (as Zn)	mg/L	APHA 24th Ed.2023; 3111B	BDL (DL; 0,1)	5	15	
Polynuclear Aromatic Hydrocarbons (PAH)	µg/L	ELES/GC/SOP/04: 2023	BDL (DL: 0.05)	0.1	No Relaxation	
Polychlorinated hiphenyls (PCB)	µg/L	ELES/GC/SOP/03: 2023	BDL (DL: 0.1)	0,5	No Relaxation	
esticides				Li	mit	
Alachlor	µg/L	ELES/GC/SOP/01: 2023	BDL (DL: 0.5)	3	20	
Atrazine	μg/L	ELES/GC/SOP/01: 2023	BDL (DL: 0.5)	2	2.0	
Butachlor	μg/L	ELES/GC/SOP/01: 2023	BDL (DL: 0.5)	125		
Chlorpyriphos	μg/L	ELES/GC/SOP/01: 2023	BDL (DL: 0.5)		30	
Ethion	μg/L	ELES/GC/SOP/01: 2023	BDL (DL: 0.5)		5.0	
Malathion	µg/L	ELES/GC/SOP/01: 2023	BDL (DL: 0.5)	1	90	
Methyl parathion	μg/L	ELES/GC/SOP/01: 2023	BDL (DL: 0.1)	.0	30	
Monocrotophos	μg/L	ELES/GC/SOP/01: 2023	BDL (DL: 0.5)	1	.0	
Phorate	μg/L	ELES/GC/SOP/01: 2023	BDL (DL: 0.5)	2.0		
Phorate Sulphone	µg/L	ELES/GC/SOP/01: 2023	BDL (DL: 0.5)		**	
Dieldrin	μg/L	ELES/GC/SOP/02: 2023	BDL (DL: 0.01)	0	.03	

Page 3 of 4

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of unvolvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report caunot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report is full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction oscies. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and oftenders may be prosecuted to the fallest extent of the law. All the samples are retained in 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Athereviming used: N/A (Not Applicable), EDE. (Below Detection Limit). LDL (Lower Detection Limit).

inem Edwir (General), Sarri Partner



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (JHARKHAND) GST NO:-20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespi.co.in , eles.ranchi@gmail.com

Phone no.: 0651-2290103 Website: www.elespl.co.in



CIN: U749991H2018FTC011125

TEST REPORT

Test Report No.	: ELES/RNC/2024/2898	Report Release Date	: 28.05.2024
Work Order No.	: 13612312113	Work Order Date	: 28.03.2024

ULR No. : TC135872400000858F

Pesticides					
Parameter	Unit	Test Protocol	Result	Limit	
Alpha HCH	μg/L	ELES/GC/SOP/02: 2023	BDL (DL: 0.006)	0.01	
Delta HCH	μg/L	ELES/GC/SOP/02: 2023	BDL (DL: 0.02)	0.04	
Gamma HCH (Lindane)	μg/L	ELES/GC/SOP/02: 2023	BDL (DL: 0.02)	2.0	
Endosulfan (alpha, beta and sulphate)	μg/L	ELES/GC/SOP/02: 2023	BDL (DL: 0.05)	0.40	
DDT(o,p and p,p-isomers of DDT,DDEand DDD)	μg/L	ELES/GC/SOP/02: 2023	BDL (DL: 0.05)	1.0	
Discipline : Biological		Group	p: Water		
Total Coliform (Qualitative)	Per 100 mL	IS 15185: 2021	Not Detected	Shall not be detected	
Escherichia coli (Qualitative)	Per 100 mL	IS 15185: 2021	Not Detected	Shall not be detecte	

Remarks: 1, pH and RFC done at Lab.

AKASH KUMAR Quality Managar ELES PVT LTD

****End of Report****

Authorised Signatory

Dr. Deependra Kumar Sinha Ph. D Environmental Engg. ELES Pvt. Ltd. Technical Manary

Page 4 of 4

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report reforcer or relates only to the polyanalysis done by the Laboratory only. The information stated on the Test Report reforces the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior scritten approved of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention it drawn to the limitation of finishity, compressation and jurisdiction issues. Any unauthorized alteration & latisfication of the content or applicance of the Test Report is unlawful and offenders may be presecuted to the fulless extent of the law. All the samples are retained for 3fdays from the Date of release lessue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report refereed issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable): BDL (Below Detection Limit), LDL (Lower Detection Limit).



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (JHARKHAND) GST NO:- 20AAECE97130124

GINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in , eles.ranchi@amail.com Phone no.: 0651-2290103

Website: www.elespl.co.in

TEST REPORT

Test Report No.	: ELES/RNC/2024/2898	Report Release Date	: 28.05.2024	
Work Order No.	: 13612312113	Work Order Date	: 28.03.2024	

CUSTOMER DETAILS		SAMPLE DETAILS		
Customer Name	: Hindalco Industries Limited	Sample Ref. No. Sampling Date Sample Received Date	: ELES/RNC/2024/DW/3072 : 15.05.2024 : 18.05.2024	
Address	: Lohardaga, Jharkhand-835302	Type of Sample Source/Location of Sample	: Drinking Water : Near Pauri Village Serengdag-B Bauxite Mines (77.89ha)	
Mines Status	: Operational	Sampling Procedure	: ELES/DOC/SMPL/01	
Period of Analysis	: 18.05.2024 to 28.05.2024	Sampling Done By Sample Condition	: ELES Pvt. Ltd. : Sealed & Preserved	

Discipline : Chemical		Group : Water	Group : Water		atory Limit S 10500:2012
Parameter	Unit	Test Protocol	Result	Acceptable Limit	Permissible Limit
Mineral Oil*	mg/L	CL-6, IS: 3025 (P-39)	BDL (DL: 0.1)	1.0	No Relaxation

Remarks: (*) Parameters are outsourced to other Lab.

AKASH KUMAR Quality Managar ELES PVT. LTD.

****End of Report****

Authorised Signatory

Dr. Deependra Kumar Sinhu-Ph. D Environmental Enga ELES Pvt. Ltd. Technical Manage

Page I of I

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved formst. The results shown in the Test Report refer or relates only to the job/atalysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except to full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and purediction issues. Any unauthorized alteration & falsification of the cornest or appearance of the Test Report is unlawful and offenders may be pressocited to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable): BDL (Below Detection Limit): LDL (Lower Detection Lissay

CONTENT

Hind	alco Industries :Shrengdag B Bauxite Mine Environmental Monitoring Report June2024
	Shrengdag B Bauxite Mine
	AMBIENT AIR QUALITY- CORE ZONE
1	Mine Pit Quarry No 2B
2	Near Baisbhatan Village
3	Block 2A (Prohopat Village)
4	Harup Block C (Proposed)
	AMBIENT AIR QUALITY- BUFFER ZONE
1	Near Banjari Village
2	Near Pauri Village
3	Near Harup Village
4	Near Paintoli Village







PLOT NO-30, MANSAROVAR ENCLAYE, TUPUDANA HATIA, RANCHI-834003 (JHARKHAND) GST NO:- 20AAECE9713D1Z4

Email: info@eiespl.co.in , eles.ranchi@amail.com Phone no.: 0651-2290103 Website / www.elespl.co.in



rc-time

TEST REPORT

Test Report No.	: ELES/RNC/2024/3401	Report Release Date	: 24.06.2024	
Work Order No.	: 13612312113	Work Order Date	; 28.03.2024	
ULR No.	: TC135872400001352F			

CUSTOMER DETAILS		SAMPLE DETAILS		
Customer Name	: Hindalco Industries Limited	Sample Ref. No. Location	: ELES/RNC/2024/AA/3852 : Mine Pit Quarry No 2B Serengdag-B Bauxite Mines (77,89ha)	
Address	: Lohardaga, Jharkhand-835302	Sampling Date Sample Received Date	: 18.06.2024 to 19.06.2024 : 20.06.2024	
Mines Status	: Operational	Type of Sample Sampling Procedure	: Ambient Air : ELES/DOC/SMPL/02	
Period of Analysis	: 20.06.2024 to 24.06.2024	Sampling Done By Sample Condition	: ELES Pvt. Ltd. : Sealed & Preserved	

MI	ETEOROLOGICAL INFORMATION			
1	Average Temperature (°C) : 39	2	Barometric Pressure (mmHg	: 742
3	Relative Humidity (%) 57	4	Weather Condition	: Clear

Discipline: 0	Chemical	Group: Atm	Group: Atmospheric Pollution		
Parameter	Unit	Test Protocol	Result	Regulatory Limit	
Particulate Matter (PM10)	μg/m³	IS 5182 (Part- 23): 2022	68	100 (24hrs)	
Particulate Matter (PM2.5)	μg/m³	IS 5182 (Part- 24): 2019	39	60 (24hrs)	
Sulphur Di-Oxide (SO ₁)	μg/m ³	IS 5182 (Part- II/Sec- 1): 2023	7,5	80 (24hrs)	
Nitrogen Di-Oxide (NO ₂)	μg/m [‡]	IS 5182 (Part- 6): 2022	26.8	80 (24hrs)	
Ozone (O ₅)	µg/m³	IS 5182 (Part- 9); 2019	<20.0	100 (8hrs)	
Ammonia (NH ₁)	μg/m³	IS 5182 (Part- 25); 2018	<10.0	400 (24hrs)	
Carbon Monoxide (CO)	mg/m³	IS 5182 (Part- 10): 2019 (NDIR Method)	<1.0	2 (8hrs)	
Lead (Pb)	μg/m³	IS 5182 (Part-22); 2019	0.012	1 (24hrs)	
Nickel (Ni)	ng/m ³	IS 5182 (Part- 26): 2020	<6.0	20 (Annual)	
Arsenic (As)	ng/m³	ELES/AIR/SOP/01; 2021	<2.0	06 (Annual)	

Page 1 of 2

The Discussion stated as Test Report, is issued by the Lubranery under General Terms and Conditions, only on Company letter head in pre-approved formst. The results shown in the Test Report refer or relates only to the jobiumiyou done by the Laboratory only. The internation stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report. except the information which is provided by the client. The Report current be reproduced except in full and any part of the report is test taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of Judstay, compensation and jurisdiction tissues. Any unauthorized alternation & falsification of the content or appearance of the Text Report is unlawful and offenders may be presented to the fullest extent of the law. All the samples are retained for Jidaya from the Dateof release/mose of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15 days from the Date of Test Report released/issued. After the time period stated before, no complaints will be ascepted. The entire Time schedule mentioned in Test Report is in 24hours former. Athrevament used: N/A (Not Applicable), BER (Helion Detection Limit). LDL (Lower Detection Limit).



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (IHARKHAND) GST NO:- 20AAECE97130124

ENGINEERING SERVICES PVF. LTD

Email: info@elespl.co.in , eles.ranchi@amail.com

Phone no.: 0651-2290103 Website: www.elespi.co.in



TEST REPORT

Test Report No.	: ELES/RNC/2024/3401	Report Release Date	: 24.06.2024	
Work Order No.	: 13612312113	Work Order Date	: 28.03.2024	
ULR No.	: TC135872400001352F			

Discipline: Chemical		Group: Atmospheric Pollution			
Parameter	Unit	Test Protocol	Result	Regulatory Limit	
Benzene (CaHa)	μg/m³	ELES/GC/SOP/06; 2023	<2.5	05(Annual)	
Benzo-(a)-Pyrene	ng/m³	ELES/GC/SOP/05: 2023	<0.5	01(Annual)	

AKASH KUMAR Quality Managar ELES PVT. LTD.

****End of Report****

Authorised Signatory

Dr. Deependra Kumar Sinha Ph. D Environmental Engg. ELES Pvt. Ltd. Technical Manager

Page 2 of 2

The Document stated in Test Report, is issued by the Laboratory under General Terms and Conditions, unly on Company letter bead in pre-approved forms. The results shown in the Test Report series or relates only to the jub/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alternative & falsification of the content of the Test Report is unlewful and offenders may be proceeded to the fulless extent of the law. All the samples are related for Mixings from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be returned as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format Abbreviation used: N/A (Not Applicable). Bibl. (Below Descript Limit). (D) (Limiter Detection Limit)



$ENVIRONMENTAL\,LABORATORIES\, \epsilon$

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (IHARKHAND) GST NO:- ZOAAECE9713D1Z4

Website: www.elespl.co.in

Email: Info@elespl.ca.in , eles.ranchi@gmail.com Phone no.: 0651-2290103



TEST REPORT

Test Report No.	: ELES/RNC/2024/3402	Report Release Date	: 24.06.2024
Work Order No.	: 13612312113	Work Order Date	: 28.03.2024
ULR No.	: TC135872400001353F		

CUSTOMER DETAILS		SAMPLE DETAILS		
Customer Name	: Hindalco Industries Limited	Sample Ref. No. Location	: ELES/RNC/2024/AA/3853 : Near Baisbhatan Village Serengdag-B Bauxite Mines (77.89ha)	
Address	: Lohardaga, Jharkhand-835302	Sampling Date Sample Received Date	: 18,06,2024 to 19,06,2024 : 20,06,2024	
Mines Status	: Operational	Type of Sample Sampling Procedure	: Ambient Air : ELES/DOC/SMPL/02	
Period of Analysis	: 20.06.2024 to 24.06.2024	Sampling Done By Sample Condition	: ELES Pvt. Ltd. : Sealed & Preserved	

M	ETEOROLOGICAL INFORMATION			
1	Average Temperature (°C') : 39	2	Barometric Pressure (mmH	g) : 742
3	Relative Humidity (%) ; 57	4.	Weather Condition	: Clear

Discipline: (Chemical	Group: Atm	Group: Atmospheric Pollution			
Parameter	Unit	Test Protocol	Result	Regulatory Limit		
Particulate Matter (PM10)	μg/m³	IS 5182 (Part- 23); 2022	58	100 (24hrs)		
Particulate Matter (PM2.5)	μg/m³	IS 5182 (Part- 24): 2019	31	60 (24hrs)		
Sulphur Di-Oxide (SO ₂)	µg/m³	1S 5182 (Part- II/Sec- 1): 2023	8.2	80 (24hrs)		
Nitrogen Di-Oxide (NO ₂)	μg/m³	1S 5182 (Part- 6): 2022	24,9	80 (24hrs)		
Ozone (O ₂)	µg/m³	15 5182 (Part- 9): 2019	<20.0	100 (8hrs)		
Ammonia (NH ₃)	μg/m³	IS 5182 (Part- 25); 2018	<10.0	400 (24hrs)		
Carbon Monoxide (CO)	mg/m³	IS 5182 (Part- 10): 2019 (NDIR Method)	<1.0	2 (8hrs)		
Lead (Pb)	µg/m²	IS 5182 (Part- 22): 2019	0.012	1 (24hrs)		
Nickel (Ni)	ng/m²	IS 5182 (Part- 26): 2020	<6.0	20 (Annual)		
Arsenic (As)	ng/m³	ELES/AIR/SOP/01: 2021	<2.0	06 (Annual)		

Page 1 of 2

The Document stated as Test Report, is insued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/entlyers done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of cheet's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the edient. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without power writes approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for Malay from the Date of releasely some Test Report. The samples from Regulatory bodies are as the retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report reseased/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule: mentioned in Test Report is in 24bours formal. Abbreviation used: N/A (Not Applicable), BDJ. (Relow Descript Limit). LDJ. (Lower Detection Limit).



Benzo-(a)-Pyrene

ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (JHARKHAND) GST NO:-20AAECE97130174

ng/m

ENGINEERING SERVICES PVT. LTD.

Email: info@elespi.co.in , eles.ranchi@gmail.com

Phone no.: 0651-2290103 Website: www.elespi.co.in



35-13937

Oi(Annual)

TEST REPORT

Test Report No.	: ELES/RNC/2024/3402	Report Release Date	: 24.06.2024
Work Order No.	: 13612312113	Work Order Date	; 28.03.2024
ULR No.	: TC135872400001353F		

Discipline: Chemical		Group: Atmospheric Pollution			
Parameter	Unit	Test Protocol	Result	Regulatory Limit	
Benzene (C ₀ H ₆)	μg/m²	ELES/GC/SOP/06: 2023	<2.5	05(Annual)	

ELES/GC/SOP/05: 2023

AKASIPIRUWAR Quality Managar ELES PVT. LTD.

****End of Report****

Authorised Signatory

< 0.5

Dr. Deependra Kumar Sinha Ph. D Environmental Engg. ELES Pvt. Ltd. Technical Mana

Page 2 of 2

The Document stated as Test Report, is asseed by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The sensitis shown in the Test Report refer or relates only to the jets'analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory in the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or dots provided on the report, except the information which is provided by the client. The Report earnot be reproduced except in fall and any part of the report is not information out of contest, without prior written approval of the Laboratory. The Report in full or in part shall say be published, absertise, used for any legal actions unless prior permission has been secured from the Maniagement of the Laboratory. Attention is drawn to the limitation of objective inspects of the Test Report is unlawful and offenders may be prosecuted in the fullest extent of the limit. All the samples are retained for 30days from the Date of released to the Test Report is unlawful and offenders may be retained as specified. Any type of Observations or Compliants regarding the Reports shall be done written 15 days from the Date of Test Report in cleased issued. After the timp period stated before, no complaints will be accepted. The entire Tane schedule mentioned in Test Report is in 24 hours format. Abbreviation used: N.A. (Not Applicable), BDL (Below Detection Limit). LDL (Lower Detection Limit)



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (IHARKHAND) GST NO:- 20AAECE97130124

ENGINEERING SERVICES PVT. LTP.

Email: info@elespi.co.in , eles.ranchi@amail.com Phane no.: 0651-2290103 Website : www.elespi.co.in



TEST REPORT

Test Report No.	: ELES/RNC/2024/3403	Report Release Date	: 24.06,2024
Work Order No.	: 13612312113	Work Order Date	: 28.03.2024
ULR No.	: TC135872400001354F		

CUSTOMER DETAILS		SAMPLE DETAILS		
Customer Name	: Hindalco Industries Limited	Sample Ref. No. Location	: ELES/RNC/2024/AA/3854 : Block 2A (Prohopat Village) Serengdag-B Bauxite Mines (77.89ha)	
Address	: Lohardaga, Jharkhand-835302	Sampling Date Sample Received Date Type of Sample	: 18.06.2024 to 19.06;2024 : 20.06.2024 : Ambient Air	
Mines Status	: Operational	Sampling Procedure	: ELES/DOC/SMPL/02	
Period of Analysis	; 20.06.2024 to 24.06.2024	Sampling Done By Sample Condition	: ELES Pyt. Ltd. : Sealed & Preserved	

M	ETEOROLOGICAL INFORMATION			
1	Average Temperature (°C) : 39	2	Barometric Pressure (mmHg	g) : 742
3	Relative Humidity (%) : 57	4	Weather Condition	: Clear

Discipline: 0	Chemical	Group: Atm	Group: Atmospheric Pollution			
Parameter	Unit	Test Protocol	Result	Regulatory Limit		
Particulate Matter (PM10)	μg/m³	IS 5182 (Part- 23): 2022	60	100 (24hrs)		
Particulate Matter (PM2.5)	μg/m ³	IS 5182 (Part- 24): 2019	34	60 (24hrs)		
Sulphur Di-Oxide (SO ₂)	μg/m³	IS 5182 (Part- II/Sec- 1): 2023	7.9	80 (24hrs)		
Nitrogen Di-Oxide (NO ₂)	μg/m³	IS 5182 (Part- 6): 2022	25.4	80 (24hrs)		
Ozone (O ₁)	μg/m¹	IS 5182 (Part- 9): 2019	<20.0	100 (8hrs)		
Ammonia (NH ₄)	µg/m³	IS 5182 (Part- 25); 2018	<10.0	400 (24hrs)		
Carbon Monoxide (CO)	mg/m²	IS 5182 (Part- 10): 2019 (NDIR Method)	<1.0	2 (8hrs)		
Lead (Pb)	μg/m³	IS 5182 (Part- 22): 2019	0.008	1 (24hrs)		
Nickel (Ni)	ng/m¹	IS 5182 (Part- 26): 2020	<6.0	20 (Annual)		
Arsenic (As)	ng/m	ELES/AIR/SOP/01: 2021	<2.0	06 (Annual)		

Page 1 of 2

The Document stated as Test Report, is insued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report reflect or relates only to the job analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report except the information which is provided by the client. The Report cannot be reproduced except in finit and any part of the report is not taken out of context, without prior written approvals of the Laboratory. The Report is full, or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of librility, companions and jurisdiction issues. Any anauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be proscuped to the fallest extent of the law. All the samples are retained for Midays from the Date of release/essage of the Test Report. The samples from Regulatory bodies are to be remained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15 days from the Date of Test Report released between thems. Abbreviation used. N/A (Not Applicable), BDI. (Below Detection Limit), LDI. (Lower Detection Limit).



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (JHARKHAND) GST NO:- 20AAECE97130124

ENGINEERING SERVICES PVT. LTD

Email: info@elespl.co.in , eles ranchi@gmail.com Phone no.: 0651-2290103

Website: www.elespi.co.in



TEST REPORT

Test Report No. : ELES/RNC/2024/3403 Report Release Date : 24.06.2024

Work Order No. : 13612312113 Work Order Date : 28.03.2024

ULR No. : TC135872400001354F

Discipline: Chemical		Group: Atmospheric Pollution			
Parameter	Unit	Test Protocol	Result	Regulatory Limit	
Benzene (C ₄ H ₆)	μg/m³	ELES/GC/SOP/06: 2023	<2.5	05(Annual)	
Benzo-(a)-Pyrene	ng/m³	ELES/GC/SOP/05: 2023	<0.5	01(Annual)	

AKASHWOMAR

Quality Managor ELES PVT LTD. ****End of Report****

Authorised Signatory
Dr. Deependra Kumar Sinha
Ph. D Environmental Engg.

ELES Pvt. Ltd. Technical Manacim

Page 2 of 2

The Document stated or Test Report, or unused by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the jubilizations done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory in the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prive wenten approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drown to the Intendsten of Inability, compensation and jurisdiction useses. Any unauthorized alteration & falsification of the content of apparentic of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observators or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentanted in Test Report is in 24hours format. Abbreviation used N/A (Not Applicable), BDI. (Below Descript Limit), LDI. (Linuar Detection Limit).



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (IHARKHAND) 657 NO:- 20AAECE97130124

ENGINEERING SERVICES PVT. LTD

Email: infa@elespl.co.in , eles renchi@amail.com Phone no.: 0651-2290103

Phone no.: 0651-2290103 Website: www.elespl.co.in



TEST REPORT

Test Report No.	: ELES/RNC/2024/3404	Report Release Date	: 24.06.2024	
Work Order No.	: 13612312113	Work Order Date	: 28.03.2024	
ULR No.	: TC135872400001355F			

CUSTOMER DETAILS		SAMPLE DETAILS		
Customer Name	- Hindalco Industries Limited	Sample Ref. No. Location	: ELES/RNC/2024/AA/3855 : Harup Block C (Proposed) Serengdag-B Bauxite Mines (77.89ha)	
Address	Lohardaga, Jharkhand-835302	Sampling Date Sample Received Date	: 18.06.2024 to 19.06.2024 : 20.06.2024	
Mines Status	Operational	Type of Sample Sampling Procedure	: Ambient Air : ELES/DOC/SMPL/02	
Period of Analysis	20,06,2024 to 24,06,2024	Sampling Done By Sample Condition	: ELES Pvt. Ltd. : Sealed & Preserved	

MI	ETEOROLOGICAL INFORMATION			
1	Average Temperature (°C) = 39	2	Barometric Pressure (mmHg	2) :742
3	Relative Humidity (%) 257	4	Weather Condition	: Clear

Discipline: (Chemical	Group: Atm	Group: Atmospheric Pollution				
Parameter	Unit	Test Protocol	Result	Regulatory Limit			
Particulate Matter (PM10)	μg/m ¹	IS 5182 (Part- 23); 2022	56	100 (24hrs)			
Particulate Matter (PM2.5)	μg/m³	1S 5182 (Part- 24): 2019	31	60 (24hrs)			
Sulphur Di-Oxide (SO ₂)	μg/m ³	IS 5182 (Part-II/Sec-1); 2023	6.8	80 (24hrs)			
Nitrogen Di-Oxide (NO ₂)	μg/m²	1S 5182 (Part- 6): 2022	24.2	80 (24hrs)			
Ozone (O ₃)	μg/m³	1S 5182 (Part- 9): 2019	<20.0	100 (8hrs)			
Ammonia (NH ₃)	µg/m³	IS-5182 (Part- 25); 2018	<10.0	400 (24hrs)			
Carbon Monoxide (CO)	mg/m ³	IS 5182 (Part- 10): 2019 (NDIR Method)	<1.0	2 (8hrs)			
Lead (Pb)	µg/m1	IS 5182 (Part- 22): 2019	0.008	1 (24hrs)			
Nickel (Ni)	ng/m ^T	IS 5182 (Part- 26): 2020	<6.0	20 (Annual)			
Arsenic (As)	ng/m ¹	ELES/AIR/SOP/01: 2021	<2.0	06 (Annual)			

Page 1 of 2

The Documens stated as Test Beport, is issued by the Laboratory under General Torms and Conditions, only on Company letter head or pre-approved format. The results shown to the Test Report refer to relates only to the orbitality of the Laboratory at the time of involvement only and within the limits of claim? Instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in tail and any part of the report is not taken out of context, without provided in the Laboratory. The Report is full or in part shall not be published, advertise, used for any legal actions timess peror permission has been secured from the Matragoment of the Laboratory. Attention is drawn to the limitation of liability, compensation and particulation issues. Any annulatorized alteration & faithful and of released extent of the law. All the samples are retained for ideal of released extent of the law. All the samples are retained for idealing the Report is an appropriate of the Test Report. The samples from Regulatory bodies are to the resulted as specified, Any type of Observations or Compliants regarding the Reports shall be done within 15days from the Date of Test Report referred/issued. After the time period stated before, no compliants will be accepted. The cannot fune schodule mentioned in Test Report is in 24hours format. Abbreviation used. N/A (Nos Applicable), HDI. (Below Detection Limit), I DI. (Lower Detection Limit).



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (JHARKHAND) GST NO: 20AA6CE9713D1Z4

Email: info@elespl.co.in , eles.ranchi@gmail.com

Phone no.: 0651-2290103 Website: www.elespl.co.in



TEST REPORT

Test Report No.	: ELES/RNC/2024/3404	Report Release Date	: 24.06.2024	
Work Order No.	: 13612312113	Work Order Date	: 28.03.2024	
ULR No.	: TC135872400001355F			

Discipline: Chemical		Group: Atmospheric Pollution			
Parameter	Unit	Test Protocol	Result	Regulatory Limit	
Benzene (C ₆ H ₆)	μg/m¹	ELES/GC/SOP/06; 2023	<2.5	05(Annual)	
Benzo-(a)-Pyrene	ng/m³	ELES/GC/SOP/05: 2023	<0.5	01(Annual)	

AKASH KUMAR Quality Manager ELES PVT LTD

****End of Report****

Authorised Signatory Dr. Deependra Kumar Sinha Ph. D Environmental Engg. LLES Pvt. Ltd. Technical Manage

Page 2 of 2

The Decument stated as Test Report, is issued by the Laboratory under General Terms and Conditions, unly on Company letter head in pre-approved format. The results shown in the Text Report pelies or relates only to the robinsolysm done by the Laboratory, only. The information stated on the Text Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report carnot be reproduced except in full and any part of the report is not taken not of createst, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions orders pray permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alternation & full freezing of the content or appearance of the Test Report is enlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for Jodays from the Disc of release/issue of the Test Report. The samples from Regulatory bodies are to be resamed as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Daw of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule memioned in Test Report is in 24hours former. Abbreviation used: N/A (Not Applicable): BDI, (Below Detection Limit). LDI, (Lower Detection Limit).



PLUT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834013 (JHARKHAND) 651 NO:- 304AECE97130124



Email: info@elespl.co.in , also remitiv@email.com Phone no. 0651-2250103 Website : www.elespl.co.in



TEST REPORT

Test Report Nu.	= ELES/RNC/2024/3385	Report Release Date	: 24.06.2024
Work Order No.	: 13612312113	Work Order Date	: 28.03.2024
ULR No.	± TC135872400001336F		

CUSTOMER DETAILS		SAMPLE DETAILS		
Customer Name	= Hindalco Industries Limited	Sample Ref. No. Location	ELES/RNC/2024/AA/3836 Near Banjari Village Serengdag-A Banxite Mines (155.81ha)	
Address	: Lohardaga, Jharkhund-835302	Sampling Date Sample Received Date Type of Sample	20.06.2024 to 18.06.2024 20.06.2024 Ambient Air	
Mines Status	lines Status : Operational Sampling Proces		ELES/DOC/SMPL/02	
Period of Analysis	: 20,06,2024 to 24,06,2024	Sampling Done By Sample Condition	: ELES Pvt. Ltd. : Sealed & Preserved	

MI	ETEOROLOGICAL INFORM	IATION			
1	Average Temperature (%C)	38	2	Barometric Pressure (mmHg)	: 742
3	Relative Humidity (%)	59	4	Weather Condition	: Clear

Discipline: Chemical		Group: Atmospheric Pollution				
Parameter	Unit	Test Protocol	Result	Regulatory Limit		
Particulate Matter (PM10)	μg/m³	IS 5182 (Part- 23): 2022	56	100 (24hrs)		
Particulate Matter (PM2.5)	μg/m³	IS 5182 (Part- 24): 2019	23	60 (24hrs)		
Sulphur Di-Oxide (SO ₂)	μg/m³	IS 5182 (Part-11/Sec-1): 2023	6.7	80 (24hrs)		
Nimgen Di-Oxide (NO ₂)	µg/m²	1S 5182 (Part- 6): 2022	11.2	80 (24hrs)		
Okone (O ₂)	µg/m [†]	15 5182 (Part- 9): 2619	<20.0	100 (8hrs)		
Ammonia (NH ₁)	µg/m ¹	1S 5182 (Part- 25): 2018	<10.0	400 (24hrs)		
Carbon Monoxide (CO)	mg/m1	IS 5182 (Part- 10); 2019 (NDIR Method)	<1,0	2 (Bhrs)		
Lead (Pb)	₩ã/m²	IS 5182 (Part- 22): 2019	0.009	1 (24hrs)		
Nickel (Ni)	ng/m²	15 5182 (Part- 26): 2020	<6.0	20 (Annual)		
Arsenic (As)	ng/m²	ELES/AIR/SOP/01: 2021	<2,0	06 (Annual)		

Page 1 of 2

The December stand at Text Report, a cream by the Laboratory under General Terms and a continuous units and an the Text Report or special gradual and the Laboratory of the adjustment of the Text Report or standard and the Laboratory of the adjustment of the Text Report or standard and the Laboratory of the adjustment of the Laboratory of the text of the text of the Laboratory of the text of the text



PLOT NO-30: MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (JHARKHAND) GST NO-28448C19713D124



Email: Info Deleval co.ln., eles ranchi Damiil.com Phane no.: 0652-2290103 Website: www.elespl.co.ln



TEST REPORT

Test Report No.	: ELES/RNC/2024/3385	Report Release Date	: 24.06.2024
Work Order No.	: 13612312113	Work Order Date	: 28.03.2024
ULR No.	: TC135872400001336F		

Discipline: Chemical		Group: Att	Group: Atmospheric Pollution		
Parameter	Unit	Test Protocol	Result	Regulatory Limit	
Benzene (C ₂ H ₆)	μg/m	ELES/GC/SOP/06: 2023	<2.5	05(Annual)	
Benzo-(a)-Pyrene	ng/m³	ELES/GC/SOP/05: 2023	<0.5	01(Annual)	

Reviewed by AKASH KUMAR Quality Managor ELES PVT, LTD.

****End of Report****

Ph. D Environmental Engg ELES Pvt. Ltd. Technical Managor

Page 2 of 2

The Description and at Tent Report is instead by the Laboratory under General Terms and Conditions, only on Constant letter head or pre-approved former. The remains above in the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the item. The Report cannot be reproduced except in full and any part of the report is not taken out of coolest, without prior written approval of the Laboratory. The Report is that if we pair shall not be published, advertise, used for any legal across soless prior permission has been secured from the Management of the Laboratory. Attention is down in the limitation of institute of properties and personal content or appearance of the Test Report is allowed extent on the institute of institute of the factor extent of the law. All the institute of malaying the Report is allowed in Test Report in an allowed to offer a set to be retained as specified. Any type of Observances is Compliant or appearance of the Test Report is an appearance of the Institute of the Institute as a specified. Any type of Observances is Compliant or part of the part is a supplier to the Report in all Reports that has done within 15 days from the Date of Test Report is also also an appearance of the Institute of Test Report is an appearance of the Institute of Test Report is an appearance of the Institute of Test Report is an appearance of the Institute of Test Report is an appearance of the Institute of Test Report is an appearance of the Institute of Test Report is a second o



PLOT NO-30, MANSARGVAR ENGLAVE, FUPUDANA HATIA, RANCHI-E34008 (IHANKHAND) GST NO:- 29AABSE3723DE34



Emoli Info@cierol.co.la eles garcal Escull com Phone inc.: 0852-2290103 Website: www.elespi.co.in



TEST REPORT

Test Report No.	: ELES/RNC/2024/3386	Report Release Date	: 24,06.2024
Work Order No.	13612312113	Work Order Date	: 28.03.2024
ULR No.	: TC135872400001337F		

CUSTOMER DETAILS		SAMPLE DETAILS		
Customer Name	: Hindaico Industries Limited	Sample Ref. No. Location	ELES/RNC/2024/AA/3837 Near Pauri Village Screngdag-A Bauxite Mines (155.81ha)	
Address	: Lohardaga, Jharkhand-835302	Sampling Date Sample Received Date Type of Sample	: 17.06.2024 to 18.06.2024 : 20.06.2024 : Ambient Air	
Mines Status	1 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7		: ELES/DOC/SMPL/02	
Period of Analysis	: 20.06.2024 to 24.06.2024	Sampling Done By Sample Condition	: ELES Pvt. Ltd. : Sealed & Preserved	

MB	ETEOROLOGICAL INFORMATION			
1	Average Temperature (°C) : 38	2	Barometric Pressure (mmH	g) -742
3.	Relative Humidity (%) : 59	4	Weather Condition	Clear

Discipline: Chemical		Group: Atmospheric Pollution			
Parameter	Unit	Test Protocol	Result	Regulatory Limit	
Particulate Matter (PM10)	µg/m ¹	IS 5182 (Part- 23): 2022	65	100 (24hrs)	
Particulate Matter (PM2.5)	µg/m³	IS 5182 (Part- 24): 2019	34	60 (24hrs)	
Sulphur Di-Oxide (SO ₃)	μg/m ¹	IS 5182 (Part- II/Sec- 1); 2023	11.2	80 (24hrs)	
Nitrogen Di-Oxide (NO ₂)	μg/m ³	IS 5182 (Part- 6): 2022	26.8	80 (24hrs)	
Ozone (O ₃)	ug/m³	1S-5182 (Part- 9): 2019	<20.0	100 (8hrs)	
Ammonia (NH ₃)	μg/m³	IS 5182 (Part- 25): 2018	<10.0	400 (24hrs)	
Carbon Monoxide (CO)	mg/m	IS 5182 (Part- 10): 2019 (NDIR Method)	<1.0	2 (8hrs)	
Léad (Pb)	ug/m³	IS 5182 (Part- 22); 2019	0.009	T (24hrs)	
Nickel (Ni)	ng/m³	IS 5182 (Part- 26); 2020	<6.0	20 (Annual)	
Arsenic (As)	ng/m³	ELES/AIR/SOP/01: 2021	<3.0	06 (Annual)	

Page I of 2

The Diagrams stated at Tail Report is assessed by the Laboratory under General Terms and Conditions, only on Company learn residual per-agreement from The results shown in the Tail Report period of visites only to the judgments of one by the Laboratory only. The information of the Tail Report reflects the findings done by the Laboratory at the judgment of involvement only and within the lamin of client's instruction. The Laboratory is responsible for all the information or data provided on the report region of the report is not taken and of certain, within appropriate of the Laboratory. The Report is this in a part stall on the published, advertise, used for any logal actions unless prior persons that been accused from the Amagement of the Laboratory. Amenion is drawn to the limitation of datality, compensations and pressional manual advertises. It fabricates the fabrication of the contract of the Tail Report is unlessed and offenders may be presented to the fabrication of the amplet are returned for Malais from the Data of Valence International Contract of the Tail Report is unlessed from the pulling of the return of the Tail Report is unlessed from the pulling of the state of the Tail Report is unlessed from the pulling of the return of the Tail Report is unlessed from the pulling of the state of the Tail Report is the Malais from the pulling of the state of the Tail Report is the Malais from the pulling of the state of the Tail Report is the Malais from the pulling of the state of the Tail Report is the Malais from the Pulling State of the Tail Report is the Malais from the Pulling State of the Tail Report is the Malais from the Pulling State of the Tail Report is the Malais from the Pulling State of the Tail Report is the Malais from the Pulling State of the Tail Report is the Malais from the Pulling State of the Tail Report is the Malais from the Pulling State of the Tail Report for the Tail Report is the Tail Report in the Tail Report is the Tail Report in the Tail Report in the Tail Report in the Tail Re



FLOT NO-20, MANSARDVAR ENCLAVE, TUPUDANN HATIA, RANCHI-834003 (HARKHAND) ISST NO:- 10AAECE97130124 ENGINEERING SERVICES PVD. ATM

Emall: info@elesol.co.in : eles.rarchi@amal.com Phone no : 0651-2190103 Website : www.elesol.co.ia



TEST REPORT

Test Report No.	: ELES/RNC/2024/3386	Report Release Date	: 24.06.2624	
Work Order No.	: 13612312113	Work Order Date	: 28,03.2024	

ULR No.	: TC135872400001337F
E-2-4	A SECTION OF THE PROPERTY OF T

Discipline: Chemical		Group: Atmospheric Pollution		
Parameter	Unit	Test Protocol	Result	Regulatory Limit
Benzene (C ₆ H ₈)	μg/m³	ELES/GC/SOP/06; 2023	<2,5	05(Annual)
Benzo-(a)-Pyrene	ng/m ²	ELES/GC/SOP/05: 2023	< 0.5	01(Annual)

ARASH KUMAR Quality Managor ELES PVT LTD

****End of Report****

Dr. Deependra Kumar Sinha Ph. D Environmental Engg ELES Pvt. Ltd. Technical Manager

Page 2 of 2

The Document stand at Test Report, is immed by the Laboratory main General Terms and Conditions, only on Company letter head to pre-approved forms. The results show in the Test Report refer or release only to the jobines by the Laboratory of the minimation existed on the Test Report reflects the findings done by the Laboratory is responsible for all the information or data provided on the report except the softenation which is provided by the client. The Report named by reportant except in full and any part of the report is not before an information which is provided by the client. The Report named by reportant, used the any legal actions unless prior permission has been natured from the Management of the Laboratory. Attention is there is the foliable of indicator, used the any legal actions unless prior permission has been natured from the Management of the Laboratory Attention is there is the foliable of indicators and periodicions used. Any simultaneous after a testing the foliable of the Report is unlessful and offenders may be protecuted to the foliable account of the laborators are the report and the foliable of the Report in the Report The samples flow Report released to be returned as specified. Any type of Observations in Compilators registrang the Report and the samples flow application of the foliable of the Report released to the time period should be decreased. The samples Time actually negligible for Test Report is in 14 beautiful and Allaboration and 17 A Compile Application. 1811. (These Data accepted The Indiana Time actually negligible).



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA NATIA, RANCHI-834003 UHARINANDI 65T NO: 20AABTEVILEDII+



Email Into Bristol.co.III , eles renchi @amail.com

Phone no.: 0651-2290103 Website: www.eleapl.co.in



TEST REPORT

Test Report No.	: ELES/RNC/2024/3387	Report Release Date	: 24.06.2024
Work Order No.	: 13612312113	Work Order Date	: 28.03.2024
ULR No.	: TC135872400001338F		

CUSTOMER DETAILS		SAMPLE DETAILS		
Customer Name	Flindalco Industries Limited	Sample Ref. No. Location	: ELES/RNC/2024/AA/3838 : Near Harup VIIIage Screngdag-/ Bauxite Mines (155.81ha)	
Address	: Lohardaga, Jharkhund-835302	Sampling Date Sample Received Date	: 17.06,2024 to 18.06.2024 : 20.06,2024	
Mines Status	; Operational	Type of Sample Sampling Procedure	: Ambient Air : ELES/DOC/SMPL/02	
Period of Analysis	20.06.2024 to 24.06.2024	Sampling Done By Sample Condition	: ELES Pvt. Ltd. : Sealed & Preserved	

M	ETEOROLOGICAL INFORMATION			
1	Average Temperature (°C) = 38	2	Barometric Pressure (mmHg)	742
3	Relative Humidity (%) = 59	4	Weather Condition	: Clear

Discipline: Chemical		Group: Atmospheric Pollution		
Parameter	Unit	Test Protocol	Result	Regulatory Limit
Particulate Matter (PM10)	μg/m³	IS 5182 (Part- 23): 2022	55	100 (24lus)
Particulate Matter (PM2.5)	μg/m³	IS 5182 (Part- 24); 2019	29	60 (24hrs)
Sulphur Di-Oxide (SO ₁)	µg/m [†]	IS 5182 (Part-II/Sec-1); 2023	6.8	80 (24hrs)
Nitrogen Di-Oxide (NO ₂)	μg/m ³	IS-5182 (Part- 6): 2022	24.2	80 (24hrs)
Ozone (O ₃)	µg/m³	IS 5182 (Part- 9); 2019	<20.0	100 (Shra)
Ammonia (NH ₁)	Mg/m²	IS 5182 (Part- 25): 2018	<10.0	400 (24hrs)
Carbon Monoxide (CO)	mg/m³	1S 5182 (Part- 10): 2019 (NDIR Method)	<1.0	2 (8hrs)
Lead (Pb)	µg/m.	IS 5182 (Part- 22): 2019	< 0.002	(24hrs)
Nickel (Ni)	ng/m*	1S 5182 (Part- 26): 2020	<6.0	20 (Anmai)
Arsenic (As)	ng/m³	ELES/AIR/SOP/01: 2021	<2.0	D6 (Aimunt)

Page | of 2

The Description of the Legislation is broad by the Laboratory mode General Teron and Conditions, only to Company letter legislation in provinces the following does by the Laboratory as the time of anotherwise or and soften the limits of classes the infractions. The Laboratory is responsible for all the infrared in the provided on the report except the enforcement which is provided by the classes. The Report cannot be reproduced except in full and any part of the report is not taken and of contest, without approval of the Laboratory. The Report is full or to part will not be published, advertise, and for any legal actions unless group permission has been except the Membershess of the Laboratory. Attraction is shown to the published, advertise, and for any legal actions unless group permission has been except the Membershess of the Laboratory. Attraction is shown to the legislation of limitary compensation and provided on the Laboratory attracted abstracts on the committee of the Laboratory. Attraction is shown to the limits extend of the laboratory and the Laboratory and of the laboratory and laboratory and



PLOT NO-30, MANSARDVAR ENCLAVE, TUPLIDANA HATIA, RANCHI-894003 (JHARKHAND) GET NO-308486687180124

Email: Info@elesol.co.in , eles runshi@email.com

Phone no: 0651-2290103 Website: www.elespl.co.in



TEST REPORT

Test Report No.	# ELES/RNC/2024/3387	Report Release Date	: 24.06.2024	
Work Order No.	: 13612312113	Work Order Date	: 28.03.2024	

ULR No. : TC135872400001338F

Discipline: Chemical		Group: Atmospheric Pollution			
Parameter	Unit	Test Protocol	Result	Regulatory Limit	
Benzene (C _k H _k)	μg/tn³	ELES/GC/SOP/06: 2023	<2.5	05(Annual)	
Benzo-(a)-Pyrene	ng/m²	ELES/GC/SOP/05: 2023	< 0.5	01(Annual)	

AKASH KUMAR Quality Manager ELES PVT. LTD

****End of Report****

Authorised Signatory
Dr. Deependra Kumar Sinha
Ph. D Environmental Engg
ELES Pvt. Ltd. Technical Manager

Page 2 of 2

The Discounts stated at Ten Report, a mosed by the Laboratory under General Terms and Condenses, only on Company letter head in pre-approved format. The results above the Laboratory is the format of the laboratory in respectable for all the information or data provided on the report, in the time of involvement only and within the laboratory in respectable for all the information or data provided on the report, in tent and any part of the report is not taken out of context, without prior written approprial of the Laboratory. The Report in the Report current be reported entering in tent asked out of context, without prior written approprial of the Laboratory. The Report in the limitation of labelity, compensation while the Laboratory Attention is drawn to the limitation of labelity, compensation with prior with the Laboratory. Attention is drawn to the limitation of labelity, compensation of the law. All the samples are retained for Rolleys has the Date of Rolleys has the Date of Report in unlawful and obtained are to be retained as specified. Any type of Observations of Complicate report in the state within 13days from the Date of Ten Report retained from the time material before a compliant will be account. The amine Time schools are within 13days from the Date of Ten Report retained before a provided before a compliant will be account. The amine Time schools are not as Ten Report and Albert and the Application 10dd. (Reliew December 10dd.), (Lower Demonstrant Labert).



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUĐANA HATIA, RANCHI-834003 (JHARKHANDI DIT NO:- 2044EC:5713012V



Email: info@eletal.co.in , elet ranchi@armil.com Phone non: 0631-2350103 Website : www.eletal.co.in



TEST REPORT

Test Report No.	: ELES/RNC/2024/3388	Report Release Date	: 24.06.2024
Work Order No.	: 13612312113	Work Order Date	: 28.03.2024
ULR No.	: TC135872400001339F		

CUSTOMER DETAILS		SAMPLE DETAILS		
Customer Name	- Hindalco Industries Limited	Sample Ref. No. Location	: ELES/RNC/2024/AA/3839 : Near Paintoli Village Serengdag-A Bauxite Mines (155.81ha)	
Address	Lohardaga, Jharkhand-835302	Sampling Date Sample Received Date Type of Sample	: 17.06.2024 to 18.06.2024 : 20.06.2024 : Ambient Air	
Mines Status	: Operational	Sampling Procedure	: ELES/DOC/SMPL/02	
Period of Analysis	: 20.06,2024 to 24.06,2024	Sampling Done By Sample Condition	: ELES Pvt. Ltd. : Sealed & Preserved	

MI	TEOROLOGICAL INFOR	MATION			
1	Average Temperature (°C)	: 38	2	Barometric Pressure (mmHg)	: 742
3	Relative Humidity (%)	: 59	4	Weather Condition	: Clear

Discipline: 0	Chemical	Group: Atmospheric Pollution			
Parameter	Unit	Test Protocol	Result	Regulatory Limit	
Particulate Matter (PM10)	µg/m³	15:5182 (Part- 23); 2022	69	100 (24hrs)	
Particulate Matter (PM2.5)	μg/m³	18 5182 (Part- 24): 2019	38	60 (24hrs)	
Sulphur Di-Oxide (SO ₂)	μ <u>α</u> /m ³	IS 5182 (Part- II/Sec- 1): 2023	11.2	80 (24hrs)	
Nitrogen Di-Oxide (NO ₂)	µg/m³	(S 5182 (Part- 6): 2022	23.8	80 (24lus)	
Ozone (O ₃)	µg/m ³	IS 5182 (Part- 9): 2019	<20.0	100 (Shrs)	
Ammonia (NH ₁)	(lg/m³	IS 5182 (Part- 25): 2018	<10.0	400 (24brs)	
Carbon Monoxide (CO)	mg/m ³	IS 5182 (Part- 10): 2019 (NDIR Method)	<1.0	2 (8hrs)	
Lead (Pb)	hta/ing	IS 5182 (Part- 22): 2019	0.005	1 (24hrs)	
Niekel (Ni)	rig/m²	IS 5182 (Part- 26): 2020	<6.0	20 (Annual)	
Arsenic (As)	ng/m³	ELES/AIR/SOP/01: 2021	<2.0	06 (Annual)	

Page 1 of 2

The Document used as Text Report, a paniel by the Laboratory under General Terms and Cophision, only on Company letter near in pre-approved learns. The resonance of the Text Report collects only in the job analysis done for the Laboratory in the elements of the Text Report collects the foodings alone by the Laboratory is resonantle for all the information or data provided on the report except the information which is provided by the client. The Report cannot be reported except in full and any part of the report is no taken one of copies, without joint owner approval of the Laboratory. The Report is full as a part shall not be published, advertise, used for any legal across orders print on has been as and from the appropriate of the Laboratory. Amounts in the summand of hashing, compression and participate assert Amounts is desired as a part shall not be published, advertise, used for law, All the samples are returned for Melays from the continuous of the Text Report is makeful and inference, may be provided in the foliation of the Text Report and the Regulatory before one to remove an appropriate of the Text Report in the Regulatory before a file of the remaining the Regulatory foliation of the Regulatory foliations. Although the Regulatory foliations are remained as appropriate and appropriate the Regulatory foliation is a Regulatory foliations. Although the Regulatory foliations are remained as appropriate the Regulatory foliation is a Regulatory foliation. The remaining the Regulatory foliations are remained as a Regulatory foliations. The remaining the Regulatory foliations are remained as a Regulatory foliations. The remaining the resonance of the Regulatory foliations.



FLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATTA, EANCHI-834003 (JHARKHAND) GST NO - 20AABCEB713DLZ4



Website : www.elespi.co.in

zmall, info@elesol.sorin, eles ranch/@gmall.com Phone no.: 0551-2290103



TEST REPORT

Test Report No.	: ELES/RNC/2024/3388	Report Release Date	: 24.06.2024	
Work Order No.	: 13612312113	Work Order Date	: 28.03.2024	
ULR No.	: TC135872400001339F			

Discipline: Chemical		Group: Atmospheric Pollution			
Parameter	Unit	Test Protocol	Result	Regulatory Limit	
Benzene (C _s H _d)	ug/m³	ELES/GC/SOP/06: 2023	<2.5	05(Annual)	
Benzo-(a)-Pyrene	ng/m³	ELES/GC/SOP/05: 2023	<0.5	01(Annual)	

Quality Managar ELES PVT LTD

End of Report**

Authorised Signatory Dr. Deependra Kumar Sinha Ph D Environmental Enga ELES PVI. Ltd. Technical Manager

Page 2 of 2

The Document stated in Tail Report, is usued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved forms. The usualisshown in the Test Report relies or relates only to the jubbasetella stone by the Laboratory only. The inflationism stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's interactions. The Laboratory is respectable for all the interpretors or data provided in the report, except the information which is provided by the client. The Regard carmet be reproduced except to full and any part of the report is not taken out of contest: willout prior written approved of the Laboratory. The Report in full or as part shall must be published, advertise, used for any legal actions settent prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unsufficient distribution of the counters or agreentance of the Tate Happer is unlawful and offereign may be prosperted on the fullest except of the law. All the samples are retained for 30 days from the Date of release/saper of the Test Report. The samples from Regulatory bodies are to be retained so specified. Any type of Chier valines or Complaints reporting the Reports shall he done within University than the Date of Test Report released/visited. After the time period stated before, no complaints will be accepted. The entire Time schodule. increasional in T at Player! is in I-Discour format. Address atom (seed, 1974 Clint Applicable), HILL (Status Chraminin L. Irai), J. Di. (Loyan Chraminin L. Irai).

CONTENT

Hind	alco Industries :Shrengdag B Bauxite Mine Environmental Monitoring Report July2024
	Shrengdag B Bauxite Mine
	AMBIENT AIR QUALITY- CORE ZONE
1	Mine Pit Quarry No 2B
2	Near Baisbhatan Village
3	Block 2A (Prohopat Village)
4	Harup Block C (Proposed)
	AMBIENT AIR QUALITY- BUFFER ZONE
1	Near Banjari Village
2	Near Pauri Village
3	Near Harup Village
4	Near Paintoli Village





PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (JHARKHAND) GST NO: 20AAECE97130124

INGINEERING SERVICES PVT. LTD.

Website: www.elespl.co.in

Email: info@elespl.ca.in , eles.ranchi@gmail.com Phone no.: 0651-2290103

TO/19857

TEST REPORT

Test Report No.	: ELES/RNC/2024/4153	Report Release Date	: 24.07,2024
Work Order No.	: 13612312113	Work Order Date	: 28.03.2024
ULR No.	: TC135872400002088F		

CUSTOMER DETAILS		SAMPLE DETAILS		
Customer Name	: Hindalco Industries Limited	Sample Ref. No. Location	: ELES/RNC/2024/AA/4752 : Mine Pit Quarry No 2B Serengdag-B Bauxite Mines (77.89ha)	
Address	: Lohardaga, Jharkhand-835302	Sampling Date Sample Received Date	: 17.07.2024 to 18.07.2024 : 19.07.2024	
Mines Status	: Operational	Type of Sample Sampling Procedure	: Ambient Air : ELES/DOC/SMPL/02	
Period of Analysis	: 19.07.2024 to 24.07.2024	Sampling Done By Sample Condition	: ELES Pvt. Ltd. : Sealed & Preserved	

M	ETEOROLOGICAL INFOR	RMATION			
1	Average Temperature (°C)	: 30	2	Barometric Pressure (mmHg)	: 741
3	Relative Humidity (%)	: 65	4	Weather Condition	: Partly Cloudy

Discipline: 0	Chemical	Group: Atm	ospheric Pollu	ition
Parameter	Unit	Test Protocol	Result	Regulatory Limit
Particulate Matter (PM10)	μg/m³	IS 5182 (Part- 23): 2022	60	100 (24hrs)
Particulate Matter (PM2.5)	μg/m³	IS 5182 (Part- 24): 2019	31	60 (24hrs)
Sulphur Di-Oxide (SO ₂)	μg/m³	IS 5182 (Part- II/Sec- 1): 2023	28.1	80 (24hrs)
Nitrogen Di-Oxide (NO2)	μg/m²	IS 5182 (Part- 6); 2022	22.1	80 (24hrs)
Ozone (O ₃)	μg/m³	IS 5182 (Part- 9): 2019	<20.0	100 (8hrs)
Ammonia (NH ₃)	μg/m³	IS 5182 (Part- 25): 2018	<10.0	400 (24hrs)
Carbon Monoxide (CO)	mg/m³	IS 5182 (Part- 10): 2019 (NDIR Method)	<1.0	2 (8hrs)
Lead (Pb)	μg/m³	IS 5182 (Part- 22); 2019	0.008	1 (24hrs)
Nickel (Ni)	ng/m ³	IS 5182 (Part- 26): 2020	<6.0	20 (Annual)
Arsenic (As)	ng/m³	ELES/AIR/SOP/01: 2021	<2.0	06 (Annual)

Page 1 of 2

The Document stated as Test Report, is issued by the Lubimitory under General Terms and Conditions, only on Compuny letter head in pre-approved formit. The results shown in the Test Report refer or relates only to the job/analyses done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report. except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of connect, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any impulsion & fabrillication of the content of appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Dote of release value of the Test Report. The samples from Regulinary bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used. N/A (Not Applicable), BDL (Below Detection Limit), LDL (Lower Detection Limit).



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (JHARKHAND) GST NO:- 20AAECE9713D1Z4

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in , eles.ranchi@gmail.com

Phone no.: 0651-2290103 Website: www.elespl.co.in



TEST REPORT

Test Report No. : ELES/RNC/2024/4153 Report Release Date : 24.07.2024

Work Order No. : 13612312113 Work Order Date : 28.03.2024

ULR No. : TC135872400002088F

Discipline: Chemical		Group: Atmospheric Pollution			
Parameter	Unit	Test Protocol	Result	Regulatory Limit	
Benzene (C ₆ H ₆)	µg/m³	ELES/GC/SOP/06: 2023	<2.5	05(Annual)	
Benzo-(a)-Pyrene	ng/m³	ELES/GC/SOP/05: 2023	<0.5	01(Annual)	

AKASH KUMAR Quality Managar ELES PVT. LTD.

****End of Report****

Authorised Signatory

Dr. Deependra Kumar Sinha Ph. D Environmental Engg. ELES Pvt. Ltd. Technical Manage

Page 2 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer of relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alternation & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is 20 24hours format. Abbreviation used: N/A (Not Applicable), BDL (Below Detection Limit), LDL (Lower Detection Limit).



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (JHARKHAND) GST NO:- 20A4ECE97130124

ENGINEERING SERVICES PVT. LTD

Email: info@elespl.co.in , eles.ranchi@gmail.com

Phone no.: 0651-2290103 Website: www.elespl.co.in



TEST REPORT

Test Report No.	: ELES/RNC/2024/4154	Report Release Date	: 24.07.2024	
Work Order No.	: 13612312113	Work Order Date	: 28.03.2024	
ULR No.	: TC135872400002089F			

CUSTOMER DET	AILS	SAMPLE DETAILS		
Customer Name	: Hindaico Industries Limited	Sample Ref. No. Location	: ELES/RNC/2024/AA/4753 : Near Baisbhatan Village Serengdag-B Bauxite Mines (77.89ha)	
Address	: Lohardaga, Jharkhand-835302	Sampling Date Sample Received Date	: 17.07,2024 to 18.07.2024 : 19.07.2024	
Mines Status	: Operational	Type of Sample Sampling Procedure	: Ambient Air : ELES/DOC/SMPL/02	
Period of Analysis	: 19.07.2024 to 24.07.2024	Sampling Done By Sample Condition	: ELES Pvt. Ltd. : Sealed & Preserved	

M	ETEOROLOGICAL INFO	RMATION			
1	Average Temperature (°C)	: 30	2	Barometric Pressure (mmHg)	: 741
3	Relative Humidity (%)	: 65	4	Weather Condition	: Partly Cloudy

Discipline: 0	Chemical	Group: Atm	ospheric Pollu	tion
Parameter	Unit	Test Protocol	Result	Regulatory Limit
Particulate Matter (PM10)	μg/m³	IS 5182 (Part- 23); 2022	50	100 (24hrs)
Particulate Matter (PM2.5)	μg/m³	IS:5182 (Part- 24); 2019	25	60 (24hrs)
Sulphur Di-Oxide (SO ₂)	μg/m³	IS 5182 (Part- II/Sec- 1): 2023	7.1	80 (24hrs)
Nitrogen Di-Oxide (NO ₂)	μg/m³	IS 5182 (Part- 6): 2022	19.7	80 (24hrs)
Ozone (O ₃)	μg/m³	IS 5182 (Part- 9): 2019	<20.0	100 (8hrs)
Ammonia (NH ₃)	µg/m³	IS 5182 (Part- 25): 2018	<10.0	400 (24hrs)
Carbon Monoxide (CO)	mg/m³	IS 5182 (Part- 10): 2019 (NDIR Method)	<1.0	2 (8hrs)
Lead (Pb)	μg/m³	IS 5182 (Part- 22): 2019	0.006	1 (24hrs)
Nickel (Ni)	ng/m³	1S 5182 (Part- 26): 2020	<6.0	20 (Annual)
Arsenic (As)	ng/m³	ELES/AIR/SOP/01: 2021	<2.0	06 (Annual)

Page I of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the johnnalyses done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Amention is drawn to the limitation of Italiahity, compensation and jurisdiction issues. Any anauthorized alteration & falsorization of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fallest exent of the law. All the samples are retained for 30 days from the Date of released/issued of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 18 days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used. N/A (Not Applicable), BDL (Below Detection Limit), LDL (Lower Detection Limit).



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (JHARKHAND) GST NO:- 20AAECE9713D1Z4

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in , eles.ranchi@gmail.com

Phone no.: 0651-2290103 Website: www.elespl.co.in



TC-13587

TEST REPORT

Test Report No.	: ELES/RNC/2024/4154	Report Release Date	: 24.07.2024	
Work Order No.	: 13612312113	Work Order Date	: 28.03.2024	
ULR No.	: TC135872400002089F			

Discipline: Chemical		Group: Atmospheric Pollution				
Parameter	Unit	Test Protocol	Result	Regulatory Limit		
Benzene (C ₄ H ₆)	µg/m³	ELES/GC/SOP/06: 2023	<2.5	05(Annual)		
Benzo-(a)-Pyrene	ng/m³	ELES/GC/SOP/05: 2023	<0.5	01(Annual)		

AKASH KUMAR Quality Managar ELES PVT LTD

****End of Report****

Authorised Signatory
Dr. Deependra Kumar Sinha
Ph. D Environmental Engg.
ELES Pvt. Ltd. Technical Manager

Page 2 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the fundings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approxial of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of lability, competitation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15 days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned at Test Report is in 24hours format. Abbreviation used. N/A (Not Applicable): BDL (Below Detection Limit); LDL (Lower Detection Limit)



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (JHARKHAND) GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in , eles.ranchi@gmail.com

Phone no.: 0651-2290103 Website: www.elespl.co.in



TEST REPORT

Test Report No.	: ELES/RNC/2024/4155	Report Release Date	: 24.07.2024	
Work Order No.	: 13612312113	Work Order Date	: 28.03.2024	
ULR No.	: TC135872400002090F			

CUSTOMER DET	AILS	SAMPLE DETAILS		
Customer Name	: Hindalco Industries Limited	Sample Ref. No. Location	: ELES/RNC/2024/AA/4754 : Block 2A (Prohopat Village) Serengdag-B Bauxite Mines (77.89ha)	
Address	: Lohardaga, Jharkhand-835302	Sampling Date Sample Received Date Type of Sample	: 17.07.2024 to 18.07.2024 : 19.07.2024 : Ambient Air	
Mines Status	: Operational	Sampling Procedure	: ELES/DOC/SMPL/02	
Period of Analysis	: 19.07.2024 to 24.07.2024	Sampling Done By Sample Condition	: ELES Pvt. Ltd. : Sealed & Preserved	

MI	TEOROLOGICAL INFO	RMATION			
1.	Average Temperature (°C)	: 30	2	Barometric Pressure (mmHg)	: 741
3	Relative Humidity (%)	: 65	4	Weather Condition	: Partly Cloudy

Discipline: 0	Chemical	Group: Atm	Group: Atmospheric Pollution				
Parameter	Unit	Test Protocol	Result	Regulatory Limit			
Particulate Matter (PM10)	μg/m³	1S 5182 (Part- 23): 2022	55	100 (24hrs)			
Particulate Matter (PM2.5)	μg/m³	IS 5182 (Part- 24): 2019	27	60 (24hrs)			
Sulphur Di-Oxide (SO ₂)	μg/m³	IS 5182 (Part- II/Sec- 1): 2023	7.1	80 (24hrs)			
Nitrogen Di-Oxide (NO ₂)	μg/m³	IS 5182 (Part- 6); 2022	18.6	80 (24hrs)			
Ozone (O ₃)	μg/m³	IS 5182 (Part- 9): 2019	<20.0	100 (8hrs)			
Ammonia (NH ₃)	µg/m³	IS 5182 (Part- 25): 2018	<10.0	400 (24hrs)			
Carbon Monoxide (CO)	mg/m³	IS 5182 (Part- 10): 2019 (NDIR Method)	<1.0	2 (8hrs)			
Lead (Pb)	μg/m³	IS 5182 (Part- 22): 2019	0.009	1 (24hrs)			
Nickel (Ni)	ng/m³	1S 5182 (Part- 26): 2020	<6.0	20 (Annual)			
Arsenic (As)	ng/m³	ELES/AIR/SOP/01: 2021	<2.0	06 (Annual)			

Page 1 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The issues shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reported except in full and any part of the report is not taken our of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alternation & falsification of the content or appearance of the Test Report is anilawful and offenders may be prosecuted to the failest extent of the law. All the samples are relational for the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Report shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule memorated in Test Report is an 24hours format. Abbreviation used. N/A (Not Applicable), BDL (Below Detection Limit), LDL (Lower Detection Limit).



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (JHARKHAND) GST NO:- 20AAECE97130124

ENGINEERING SERVICES PVT. LTD

Email: info@elespl.co.in , eles.ranchi@gmail.com

Phone no.: 0651-2290103 Website: www.elespl.co.in



TC-13581

TEST REPORT

Test Report No.	: ELES/RNC/2024/4155	Report Release Date	: 24.07.2024	
Work Order No.	: 13612312113	Work Order Date	: 28.03.2024	
ULR No.	: TC135872400002090F			

Discipline: Chemical		Group; Atmospheric Pollution			
Parameter	Unit	Test Protocol	Result	Regulatory Limit	
Benzene (C ₈ H ₆)	µg/m³	ELES/GC/SOP/06: 2023	<2.5	05(Annual)	
Benzo-(a)-Pyrene	ng/m³	ELES/GC/SOP/05: 2023	<0.5	01(Annual)	

Reviewed by

AKASH KUMAR Quality Managur ELES PVT. LTD. ****End of Report***

Authorised Signatory
Dr. Deependra Kumar Sinha
Ph. D Environmental Engg.

ELES Pvt. Ltd. Technical Manager

Page 2 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without provide approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the fundation of liability, compensation and jurnished in its suspect and interest in unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are related for 30 days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15 days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24 hours format. Abbreviation used. N/A (Not Applicable), BDI. (Below Detection Limit). LDI. (Lower Detection Limit)



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (JHARKHAND) GST NO: 20AAECE97130174

Email: info@elespl.co.in , eles.ranchi@amail.com

Phone no.: 0651-2290103 Website: www.elespl.co.in



TEST REPORT

Test Report No.	: ELES/RNC/2024/4156	Report Release Date	: 24.07.2024
Work Order No.	: 13612312113	Work Order Date	: 28.03.2024
ULR No.	: TC135872400002091F		

CUSTOMER DETAILS		SAMPLE DETAILS		
Customer Name	: Hindalco Industries Limited	Sample Ref. No. Location	: ELES/RNC/2024/AA/4755 : Harup Block C (Proposed) Serengdag-B Bauxite Mines (77,89ha)	
Address	: Lohardaga, Jharkhand-835302	Sampling Date Sample Received Date	: 17.07.2024 to 18.07.2024 : 19.07.2024	
Mines Status	: Operational	Type of Sample Sampling Procedure	: Ambient Air : ELES/DOC/SMPL/02	
Period of Analysis	: 19.07.2024 to 24.07.2024	Sampling Done By Sample Condition	: ELES Pvt. Ltd. : Sealed & Preserved	

M	ETEOROLOGICAL INFO	RMATION			
1	Average Temperature (°C)	: 30	2	Barometric Pressure (mmHg)	:741
3	Relative Humidity (%)	; 65	4	Weather Condition	: Partly Cloudy

Discipline: 0	Chemical	Group: Atm	ospheric Pollu	ition
Parameter	Unit	Test Protocol	Result	Regulatory Limit
Particulate Matter (PM10)	μg/m³	IS 5182 (Part- 23): 2022	58	100 (24hrs)
Particulate Matter (PM2.5)	μg/m³	1S 5182 (Part- 24): 2019	33	60 (24hrs)
Sulphur Di-Oxide (SO ₂)	µg/m³	IS 5182 (Part- II/Sec- 1): 2023	6.3	80 (24hrs)
Nitrogen Di-Oxide (NO ₂)	µg/m ³	IS 5182 (Part- 6): 2022	20.4	80 (24hrs)
Ozone (O ₃)	μg/m³	IS 5182 (Part- 9): 2019	<20.0	100 (8hrs)
Ammonia (NH ₃)	μg/m³	IS 5182 (Part- 25): 2018	<10.0	400 (24hrs)
Carbon Monoxide (CO)	mg/m ³	IS 5182 (Part- 10): 2019 (NDIR Method)	<1.0	2 (8hrs)
Lead (Pb)	μg/m³	1S 5182 (Part- 22): 2019	0.007	1 (24hrs)
Nickel (Ni)	ng/m³	1S 5182 (Part- 26): 2020	<6.0	20 (Annual)
Arsenic (As)	ng/m³	ELES/AIR/SOP/01: 2021	<2.0	06 (Annual)

Page 1 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of elsent's instructions. The Laboratory is responsible for all the information or data provided on the report. except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & fishilication of the commit or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for fodays from the Date of release/osue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall he done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The emire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDI. (Below Descrion Limit). LDI. (Lower Descrion Limit).



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (JHARKHAND) GST NO:- 20AAECE9713D1Z4

NG SERVICES PVT, LTD.

Email: info@elespl.co.in , eles.ranchi@qmail.com Phone no.: 0651-2290103

Website: www.elespl.co.in



TEST REPORT

Test Report No. : ELES/RNC/2024/4156 Report Release Date : 24.07.2024

: 28.03.2024 Work Order No. : 13612312113 Work Order Date

ULR No. : TC135872400002091F

Discipline: Chemical		Group: Atmospheric Pollution		
Parameter	Unit	Test Protocol	Result	Regulatory Limit
Benzene (C ₆ H ₆)	μg/m³	ELES/GC/SOP/06: 2023	<2.5	05(Annual)
Benzo-(a)-Pyrene	ng/m³	ELES/GC/SOP/05: 2023	< 0.5	01(Annual)

Reviewed by

AKASH KUMAR Quality Manager ELES PVT. LTD.

****End of Report****

Authorised Signatory

Dr. Deependra Kumar Sinha Ph. D Environmental Engg. ELES Pvt. Ltd. Technical Manager

Page 2 of 2

The Document stated as Test Report, is issued by the Luboratory under General Terms and Conditions, only on Compuny Jester head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report. except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in fall or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable), BDI. (Below Detection Limit). LDI. (Lower Detection Limit).



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATM, RANCHI-834003 (JIHARKHAND) GST NO:- 20AA8C28T13D124

ENGINEERING SERVICES BYT, LTD.

Email: info@elespi.co.in , eles.ranchi@ampil.com Phone no.: 0651-2290103 Website : www.elespi.co.in



TEST REPORT

Test Report No.	: ELES/RNC/2024/4141	Report Release Date	: 24.07.2024	
Work Order No.	; 13612312113	Work Order Date	: 28.03.2024	
ULR No.	: TC135872400002076F			

CUSTOMER DET	CUSTOMER DETAILS		
Customer Name	; Hindalco Industries Limited	Sample Ref. No. Location	: ELES/RNC/2024/AA/4740 : Near Banjari Village Serengdag-A Bauxite Mines (155.81ha)
Address	: Lohardaga, Jharkhand-835302	Sampling Date Sample Received Date Type of Sample	: 16.07.2024 to 17.07.2024 : 19.07.2024 : Ambient Air
Mines Status	: Operational	Sampling Procedure	: ELES/DOC/SMPL/02
Period of Analysis	: 19.07.2024 to 24.07.2024	Sampling Done By Sample Condition	: ELES Pvt. Ltd. : Sealed & Preserved

METEOROLOGICAL INFORMATION	
1 Average Temperature (°C) : 29	2 Barometric Pressure (mmHg) : 740
3 Relative Humidity (%) : 66	4 Weather Condition Cloudy

Discipline: 0	Chemical	Group: Atmospheric Pollution			
Parameter	Unit	Test Protocol	Result	Regulatory Limit	
Particulate Matter (PM10)	μg/m³	IS 5182 (Part- 23); 2022	55	100 (24hrs)	
Particulate Matter (PM2.5)	µg/m³	IS 5182 (Part- 24): 2019	29	60 (24hrs)	
Sulphur Di-Oxide (SO ₂)	μg/m³	IS 5182 (Part- II/Sec- 1): 2023	8.3	80 (24hrs)	
Nitrogen Di-Oxide (NO ₂)	дg/m³.	IS 5182 (Part- 6); 2022	22.7	80 (24hrs)	
Ozone (O ₅)	µg/m²	IS 5182 (Part- 9): 2019	<20.0	100 (8hrs)	
Ammonia (NH ₂)	ug/m³	IS 5182 (Part- 25); 2018	<10.0	400 (24hrs)	
Carbon Monoxide (CO)	mg/m³	IS 5182 (Part- 10): 2019 (NDIR Method)	<1.0	2 (8hrs)	
Lead (Pb)	μg/m ³	IS 5182 (Part- 22): 2019	0.007	1 (24hrs)	
Nickel (Ni)	ng/m³	IS 5182 (Part- 26); 2020	<6.0	20 (Annual)	
Arsenic (As)	ng/m³	ELES/AIR/SOP/01: 2021	<2.0	06 (Annual)	

Page 1 of 2

The Discussion stated as Test Report, in issued by the Laboratory under General Terms and Conditions, only in Company letter head in pre-approved format. The results alsown in the Test Report (eller or relates only in the job analysis done by the Laboratory only. The information stated on the Test Report reflects the flinking done by the Laboratory at the time of involvement only and within the limits of given's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reportined except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full are in part shall not be published, advertise, used for any legal actions achieve price permission has been secured from the Managament of the Laboratory. Attention is drawn to the limitation of limitity, compensation and jurisdiction issues. Any unauthorized alternation & falsification of the context or appearance of the Test Report is unlawful and offenders may be prosecuted to the fallest extent of the law. All the complex are retained for Atlanya from the Date of reflections are unlawful as specified. Any type of Observations or Compliants regarding the Report interaged instance of the Test Report. The entire Test substitute managing on Test Report in the appropriation used. WA (Not Applicable), BDL (Gelow Detection Limit); LDL (Lawer Detection Limit).



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (IMARKHAND) GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. ATD

Email info@elespl.co.in , eles ranchi@amail.com Phone no.: 0651-2290103

Phone no.: 0651-2290103 Website: www.eiespl.co.in



TEST REPORT

Test Report No.	: ELES/RNC/2024/4141	Report Release Date	24.07.2024	
Work Order No.	: 13612312113	Work Order Date	: 28.03.2024	
FIE DE NI-	- TC115073 (00003076F			

ULR No. : TC135872400002076F

Discipline: Chemical		Group: Atmospheric Pollution			
Parameter	Unit	Test Protocol	Result	Regulatory Limit	
Benzene (C ₆ H ₆)	μg/m³	ELES/GC/SOP/06; 2023	<2,5	05(Annual)	
Benzo-(a)-Pyrene	ng/m³	ELES/GC/SOP/05; 2023	< 0.5	01(Annual)	

Reviewed by

AKASH KUMAR Quality Managur ELES PVT. LTD. ****End of Report****

Authorised Signatory
Dr. Deependra Kumar Sinha
Ph. D Environmental Engg.
ELES Pvt. Ltd. Technical Manager

Page 2 of 2

The Document stated as Test Report, is issued by the Laboratory under General Tesms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report reflects the findings done by the Laboratory at the time of providence only to the job/analysis done by the Laboratory at the time of providence only and within the limits of chent's instructions. The Laboratory is responsible for all the information of data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless, prior permission has been secured from the Management of the Laboratory. Attention is drawn to the fundation of flability, compensation and jurisdiction issues. Any unauthorized alteration & Caladination of the context or appearance of the Test Report is unlawful and offenders may be prosecuted to the full-per extent of the law. All the samples are returned for findays from the Date of released/issue of the Test Report. The samples from Regulatory bodies are to the returned as specified. Any type of Observations or Camplaints regarding the Report shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is an 24thour forms. Abbreviation goed. W/A (Not Applicable), BDI. (Below Desection Limit).



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, BANCHI-834003 (JHARNHAND) SST NO: 20AAECEST13D124

Website | www.elesal.co.in

Email: Info@elespl.co.in , eles ranchi@amoll.com Phone no.: 0651-2290103



TC-13667.

TEST REPORT

Test Report No.	: ELES/RNC/2024/4142	Report Release Date	: 24.07.2024
Work Order No.	: 13612312113	Work Order Date	: 28.03.2024
ULR No.	; TC135872400002077F		

CUSTOMER DET	AILS	SAMPLE DETAILS	
Customer Name	: Hindalco Industries Limited	Sample Ref. No. Location	: ELES/RNC/2024/AA/4741 : Near Pauri Village Serengdag-A Bauxite Mines (155.81ha)
Address	: Lohardaga, Jharkhand-835302	Sampling Date Sample Received Date Type of Sample	: 16.07.2024 to 17.07.2024 : 19.07.2024 : Ambient Air
Mines Status	Operational	Sampling Procedure	ELES/DOC/SMPL/02
Period of Analysis	: 19.07.2024 to 24.07.2024	Sampling Done By Sample Condition	: ELES Pvi. Ltd. : Sealed & Preserved

MI	ETEOROLOGICAL INFO	RMATION			
1	Average Temperature (°C)	: 29	2	Barometric Pressure (mmHg	740
3	Relative Humidity (%)	4 66	4	Weather Condition	: Cloudy

Discipline: 0	Chemical	Group: Atmospheric Pollution			
Parameter	Unit	Test Protocol	Result	Regulatory Limit	
Particulate Matter (PM10)	μg/m³	IS 5182 (Part- 23): 2022	59	100 (24hrs)	
Particulate Matter (PM2.5)	μg/m³	1S 5182 (Part- 24): 2019	32	60 (24hrs)	
Sulphur Di-Oxide (SO ₂)	μg/m³	IS 5182 (Part-II/Sec-1): 2023	9.4	80 (24hrs)	
Nitrogen Di-Oxide (NO ₂)	μg/m³	IS 5182 (Part- 6): 2022	22.8	80 (24hrs)	
Ozone (O3)	μg/m ³	1S 5182 (Part- 9): 2019	<20.0	100 (8hrs)	
Ammonia (NH ₁)	μg/m³	IS 5182 (Part- 25): 2018	<10.0	400 (24hrs)	
Carbon Monoxide (CO)	mg/m ³	(S 5182 (Part- 10): 2019 (NDIR Method)	<1.0	2 (8hrs)	
Lead (Pb)	μg/m³	IS 5182 (Part- 22): 2019	0.007	1 (24hrs)	
Nickel (Ni)	ng/m ⁴	1S 5182 (Part- 26); 2020	<6.0	20 (Annual)	
Arsénic (As)	ng/m	ELES/AIR/SOP/01: 2021	<2.0	06 (Annual)	

Page 1 of 2

The Document stated as Test Report, it issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shows in the Ton Reput refer to relians only in the jubiqualities done by the Laboratory only. The information stated on the Test Report reflects the financial done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report. ascept the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless price permission has been secured from the Management of the Laboratory. Attintion is drawn to the limitation of the highlity, compensation and paradiction issues. Any antinthorized alteration & falsification of the contem or appearance of the Test Report is uniqueful and inflenters may be prosecuted to the fullest extent of the law. All the samples are retained for 10 days from the Date. of reconstance of the Test Report. The complex from Regulatory Indian are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall by door within 1 lidays from the Date of Ten Report released/second. After the tens period stated before, no complaints will be accepted. The entire Time arised at mentioned in Test Report is in 345 court from Abbreviation with No. (Not Applicable). BDI. (Relative Descriptor Limit).



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 UHARKHANDI GET NO - 20AAECES7130124

GINZERING SERVICES PVT. LTD.

Email: Info@elespl.co.in , eles.ranchi@gmail.com Phone no. / 0551-2290103 Website: www.elespi.co.in



TEST REPORT

Test Report No.	: ELES/RNC/2024/4142	Report Release Date	: 24.07.2024	
Work Order No.	: 13612312113	Work Order Date	: 28.03.2024	
ULR No.	· TC135872400002077F			

Discipline: Chemical		Group: Atmospheric Pollution			
Parameter	Unit	Test Protocol	Result	Regulatory Limit	
Benzene (C ₄ H ₆)	μg/m ⁸	ELES/GC/SOP/06: 2023	<2.5	05(Annual)	
Benzo-(a)-Pyrene	ng/m³	ELES/GC/SOP/05; 2023	< 0.5	01(Annual)	

AKASH KUMAR Quality Managor ELES PVT LTO

****End of Report****

Authorised Signatory

Dr. Deependra Kumar Sinha Ph. D Environmental Engg. ELES Pvt. Ltd. Technical Manager

Page 2 of 2

The Dispussion stated as Test Report, is insued by the Laboratory under General Tenns and Conditions, only on Company letter head in pre-approved format. The results above, in the Test Report refer or relates only to the job/analysis door by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of anyolyment two and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reporting any full and any part of the report is not taken out of context, without price writen approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any logal actions unless prior permission has been secured from the Management of the Laboratory. Amention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearation of the Test Report is unlawful and refreshers may be prosecuted to the full fest extent of the law. All the samples are retained for illulays from the Date of tojcase issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/asseed. After the time period mated before, no complaints will be accepted. The entire Time schedule. manufactual to Ten Report to in Palestra forms: Abbreviation sized: N/A (Not Applicable). BDE (Relow Detection Land). LDL (Lower Detection Land).



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA RATIA, RANCHI-834003 (JHARKHAND) SIT NO:-20AAECESTISDIJA

ENGINEERING SERVICES PST. ATD

Email: Info@elespl.co.in , eles ranchi@amail.com Phone no. 1 0651-2290103 Website : www.elespl.co.in



TEST REPORT

Test Report No.	: ELES/RNC/2024/4143	Report Release Date	: 24.07.2024
Work Order No.	: 13612312113	Work Order Date	: 28.03.2024
ULR No.	: TC135872400002078F		

CUSTOMER DET	AILS	SAMPLE DETAILS	
Customer Name	: Hindalco Industries Limited	Sample Ref. No. Location	: ELES/RNC/2024/AA/4742 : Near Harup Village Serengdag-A Bauxite Mines (155.81ha)
Address	: Lohardaga, Jharkhand-835302	Sampling Date Sample Received Date Type of Sample	: 16.07.2024 to 17.07.2024 : 19.07.2024 : Ambient Air
Mines Status	: Operational	Sampling Procedure	: ELES/DOC/SMPL/02
Period of Analysis	: 19.07.2024 to 24.07.2024	Sampling Done By Sample Condition	: ELES Pvi. Ltd. : Sealed & Preserved

MI	ETEOROLOGICAL INFORMATION			
1	Average Temperature (°C) : 29	2	Barometric Pressure (mmHg)	: 740
3	Relative Humidity (%) : 66	4.	Weather Condition	: Cloudy

Discipline: 0	Chemical	Group: Atmospheric Pollution				
Parameter	Unit	Test Protocol	Result	Regulatory Limit		
Particulate Matter (PM10)	μg/m³	IS 5182 (Part- 23): 2022	51	100 (24hrs)		
Particulate Matter (PM2.5)	μg/m³	IS 5182 (Part- 24): 2019	25	60 (24hrs)		
Sulphur Di-Oxide (SO ₂)	µg/m³	IS 5182 (Part- II/Sec- 1): 2023	6.5	80 (24hrs)		
Nitrogen Di-Oxide (NO ₂)	µg/m³	IS 5182 (Part- 6): 2022	18.1	80 (24hrs)		
Ozone (O1)	ug/m³	IS 5182 (Part- 9): 2010	<0.0	100 (8hrs)		
Ammonia (NH ₁)	fig/m²	IS 5182 (Part- 25); 2018	<10.0	400 (24hrs)		
Carbon Monoxide (CO)	mg/m²	IS 5182 (Part- 10); 2019 (NDIR Method)	<1.0	2 (8hrs)		
Lead (Pb)	ug/in ³	IS 5182 (Part- 22): 2019	< 0.002	1 (24hrs)		
Nickel (Ni)	ng/m²	IS 5182 (Part- 26): 2020	< 6.0	20 (Annual)		
Arsenic (As)	ng/m³	ELES/AJR/SOP/01; 2021	<2.0	06 (Annual)		

Page 1 of 2

The Document stated as Test Report is insued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved formit. The remains there in the Test Report reflet or relates only to the internality done by the Laboratory only. The information stated on the Test Report reflects the financial done by the Laboratory is responsible for all the information of data provided on the report, except the information which is provided by the effect. The Report cannot be reproduced except in full and any part of the expect is not taken out of context, without prior some approval of the Laboratory. The Report in full in the part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Managament of the Laboratory. Attention is drewn to the fundance of labelity, companiation and jurisdiction issues. Any anathorized afterstion & full fundamental or the Test Report is unlessful and offenders may be protected in the full extent of the taw. All the samples are retained for Jodays from the Date of the Test Report is unlessful and offenders may be protected in the full test of the taw. All the samples are retained for Jodays from the Date of the Test Report in unlessful and offenders are to be interned as specified. Any type of Observations or Compliants in Report that the stone within 15days from the Date of the Report relimined from the time merced stated before, we compliantly will not accepted. The entire Time sales documents on the Report in in Tablesian forms. Admirestation used NA (Nor Applicable), 1812. (Hollow Dietection 2 min) 1.12 (Lower Detection Limit).



Benzo-(n)-Pyrene

ENVIRONMENTAL LABORATORIES &

PLOT NO-30, MANSARGVÁR ENCLAVE, TUPUDANA MATIA, RANCHI-834003 (IHARKHAND) GST NO:- 20AAECE97130124

ng/m3

ENGINEERING SERVICES PTT. LTD.

Website: www.elespi.co.in

Email: info@elespl.co.in , eles.ranchi@amail.com Phone no.: 0651-2290103



TO 12347

OI(Annual)

TEST REPORT

Test Report No.	: ELES/RNC/2024/4143	Report Release Date	: 24.07.2024	
Work Order No.	: 13612312113	Work Order Date	; 28,03,2024	
ULR No.	: TC135872400002078F			

Discipline: Chemical		Group: Atmospheric Pollution			
Parameter	Unit	Test Protocol	Result	Regulatory Limit	
Benzene (C _s H _d)	ug/m³	ELES/GC/SOP/06: 2023	<2.5	05(Annual)	

ELES/GC/SOP/05: 2023

AKASTINUWAR Quality Managur

FLES PVT. LTD.

****End of Report***

Dr. Deependra Kumar Sinha Ph. D Environmental Engg. ELES Pvt. Ltd. Technical Manage

< 0.5

Page 2 of 2

The Document stated as Test Report, is asseed by the Laboratory under General Terms and Conditions, only on Company letter head as pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior vertices approval of the Laboratory. Attenuor is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration at the covers of uppearance of the Test Report is unlawful and affenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of valences tissue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/secued. After the time period stated before, no complaints will be secreted. The many Time schedule methods in Test Report is a 14hours format. Abbreviation used 30 A (Net Applicable). IEEE, (Below Describe Limit). LDE, (Lower Describe Limit).



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA RATIA, RANCHI-834003 (JHARKHAND) GIT NO:-20AAECES7130124

ENGINEERING ACRUSCUS PYT. 178

Email: Info@elespl.co.in , eles ranchi@amail.com

Phone no.: 0851-2290103 Website: www.elespl.co.in



TEST REPORT

Test Report No.	: ELES/RNC/2024/4144	Report Release Date	: 24.07.2024
Work Order No.	: 13612312113	Work Order Date	: 28.03.2024
ULR No.	: TC135872400002079F		

CUSTOMER DET	AILS	SAMPLE DETAILS		
Customer Name	: Hindalco Industries Limited	Sample Ref. No. Location	= ELES/RNC/2024/AA/4743 = Near Paintoli Village Serengdag-A Bauxite Mines (155.81ha)	
Address	: Lohardaga, Jharkhand-835302	Sampling Date Sample Received Date	: 16.07,2024 to 17.07,2024 : 19.07,2024	
Mines Status	: Operational	Type of Sample Sampling Procedure	: Ambient Air : ELES/DOC/SMPL/02	
Period of Analysis	: 19.07.2024 to 24.07.2024	Sampling Done By Sample Condition	: ELES Pvt. Ltd. : Sealed & Preserved	

M	ETEOROLOGICAL INFORMATION			
1.	Average Temperature (°C) : 29	2	Barometric Pressure (mml	Hg) 740
3.	Relative Humidity (%) : 66	4	Weather Condition	Cloudy

Discipline: 0	Chemical	Group: Atmospheric Pollution				
Parameter	Unit	Test Protocol	Result	Regulatory Limit		
Particulate Matter (PM10)	µg/m ³	IS 5182 (Part- 23): 2022	61	100 (24hrs)		
Particulate Matter (PM2.5)	μg/m³	IS 5182 (Part- 24); 2019	32	60 (24hrs)		
Sulphur Di-Oxide (SO ₂)	μg/m³	IS 5182 (Part- II/Sec- 1): 2023	8.9	80 (24hrs)		
Nitrogen Di-Oxide (NO ₂)	μg/m³	IS 5182 (Part- 6): 2022	22.1	80 (24hrs)		
Ozone (O _t)	µg/m³	IS 5182 (Part- 9): 2019	<20.0	100 (8hrs)		
Ammonia (NH ₃)	ug/m [±]	IS 5182 (Part- 25); 2018	<10.0	400 (24hrs)		
Carbon Manoxide (CO)	mg/m ³	1S-5182 (Part-10): 2019 (NDIR Method)	<1.0	2 (8hrs)		
Lead (Pb)	µg/m³	15-5182 (Part- 22): 2019	0.008	7 (24ltrs)		
Nickel (NI)	ng/m³	IS 5182 (Part- 26); 2020	<6.0	20 (Annual)		
Arsenic (As)	ng/m.	ELES/AIR/SOP/01: 2021	<2.0	96 (Annual)		

Page 1 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Continuous, only on Company letter head in pre-expressed format. The results shown in the Test Report refer or relates only to the jobianesses done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without provided in the Laboratory. The Report in full as in part shall not be published, adventise, used for any legal actions unless provide and periodic in the Laboratory. Attention is drawn in the limitation of liability, compensation and paradiction issues. Any insultant was a fairly attention of formation and paradiction is supported abstract of the Law. All for samples are retained as the finding distribution of the law. All for samples are retained to 30 dates from the Date of release/issue of the Test Report is unlawful and offenders may be projected to the law. All the samples are retained to 30 dates from the Date of release/issue of the Test Report about the retained as specified. Any type of Observations or Complainty regarding the Report absent of the law. All the samples from the Date of Test Report telessed/issued. After the same period stated before, no complaints will be accepted. The entire Test advended mentioned in Test Report to in 2 library forms. Although the MIL (Bellin Decime Decime Louin, LDI) (Lower Detection Limit).



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (JHARKHAND) SST NO: 20AAECE9713D124



Email: Info@elespl.co.in , eles.ranchi@amail.com Phone no.: 0651-2290103

Website: www.elespl.co.in



TEST REPORT

Test Report No.	: ELES/RNC/2024/4144	Report Release Date	: 24.07.2024	
Work Order No.	: 13612312113	Work Order Date	± 28.03.2024	
ULR No.	: TC135872400002079F			

Discipline: Chemical		Group: Atmospheric Pollution			
Parameter	Unit	Test Protocol	Result	Regulatory Limit	
Benzene (C _s H ₆)	µg/m²	ELES/GC/SOP/06: 2023	<2.5	05(Annual)	
Benzo-(a)-Pyrene	ng/m³	ELES/GC/SOP/05: 2023	< 0.5	01(Annual)	

Reviewed by AKASH KUMAR Quality Managur FLES PVT LTD.

End of Report**

Dr. Deependra Kumar Sinha Ph. D Environmental Engg. ELES Pvt. Ltd. Technical Manager

Page 2 of 2

The Document stated as Tast Report, is (sued by the Laboratory under General Terms and Conditions, only an Company letter head to pre-approved format. The results shapen in the Test Report refer or relates only to the jubrariatyon done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory as the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to be limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be protecuted to the fullest extent of the law. All the samples are retained for 35days from the Date of connectissue of the Test Report. The samples from Regulatory hodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be some within Tidays from the Date of Test Report released/issued. After the time period mated before, no complaints will be accepted. The entire Trace solvednice mentioned in Test Report is in 34hours forms. Abbreviation used: N/A (Not Applicable) BDL (Balow Detection Limit) LDL (Linver Detection Limit)

CONTENT

- 6	Hindalco Industries : Shrengdag B Bauxite Mine Environmental Monitoring Report	August 2024
	Shrengdag B Bauxite Mine	
	AMBIENT AIR QUALITY- CORE ZONE	
1	Mine Pit Quarry No 2B	
2	Near Baisbhatan Village	
3	Block 2A (Prohopat Village)	
4	Harup Block C (Proposed)	
	AMBIENT AIR QUALITY- BUFFER ZONE	
1	Near Banjari Village	
2	Near Pauri Village	
3	Near Harup Village	
4	Near Paintoli Village	
	Drinking Water	





PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (JHARKHAND) GST NO:-200AECE9713D124

NEUMERING SERVICES PUT, LTD.

Email: info@elespl.co.in , eles.ranchi@gmail.com

Phone no.: 0651-2290103 Website: www.elespl.co.in



TEST REPORT

Test Report No.	: ELES/RNC/2024/4843	Report Release Date	: 27.08.2024	
Work Order No.	: 13612312113	Work Order Date	: 28.03.2024	
ULR No.	: TC135872400002762F			

CUSTOMER DET	CUSTOMER DETAILS		
Customer Name	: Hindalco Industries Limited	Sample Ref. No. Location	: ELES/RNC/2024/AA/5538 : Mine Pit Quarry No 2B
Address	: Lohardaga, Jharkhand-835302	Sampling Date Sample Received Date	Serengdag-B Bauxite Mines (77.89ha) : 13.08.2024 to 14.08.2024 : 20.08.2024
Mines Status	: Operational	Type of Sample Sampling Procedure	: Ambient Air : ELES/DOC/SMPL/02
Period of Analysis	: 20.08.2024 to 27.08.2024	Sampling Done By Sample Condition	: ELES Pvt. Ltd. : Sealed & Preserved

M	ETEOROLOGICAL INFOR	MATION			
1	Average Temperature (°C)	: 27	2	Barometric Pressure (mmHg)	: 741.
3	Relative Humidity (%)	± 69	4	Weather Condition	: Cloudy

Discipline: 0	Chemical	Group: Atm	ospheric Pollu	ition
Parameter	Unit	Test Protocol	Result	Regulatory Limit
Particulate Matter (PM10)	μg/m³	IS 5182 (Part- 23); 2022	55	100 (24hrs)
Particulate Matter (PM2.5)	μg/m³	1S 5182 (Part- 24): 2019	27	60 (24hrs)
Sulphur Di-Oxide (SO ₂)	jug/m³	1S 5182 (Part- II/Sec- 1): 2023	25	80 (24hrs)
Nitrogen Di-Oxide (NO ₁)	μg/m³	IS 5182 (Part- 6): 2022	19.7	80 (24hrs)
Ozone (O ₃)	µg/m²	1S 5182 (Part- 9): 2019	<20.0	100 (8hrs)
Ammonia (NH ₃)	µg/m³	1S 5182 (Part- 25); 2018	<10.0	400 (24hrs)
Carbon Monoxide (CO)	mg/m³	IS 5182 (Part- 10); 2019 (NDIR Method)	<1.0	2 (8hrs)
Lead (Pb)	μg/m³	IS 5182 (Part- 22): 2019	0.005	1 (24hrs)
Nickel (Ni)	ng/m²	IS 5182 (Part- 26): 2020	<6.0	20 (Annual)
Arsenic (As)	ng/m³	ELES/AIR/SOP/01: 2021	<2.0	06 (Annual)

Page 1 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only in the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the fundance done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and my port of the report is not taken out of context, without provide in approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless price permission has been recurred from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized abstraction & falsification of the context or appearance of the Test Report is unlawful and offenders may be prosected to the fullest extent of the law. All the samples are retained as appearance of the Test Report is unlawful and offenders may be prosected to the fullest extent of the law. All the samples are retained for 30thyrs from the Date of released/issued. After the time period stated before, no complaints regarding the Reports shall be done within [5days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time acted the microtance of the Report is in 24hours format. Abbreviation used. N/A (Not Applicable), IEDL (Below Detection Limit); LDL (Lower Detection Limit).



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (JHARKHAND) GST NO:- 20AAECE9713D1Z4

Email: Info@elespl.co.in , eles.ranchi@gmail.com

Phone no.: 0651-2290103 Website: www.elespl.co.in



TEST REPORT

Test Report No.	: ELES/RNC/2024/4843	Report Release Date	: 27.08.2024	
Work Order No.	: 13612312113	Work Order Date	: 28.03.2024	
ULD N	TO LA PROPER LONDON CONTRACTOR			

ULR No.	TC135872400002762F
---------	--------------------

Discipline: Chemical		Group: Atmospheric Pollution			
Parameter	Unit	Test Protocol	Result	Regulatory Limit	
Benzene (C _s H _s)	μg/m³	ELES/GC/SOP/06: 2023	<2.5	05(Annual)	
Benzo-(a)-Pyrene	ng/m³	ELES/GC/SOP/05: 2023	<0.5	01(Annual)	

Reviewed by

AKASH KUMAR Quality Manager ELES PVT. LTD.

****End of Report****

Authorised Signatory

Dr. Deependra Kumar Sinha Ph. D Environmental Engg. ELES Pvt. Ltd. Technical Manager

Page 2 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory in the time of envolvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report. except the information which is provided by the client. The Report element be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall rest be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable), BDL (Below Detection Limit), LDL (Lower Detection Limit)



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (JHARKHAND) GST NO:- 2UAAECE97130124

ENGINEERING SERVICES PYT. LYD.

Email: Info@elespi.co.in , eles.ranchi@gmail.com

Phone no.: 0651-2290103 Website: www.elespl.co.in



TEST REPORT

Test Report No.	: ELES/RNC/2024/4844	Report Release Date	; 27.08.2024	
Work Order No.	: 13612312113	Work Order Date	: 28,03.2024	
ULR No.	: TC135872400002763F			

CUSTOMER DETAILS		SAMPLE DETAILS		
Customer Name	: Hindalco Industries Limited	Sample Ref. No. Location	: ELES/RNC/2024/AA/5539 : Near Baisbhatan Village Serengdag-B Bauxite Mines (77.89ha)	
Address	: Lohardaga, Jharkhand-835302	Sampling Date Sample Received Date	: 13.08.2024 to 14.08.2024 : 20.08.2024	
Mines Status	: Operational	Type of Sample Sampling Procedure	: Ambient Air : ELES/DOC/SMPL/02	
Period of Analysis	: 20.08.2024 to 27.08.2024	Sampling Done By Sample Condition	: ELES Pvt. Ltd. : Sealed & Preserved	

MI	ETEOROLOGICAL INFO	RMATION	4.		
1	Average Temperature (°C)	. 27	2	Barometric Pressure (mmHg)	3,741
3	Relative Humidity (%)	: 69	4	Weather Condition	Cloudy

Discipline: 0	Chemical	Group: Atmospheric Pollution			
Parameter	Unit	Test Protocol	Result	Regulatory Limit	
Particulate Matter (PM10)	μg/m³	IS 5182 (Part- 23): 2022	43	100 (24hrs)	
Particulate Matter (PM2.5)	μg/m ³	IS 5182 (Part- 24); 2019	21	60 (24hrs)	
Sulphur Di-Oxide (SO ₂)	μg/m ³	IS 5182 (Part-11/Sec- 1): 2023	6,3	80 (24hrs)	
Nitrogen Di-Oxide (NO ₂)	μg/m ³	IS 5182 (Part- 6): 2022	17.2	80 (24hrs)	
Ozone (O ₃)	μg/m³	1S 5182 (Part- 9); 2019	<20.0	100 (8hrs)	
Ammonia (NH ₃)	μg/m³	IS 5182 (Part- 25): 2018	<10.0	400 (24hrs)	
Carbon Monoxide (CO)	mg/m³	IS 5182 (Part- 10): 2019 (NDIR Method)	<1.0	2 (8hrs)	
Lead (Pb)	μg/m³	IS 5182 (Part- 22): 2019	0.006	1 (24hrs)	
Nickel (Ni)	ng/m³	IS 5182 (Part- 26): 2020	<6.0	20 (Annual)	
Arsenic (As)	ng/m³	ELES/AIR/SOP/01: 2021	<2.0	06 (Annual)	

Page 1 of 2

The Decument stated as Test Report, it issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the jobanalyses done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data growded on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of contest, without prior written approval of the Laboratory. The Report is full or as part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & takinfication of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30 days from the Date of Test Report. The samples from Regulatory bodies are to be reasoned as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15 days from the Date of Test Report released issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24 hours format. Abbreviation used. N/A (Not Applicable), BIDL (Below Detection Limit), LDL (Lower Detection Limit).



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (JHARKHAND) GST NO:- 20A4ECE9713D1Z4

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in , eles.ranchi@amail.com

Phone no.: 0651-2290103 Website: www.elespl.co.in



TEST REPORT

Test Report No. : ELES/RNC/2024/4844 Report Release Date : 27.08.2024

Work Order No. : 13612312113 Work Order Date : 28.03.2024

ULR No. : TC135872400002763F

Discipline: Chemical		Group: Atmospheric Pollution			
Parameter	Unit	Test Protocol	Result	Regulatory Limit	
Benzene (C ₄ H ₆)	μg/m³	ELES/GC/SOP/06: 2023	<2.5	05(Annual)	
Benzo-(a)-Pyrene	ng/m³	ELES/GC/SOP/05: 2023	< 0.5	01(Annual)	

AKASH KUMAR Quality Manager ELES PVT, LTD.

****End of Report****

Authorised Signatory
Dr. Deependra Kumar Sinha
Ph. D Environmental Engg.
ELES Pvt. Ltd. Technical Manager

Page 2 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written appearant of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for Madays from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15 days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24boars format. Abbreviation used N/A (Not Applicable), BOL (Below Desection Limit), LDL (Lower Detection Limit)



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (JHARKHAND) GST NO:- 20AAECE9713D1Z4

ENGINEERING SERVICES PTT. LTD.

Email: Info@elespl.co.in , eles ranchi@gmail.com

Phone na.: 0651-2290103. Website: www.elespl.co.in



TEST REPORT

Test Report No.	: ELES/RNC/2024/4845	Report Release Date	: 27.08,2024
Work Order No.	: 13612312113	Work Order Date	: 28.03.2024
ULR No.	: TC135872400002764F		

CUSTOMER DETAILS		SAMPLE DETAILS		
Customer Name	: Hindalco Industries Limited	Sample Ref. No. Location	: ELES/RNC/2024/AA/5540 : Block 2A (Prohopat Village) Serengdag-B Bauxite Mines (77.89ha)	
Address	: Lohardaga, Jharkhand-835302	Sampling Date Sample Received Date Type of Sample	: 13.08.2024 to 14.08.2024 : 20.08.2024 : Ambient Air	
Mines Status	: Operational	Sampling Procedure	: ELES/DOC/SMPL/02	
Period of Analysis	: 20.08.2024 to 27.08.2024	Sampling Done By Sample Condition	: ELES Pvt. Ltd. : Sealed & Preserved	

M	ETEOROLOGICAL INFORMATION			
1	Average Temperature (°C) : 27	2	Barometric Pressure (mmH	g) :741
3	Relative Humidity (%) : 69	4	Weather Condition	; Cloudy

Discipline:	Chemical	Group: Atmospheric Pollution			
Parameter	Unit	Test Protocol	Result	Regulatory Limit	
Particulate Matter (PM10)	μg/m³	IS 5182 (Part- 23): 2022	52	100 (24hrs)	
Particulate Matter (PM2,5)	μg/m³	1S 5182 (Part- 24): 2019	21	60 (24hrs)	
Sulphur Di-Oxide (SO ₂)	μg/m³	15 5182 (Part- II/Sec- 1): 2023	6.4	80 (24hrs)	
Nitrogen Di-Oxide (NO ₂)	μg/m³	IS 5182 (Part- 6): 2022	16.2	80 (24hrs)	
Ozone (O ₃)	μg/m³	IS 5182 (Part- 9): 2019	<20.0	100 (8hrs)	
Ammonia (NH ₃)	µg/m³	IS 5182 (Part- 25): 2018	<10.0	400 (24hrs)	
Carbon Monoxide (CO)	mg/m³	1S 5182 (Part- 10): 2019 (NDIR Method)	<1.0	2 (8hrs)	
Lead (Pb)	μg/m³	IS 5182 (Part- 22): 2019	0.006	1 (24hrs)	
Nickel (Ni)	ng/m³	IS 5182 (Part- 26): 2020	<6.0	20 (Annual)	
Arsenic (As)	ng/m³	ELES/AJR/SOP/01: 2021	<2.0	06 (Annual)	

Page 1 of 2

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved formst. The results shown in the Test Report reflect on relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the fundings done by the Laboratory at the stree of involvement only and within the limits of elsent's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report is full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of flubdity, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the total or appearance of the Test Report is unlawful and offeradors into be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/assue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The uniter Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDI. (Below Detection Limit), LDI. (Linver Detection Limit).



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (JHARKHAND) GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

**

Email: info@elespl.co.in , eles.ranchi@gmail.com Phone no.: 0651-2290103 Website : www.elespl.co.in

10-1368

TEST REPORT

Test Report No.	; ELES/RNC/2024/4845	Report Release Date	: 27.08.2024	
Work Order No.	: 13612312113	Work Order Date	: 28.03.2024	
ULR No.	: TC135872400002764F			

Discipline: Chemical		Group: Atmospheric Pollution			
Parameter	Unit	Test Protocol	Result	Regulatory Limit	
Benzene (C ₆ H ₆)	μg/m³	ELES/GC/SOP/06: 2023	<2.5	05(Annual)	
Benzo-(a)-Pyrene	ng/m³	ELES/GC/SOP/05: 2023	< 0.5	01(Annual)	

AKARSHI MUMAR Quality Manager ELES PVT. LTD

****End of Report****

Authorised Signatory

Dr. Deependra Kumar Sinha Ph. D Environmental Engg. ELES Pvr. Ltd. Technical Manager

Page 2 of 2

The Document stated as Test Report, is issued by the Laboratory under General Torms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report reflect or relates only in the polyanalyses done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory in the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compression and jurisdiction issues. Any imauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fallest extent of the law. All the samples are returned for 30days from the Date of relazionships from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable), BDL (Below Detection Limit), LDL (Lower Detection Limit).



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (JHARKHAND) GST NO:- 20AAECE9713D124



Email: info@elespl.co.in , eles.ranchi@amail.com

Phone no.: 0651-2290103 Website: www.elespl.co.in



TEST REPORT

Test Report No.	: ELES/RNC/2024/4846	Report Release Date	: 27.08.2024
Work Order No.	; 13612312113	Work Order Date	; 28,03,2024
ULR No.	: TC135872400002765F		

CUSTOMER DET	AILS	SAMPLE DETAILS		
Customer Name	: Hindalco Industries Limited	Sample Ref. No. Location	: ELES/RNC/2024/AA/5541 : Harup Block C (Proposed)	
Address	; Lohardaga, Jharkhand-835302	Sampling Date Sample Received Date	Screngdag-B Bauxite Mines (77:89ha) : 13.08.2024 to 14.08;2024 : 20.08,2024	
Mines Status	: Operational	Type of Sample Sampling Procedure	: Ambient Air : ELES/DOC/SMPL/02	
Period of Analysis	: 20.08,2024 to 27.08,2024	Sampling Done By Sample Condition	: ELES Pvt. Ltd. : Sealed & Preserved	

METEOROLOGICAL INFORMATION					
1	Average Temperature (°C)	: 27	2	Barometric Pressure (mmHg)	÷741
3	Relative Humidity (%)	: 69	4	Weather Condition	: Cloudy

Discipline:	Chemical	Group: Atmospheric Pollution			
Parameter	Unit	Test Protocol	Result	Regulatory Limit	
Particulate Matter (PM10)	μg/m³	IS 5182 (Part- 23); 2022	54	100 (24hrs)	
Particulate Matter (PM2.5)	μg/m²	IS 5182 (Part- 24): 2019	27	60 (24hrs)	
Sulphur Di-Oxide (SO ₂)	μg/m ³	IS 5182 (Part-11/Sec-1): 2023	5.9	80 (24hrs)	
Nitrogen Di-Oxide (NO ₂)	μg/m³	(S 5182 (Part- 6): 2022	18.1	80 (24hrs)	
Ozone (O ₃)	μg/m³	IS 5182 (Part- 9): 2019	<20.0	100 (8hrs)	
Ammonia (NH ₁)	ug/m³	1S-5182 (Part- 25): 2018	<10.0	400 (24hrs)	
Carbon Monoxide (CO)	mg/m ³	IS 5182 (Part- 10): 2019 (NDIR Method)	<1.0	2 (8hrs)	
Lead (Pb)	μg/m³	IS 5182 (Part- 22): 2019	0.005	1 (24hrs)	
Nickel (Ni)	ng/m³	IS 5182 (Part- 26): 2020	<6.0	20 (Annual)	
Arsenic (As)	ng/m³	ELES/AIR/SOP/01: 2021	<2.0	06 (Annual)	

Page 1 of 2

The Document statud as Test Report, it asseed by the Laboratory under General Terms and Conditions, only on Company leites head in pre-approved format. The results shown at the Test Report refer or relates only to the jobiumalysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of evolvement only and within the lamins of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unifawful and offenders may be prosecuted to the fallest extent of the law All the samples are retained for 30 days from the Order of released issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15 days from the Date of Test Report released/second. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24 hours format. Aftereviation used N/A (Not Applicable). BIDL (Below Detection Limit), LDL (Lower Detection Limit).



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (JHARKHAND) GST NO:- 20AAECE9713D1Z4

NG SERVICES PVT. LTD.

Email: Info@elespl.co.in , eles.ranchi@gmail.com

: 28.03.2024

Phone no.: 0651-2290103 Website: www.elespl.co.in



TEST REPORT

Test Report No. : ELES/RNC/2024/4846 Report Release Date : 27.08.2024 Work Order No. : 13612312113 Work Order Date

ULR No. : TC135872400002765F

Discipline: Chemical		Group: Atmospheric Pollution			
Parameter	Unit	Test Protocol	Result	Regulatory Limit	
Benzene (C ₆ H ₆)	μg/m³	ELES/GC/SOP/06: 2023	<2.5	05(Annual)	
Benzo-(a)-Pyrene	ng/m³	ELES/GC/SOP/05: 2023	<0.5	01(Annual)	

AKASH KUMAR Quality Manager ELES PVT LTD.

End of Report*

Authorised Signatory Dr. Deependra Kumar Sinha

Ph. D Environmental Engg. ELES Pvt. Ltd. Technical Manager

Page 2 of 2

The Document stated as Test Report, is assued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer as relates only to the job/anniysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn in the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are returned for 30days from the Date of release issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall he done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Nos Applicable): BDL (Below Detection Limit); LDL (Lower Detection Limit).



PLOT NO-30, MANSAROVAR ENCLAVE, TUFUDANA HATIA, RANCHI-834003 (JHARKHAND) GST NO:-20AAECE97130124

ENGINEERING KERPIEKS PVT. LTD.

Email: Info@elespl.co.in , eles ranchi@amail.com Phone no.: 0651-2290103

Phone no.: 0651-2290103 Website: www.elespl.co.in



TC-1356

TEST REPORT

Test Report No.	: ELES/RNC/2024/4765	Report Release Date	; 22.08,2024	
Work Order No.	: 13612312113	Work Order Date	: 28.03.2024	
ULR No.	: TC135872400002684F			

CUSTOMER DET	AILS	SAMPLE DETAILS		
Customer Name	: Hindalco Industries Limited	Sample Ref. No. Location	: ELES/RNC/2024/AA/5448 : Near Banjari Village Serengdag-A Bauxite Mines (155.81ha)	
Address	: Lohardaga, Jharkhand-835302	Sampling Date Sample Received Date Type of Sample	: 12.08.2024 to 13.08.2024 : 14.08.2024 : Ambient Air	
Mines Status	: Operational	Sampling Procedure	: ELES/DOC/SMPL/02	
Period of Analysis	: 14.08.2024 to 22,08.2024	Sampling Done By Sample Condition	: ELES Pvt. Ltd. : Sealed & Preserved	

MI	ETEOROLOGICAL INFORMA	ATION		
1	Average Temperature (*C) : 3	27 2	Barometric Pressure (mmHg)	: 740
3	Relative Humidity (%) : 6	69 4	Weather Condition	: Cloudy

Discipline: (Chemical	Group: Atm	ospheric Pollu	ition
Parameter	Unit	Test Protocol	Result	Regulatory Limit
Particulate Matter (PM10)	µg/m³	IS 5182 (Part- 23): 2022	47	100 (24hrs)
Particulate Matter (PM2.5)	µg/m³	IS 5182 (Part-24); 2019	- 24	60 (24hrs)
Sulphur Di-Oxide (\$O ₂)	µg/m³	IS 5182 (Pari- II/Sec- 1): 2023	7.5	80 (24hrs)
Nitrogen Di-Oxide (NO ₂)	μg/m³	IS 5182 (Part- 6): 2022	19.3	80 (24hrs)
Ozone (O ₁)	µg/m³	IS 5182 (Part- 9); 2019	<20.0	100 (8hrs)
Ammonia (NH ₃)	µg/m²	IS 5182 (Part- 25); 2018	<10.0	400 (24hrs)
Carbon Monoxide (CO)	mg/m ³	IS 5182 (Part- 10); 2019 (NDIR Method)	<1.0	2 (8hrs)
Lead (Pb)	µg/m³	IS 5182 (Part- 22): 2019	0.006	1 (24hrs)
Nickel (Ni)	ng/m³	TS 5182 (Part- 26): 2020	<δ,0	20 (Annual)
Arsenic (As)	ng/m ³	ELES/AIR/SOP/01: 2021	<2,0	06 (Annual)

Page 1 of 2

The Document stated at Test Report, or issued by the Laboratory under theneral Terms and Constitution, only on Company letter head in pre-approved intensi. The results shown in the Test Report refer to relates only to the job analysis those by the Laboratory only. The information stated on the Test Report refer to relate the findings done by the Laboratory is responsible for all the information or data provided on the report, occupy the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report to not taken out of context, without provential approval of the Laboratory. The Report in full or in part shall not be published advertise, used for any legal actions unless prior permission has been except from the Minagement of the Laboratory. Attention to the limitation of line by, compensation and prediction issues. Any timesthesis are remined for 30days from the formal and offenders may be presented to the fulless artern of the first Report. The samples from Reg. usury bedies are remined a specified. Any type of Characterium of Complains, cogniting the Reports shall be determined to the following and the first Report. The samples from Reg. usury bedies are to have a first control of the first Report. The samples from Reg. usury bedies are to have a first control of the first Report. The samples from Reg. usury bedies are to have bedieve to door usur and as a second. The use of the Report reference of the first Report.



PLOT NO-30, MANSAROVAR ENCLAVE TI/PUDANA HATIA, RANCHI-834003 (JHARKHAND) GST NO:- 20AAECE9713D1Z4

ENGINEERING SERVICES PIT. LTD.

Empil: Info@elespl.co.in , eles ranchi@amail.com Phone no:: 0651-2290103 Website : www.elespl.co.in



TC-15587

TEST REPORT

Test Report No. : ELES/RNC/2024/4765 Report Release Date : 22.08,2024

Work Order No. : 13612312113 Work Order Date : 28.03.2024

ULR No. : TC135872400002684F

Discipline: Chemical		Group: Atmospheric Pollution			
Parameter	Unit	Test Protocol	Result	Regulatory Limit	
Benzene (C ₆ H ₆)	μg/m³	ELES/GC/SOP/06: 2023	<2.5	05(Annual)	
Benzo-(a)-Pyrene	ng/m [†]	ELES/GC/SOP/05: 2023	< 0.5	01(Annual)	

AKASH KUMAR Quality Manager ELES PVT LTD

****End of Report****


Dr. Deependra Kumar Sinha
Ph. D Environmental Engg.
ELES Pvt. Ltd. Technical Menantal

Page 2 of 2

The Deciment stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved formst. The visualisation in the Test Report reflects the findings done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided as the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior scribt approval of the Laboratory. The Report in full or in part shall not be gualished, advertise, used for any legal actions unless prior permission has been accurant from the Management of the Laboratory. Attention is strown to the limitation of finishity, compensation assures. Any unumbersed alternation of the content or appropriately of the Test Report, is unlessful and offenders may be protocoled to the finitest extent of the law. All the samples are retained for 30days from the Date of references of the Test Report, is unlessful and offenders may be retained as specified. Any type of Observations or Complaints regarding the Report shall be done within 15th to the life law of Test Report. The samples from Report released/assured. After the time period stand before, no complaints will be decepted. The mental second of the Second of



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (JHARKHAND) GST NO-- 20AAECE97130124



TEST REPORT

Test Report No.	: ELES/RNC/2024/4766	Report Release Date	: 22,08.2024
Work Order No.	: 13612312113	Work Order Date	: 28.03.2024
ULR No.	: TC135872400002685F		

CUSTOMER DET	AILS	SAMPLE DETAILS		
Customer Name	: Hindalco Industries Limited	Sample Ref. No. Location	: ELES/RNC/2024/AA/5449 : Near Pauri Village Serengdag-A Bauxite Mines (155.81ha)	
Address	: Lohardaga, Jharkhand-835302	Sampling Date Sample Received Date Type of Sample	: 12.08.2024 to 13.08.2024 : 14.08.2024 : Ambient Air	
Mines Status	Operational	Sampling Procedure	: ELES/DOC/SMPL/02	
Period of Analysis	: 14.08.2024 to 22.08.2024	Sampling Done By Sample Condition	: ELES Pvt. Ltd. : Sealed & Preserved	

M	ETEOROLOGICAL INFORMATION			
1	Average Temperature (°C) : 27	2	Barometric Pressure (mm.	Hg) : 740
3	Relative Humidity (%) : 69	4	Weather Condition	: Cloudy

Discipline:	Chemical	Group: Atmospheric Pollution			
Parameter	Unit	Test Protocol	Result	Regulatory Limit	
Particulate Matter (PM10)	μg/m ³	IS 5182 (Part- 23): 2022	53	100 (24hrs)	
Particulate Matter (PM2.5)	μg/m³	IS 5182 (Part- 24): 2019	26	60 (24hrs)	
Sulphur Di-Oxide (SO ₂)	μg/m³	IS 51B2 (Part- Il/Sec- I): 2023	7,8	80 (24hrs)	
Nitrogen Di-Oxide (NO ₂)	µg/m³	IS-5182 (Part- 6): 2022	20.1	80 (24hrs)	
Ozone (O ₃)	µg/m³	IS 5182 (Part- 9): 2019	<20.0	100 (8hrs)	
Ammonia (NH ₃)	μg/m³	IS 5)82 (Part- 25); 2018	<10.0	400 (24hrs)	
Carbon Monoxide (CO)	mg/m³	IS 5182 (Part- 10); 2019 (NDIR Method)	<1.0	2 (8hrs)	
Lead (Pb)	μg/m [*]	IS 5182 (Part- 22); 2019	0.005	1 (24hrs)	
Nickel (Ni)	ng/m³	IS 5182 (Part- 26); 2020	<6.0	20 (Annual)	
Arsenic (As)	ng/m²	ELES/AIR/SOP/01: 2021	<2,0	06 (Annual)	

Page 1 of 2

The Decision strain at Tim Report, is usuad by the Laboratory under General Terms and Conditions, only on Campainy lenes head in pro-approved forms. The resonant strains in the Test Report refer or relates only to the job/analysis done by the Laboratory in the Information stated on the Tim Report reflects the funding done by the Laboratory in the time of invalvament only and within the limits of client's instructions. The Laboratory is respectively for all the information or data provided on the report, except the information which is provided by the client. The Report remote be reproduced except in full and any part of the report when taken out of context, without prior without adjustment of the Laboratory. The Report is fairly in part shall not be published, advertise, used for any legal across unless prior permission has been secured from the Management of the Laboratory. Attention is deserted in the limitation of adultity, compensation and privileges are retained at fairly from the Data of Index of the Test Report is unless from Regulatory bodies are to the filling except of the laboratory and the Test Report is unless from Regulatory bodies are to be retained as appendiced. Any type of Observations of Complaints regarding the Report and the done without if the laboratory is in 24bourg from the Data of Tim Report relativistical. After the time period story before an interest will be accepted. The second of the laboratory is in 24bourg from a Attention of the laboratory in 24bourg from a Attention of the Complaints regarding the Report and the second. The second of the laboratory is a 24bourg from the Data of the laboratory in the Data of Tim Report Telescopic and the After the period story before the period story in the Data of the Laboratory is a 24bourg from the Data of the Laboratory in the Data of the Laboratory in the Data of the Laboratory in the Data of the Laboratory is a 24bourg from the Data of the Laboratory in the Data of the Laboratory in the Data of the Laboratory in the Data of the Laboratory



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (JHARKHAND) GST NO:- 2044ECEST13D124



Email: (nfo@elespl.ca.ln., eles.rancm@amay.cam Phone no.: 0651-2290103 Website : www.elespl.co.in



10-1388

TEST REPORT

Test Report No.	: ELES/RNC/2024/4766	Report Release Date	: 22.08.2024	
Work Order No.	: 13612312113	Work Order Date	: 28.03.2024	
III.R No	· TC135872400002685F			

Discipline: Chemical		Group: Atmospheric Pollution			
Parameter	Unit	Test Protocol	Result	Regulatory Limit	
Benzene (C ₄ H ₆)	μg/m³	ELES/GC/SOP/06: 2023	<2,5	05(Annual)	
Benzo-(a)-Pyrene	ng/m³	ELES/GC/SOP/05: 2023	<0.5	01(Annual)	

Reviewed by AKASH KUMAR Quality Managor ELES PVT LTD

****End of Report****

Authorised Signatory
Dr. Deependra Kuman Sinhu
Ph. D Environmental Engg.
ELES Pvt. Ltd. Technical Management

Page 2 of 2

The Document stated as Test Report, a sound by the Laboratory under General Terms and Continuous, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only us the job/analysis done by the Laboratory only. The information stated on the Test Report refer or relates only and within the job/analysis done by the Laboratory only. The information stated on the Test Report refer to the information which is provided by the cliest. The Report cannot be reproduced except in full and any part of the report is not taken and if context, without provided in the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior portrission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of limitation of indiction issues. Any unauthorized alternative is the facility of the Test Report is unlawful and offenders may be presented to the fullest extent of the law. All the simples are retained for Philarys from the Date of released that Test Report is not taken in the samples are retained in the date. Which the date where Indian to the Date of Test Report is to Date of Test Report in plantable and the law plantable that the full of the samples are retained for the part of the date. The entire Test according to the Test Report is to Date of Test Report in the according to the law of the Date of Test Report is to Date of Test Report in the according to Date of Test Report in the according to Date of Test Report in the according to Date of Test Report is to Date of Test Report in the according to the Date of Test Report in the according to Date of Test Report in the according



PLOT NO-30; MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (JHARKHAND) GST NO:- 20A45CE9713D124

CHICK CARRY & CHANGES PAY TAR

Email: info@elesal.co.in , eles ranchi@amail.com Phane no. : 0651-2290103 Website : www.elesal.co.in



TG-13587

TEST REPORT

Test Report No.	: ELES/RNC/2024/4767	Report Release Date	: 22.08.2024
Work Order No.	: 13612312113	Work Order Date	: 28.03.2024
ULR No.	: TC135872400002686F		

CUSTOMER DET	AILS	SAMPLE DETAILS	
Customer Name	: Hindalco Industries Limited	Sample Ref. No. Location	: ELES/RNC/2024/AA/5450 : Near Harup Village Serengdag-A Bauxite Mines (155.81ha)
Address	: Lohardaga, Jharkhand-835302	Sampling Date Sample Received Date Type of Sample	: 12.08.2024 to 13.08.2024 : 14.08.2024 : Ambient Air
Mines Status	: Operational	Sampling Procedure	: ELES/DOC/SMPL/02
Period of Analysis	: 14.08.2024 to 22.08,2024	Sampling Done By Sample Condition	: ELES Pvt. Ltd. : Sealed & Preserved

Mi	ETEOROLOGICAL INFORMATION			
1	Average Temperature (°C) : 27	2	Barometric Pressure (mm.	Hg) : 740
3	Relative Humidity (%) 369	4	Weather Condition	Cloudy

Discipline: (Chemical	Group: Atmospheric Pollution				
Parameter	Unit	Test Protocol	Result	Regulatory Limit		
Particulate Matter (PM10)	μg/m³	IS 5182 (Part- 23): 2022	44	100 (24hrs)		
Particulate Matter (PM2,5)	μg/m ³	IS 5182 (Part- 24): 2019	21	60 (24hrs)		
Sulphur Di-Oxide (SO ₂)	μg/m³	IS 5182 (Part- II/Sec- 1): 2023	5,5	80 (24hrs)		
Nitrogen Di-Oxide (NO ₃)	μg/m [‡]	IS 5182 (Part- 6): 2022	15.2	80 (24hrs)		
Ozone (Oy)	µg/m³	IS 5182 (Part- 9): 2019	<20.0	100 (8hrs)		
Ammonia (NH ₂)	µg/m²	IS 5182 (Part- 25); 2018	<10.0	400 (24hrs)		
Carbon Monoxide (CO)	mg/m ³	IS 5182 (Part- 10); 2019 (NDIR Method)	<1.0	2 (8hrs).		
Lead (Pb)	µg/m³	IS 5182 (Part- 22): 2019	<0.002	1 (24los)		
Nickel (Ni)	ng/m³	IS 5182 (Part- 26): 2020	<6.0	20 (Annual)		
Arsenic (As)	ng/m1	ELES/AIR/SOP/01: 2021	<1.0	06 (Annual)		

Page 1 of 2

The Document states as Test Report, a issued by the Laboratory under General Terms and Conditions, only on Compleme latter hand in are emproved format. The insulantium is the Test Report reflects the findings done by the Laboratory only. The information sented on the Test Report reflects the findings done by the Laboratory is fee time of Involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report current be reproduced except in full and its part of the report Is not taken out of contract, without print written approval of the Laboratory. The Report in full or in part shall not be published advertise, used for ingless and leaders print provides a first because the best occupied from the Management of the Laboratory. Attention is flavor to the limitation of liaboraty, comprising and personal assume Any manufactured difference of the manufacture of the Test Report is obtained in adolescent on the fullest extent of the law. All the samples are retained for Polarys from the Date of Test Report. The samples from Regulatory to the fund of the retained as specified Any type of Observations or Compliants requiring for Reports shall be done when 150 to 100 the Test Report. The samples from Regulatory to the fund of the fund of the Test Report and the samples are printed in the fund of the Test Report. The samples from Regulatory to the fund of the fund of the Test Report is to 100 the Test Report and Test Report and the samples are printed in the fund of the Test Report and Test Report and the samples for the Test Report and Test Report and the samples for the Test Report and Test Report and the samples for the Test Report and Test Report and the samples for the Test Report and the samples for the Test Report and Test Report



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (JHARKHAND) GST NO- 20AAECE97130124



Website: www.elespi.co.in

Emall: Info@elespl.co.in , eles.ranchi@amail.com Phone no.: 0651-2290103

TEST REPORT

Test Report No.	: ELES/RNC/2024/4767	Report Release Date	: 22.08.2024	
Work Order No.	; 13612312113	Work Order Date	: 28.03.2024	
ULR No.	: TC135872400002686F			

Discipline: Chemical		Group: Atmospheric Pollution				
Parameter	Unit	Test Protocol	Result	Regulatory Limit		
Benzene (C ₄ H ₄)	µg/m³	ELES/GC/SOP/06: 2023	<2.5	05(Annual)		
Benzo-(a)-Pyrene	ng/m³	ELES/GC/SOP/05: 2023	<0.5	01(Annual)		

Reviewed by AKASH KUMAR Quality Manager ELES PVT LTD.

****End of Report****

Authorised Signatory Dr. Deependra Kumar Sin Ph. D Environmental Engo. ELES Pvt. Ltd. Technical Man.

Page 2 of 2

The Document water as Test Report, a issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved forms. The results shown in the Test Report refer so relates only to the Johnson by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report careed to reproduced except in full and any part of the report is not taken out of context, without price written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and parisdection issues. Any unautherized alteration & fabrification of fabrification of the content of appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extern of the law. (All the samples are retained for 50 days from the Date of release essue of the Ten Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Camplaints regarding the Reports shall he does within 15days from the Dani of Text Report released/second. After the time period stated before, no complaints will be appeted. The enmembers in Text Report at 2 Strong forms. After 1991 and 1994 (1991 Application Unit), Obtain Deportion Limit, 1991 (Control Deportion Limit).



PLOT NO-30, MANSAROVAR ENCLAVE, TURUDANA HATIA, RANCHI-834003 (JHARKHAND) GST NO:- 10AAECEST13D124

ENGINEERING SERVICES PUT. LTD.

Email: info@eleral.co.in , etc. ronch/@anial.com Phone no.: 0651-2290103 Website : www.elespl.co.in



TC KNOT

TEST REPORT

Test Report No.	: ELES/RNC/2024/4768	Report Release Date	: 22.08.2024
Work Order No.	: 13612312113	Work Order Date	: 28.03.2024
ULR No.	; TC135872400002687F		

CUSTOMER DET	CUSTOMER DETAILS		
Customer Name	: Hindalco Industries Limited	Sample Ref. No. Location	: ELES/RNC/2024/AA/5451 : Near Paintoli Village Serengdag-A Buxxite Mines (155.81ha)
Address	: Lohardaga, Jharkhand-835302	Sampling Date Sample Received Date	: 12.08,2024 to 13.08,2024 : 14.08,2024
Mines Status	: Operational	Type of Sample Sampling Procedure	: Ambient Air : ELES/DOC/SMPL/02
Period of Analysis	14.08.2024 to 22.08.2024	Sampling Done By Sample Condition	: ELES Pvt. Ltd. : Sealed & Preserved

Mil	ETEOROLOGICAL INFO	RMATION			
1	Average Temperature (°C)	: 27	2	Barometric Pressure (mmHg)	: 740
3	Relative Humidity (%)	: 69	4	Weather Condition	; Cloudy

Discipline:	Chemical	Group: Atmospheric Pollution				
Parameter	Unit	Test Protocol	Result	Regulatory Limit		
Particulate Matter (PM10)	μg/m³	IS 5182 (Part- 23): 2022	53	100 (24hrs)		
Particulate Matter (PM2.5)	μg/m³	1S 5182 (Part- 24): 2019	26	60 (24hrs)		
Sulphur Di-Oxide (SO ₂)	µg/m³	IS 5182 (Part- II/Sec- 1): 2023	7.4	80 (24hrs)		
Nitrogen Di-Oxide (NO2)	µg/m³	IS 5182 (Part- 6): 2022	19.6	80 (24hrs)		
Ozone (O ₃)	μg/m ^T	IS 5182 (Part- 9): 2019	<20.0	100 (8hrs)		
Ammonia (NH ₁)	μg/m	IS 5182 (Part- 25): 2018	<18.6	400 (24hrs)		
Carbon Montride (CO)	mg/m³	IS 5182 (Part- 10): 2019 (NDIR Method)	<1.0	2 (8hrs)		
Lead (Pb)	μg/m³	IS 5182 (Part- 22); 2019	0.006	I (24hrs)		
Nickel (Ni)	ng/m³	IS 5182 (Part- 26): 2020	< 6.0	20 (Annual)		
Arsenic (As)	ng/m³	ELES/AIR/SOP/01: 202)	<2.0	06 (Annual)		

Page | of 2

The Document stated as Test Report, is small by the Laboratory under General Terms and Condensis, only on Company ferre head or pre-approved forms. The results shown in the Test Report reflects are finallegs done by the Laboratory as the information which is provided on the report as not taken and of the support of the information which is provided by the claim. The Report cannot be reproduced except in full and any part of the support is not taken and of context, without provided any part of the support is not taken and of context, without provided any part of the Laboratory. The Report is full or in part shall not be provided, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the Emission of the East Report or an action of the context of appearance of the Test Report is an awaid and offenders way be protected in the fullion extent of the Laboratory and permission of the test Report. The samples from Regulatory bodies are to be recained as specified. Any type of Observations or Complaints of the Test Report. The samples from Regulatory bodies are to be recained as specified. Any type of Observations or Complaints specified to the Test Report. The samples from Regulatory bodies are to be recained as specified. Any type of Observations or Complaints required to Reports shall be some or the Complaints of the Test Report. The samples are to be recained as specified. Any type of Observations or Complaints required to the context of the Test Report. The samples are to be recained as specified.



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (IHARKHAND) GST NO.- 20AAECE9713D124



Email: infa@elespl.co.in , eles ranchi@amail.com Phone no.: 0651-2290103 Website: www.elespi.co.in

TEST REPORT

Test Report No.	: ELES/RNC/2024/4768	Report Release Date	: 22.08.2024	
Work Order No.	: 13612312113	Work Order Date	: 28.03.2024	
ULR No.	: TC135872400002687F			

Discipline: Chemical		Group: Atmospheric Pollution			
Parameter	Unit	Test Protocol	Result	Regulatory Limit	
Benzene (C ₆ H ₆)	μg/m³	ELES/GC/SOP/06: 2023	<2.5	05(Annual)	
Benzo-(a)-Pyrene	ng/m³	ELES/GC/SOP/05: 2023	<0.5	01(Annual)	

Reviewed by

AKASH KUMAR Quality Managar ELES PVT LTD.

****End of Report****

Authorised Signatory Dr. Deependra Kumar Sinha Ph. D Environmental Engg. ELES Pvt Ltd. Tachnical Mann

Page 2 of 2

The Document stated as Test Report, is caused by the Laboratory under General Terms and Conditions, only on Company letter need to pre-approved format. The results above in the Test Report celes or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and writen the limits of client's wetractions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the chient. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior writin approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Minagement of the Lubermory. Attention is drawn to the limitation of liability, compression and jurisdiction assure. Any unauthorized alteracion of fish facilities of the content or appearance of the Test Report is unlawful and offenders may be processed to the fullest extent of the law. All the samples are reasoned for 30days, from the Date of referred issue of the Text Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall by done option (Mays from the Date of Yest Report released/stated. After the time period mated before, no compliance with he accepted. The entire Time selectate promotion in Time December 19 to 20 man Service committee and 19 May (Non-applicable). BUL (Done December Limit), 122. (Linear Resources Limit)



PLOT NO-30, MANSAROVAR ENCLAVE, TUPLIDANA HATTA, RANCHI-834003 (JHARKHAND) GST NO - 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in , eles.ranchi@gmail.com

Phone no.: 0651-2290103 Website: www.elespi.co.in



TEST REPORT

Test Report No.	: ELES/RNC/2024/4876	Report Release Date	: 29.08.2024
Work Order No.	: 13612312113	Work Order Date	: 28.03.2024
ULR No.	: TC135872400002793F		

CUSTOMER DET	AILS	SAMPLE DETAILS		
Customer Name	: Hindalco Industries Limited	Sample Ref. No. Sampling Date Sample Received Date	: ELES/RNC/2024/DW/5554 : 14,08,2024 : 20,08,2024	
Address	: Lohardaga, Jharkhand-835302	Type of Sample Source of Sample Location of Sample	: Drinking Water : Tap Water : Near Pauri Village	
Mines Status	: Operational	Sampling Procedure	(Serengdag-B Bauxite Mines) : ELES/DOC/SMPL/01	
Period of Analysis	: 20.08.2024 to 27.08.2024	Sampling Done By Sample Condition	: ELES Pvt. Ltd. : Sealed & Preserved	

Discipline : Chemical		Group:	Water	Regulatory Limit as per IS 10500:2012	
Parameter	Unit	Test Protocol	Result	Acceptable Limit	Permissible Limit
pH (at 24.7°C)		APHA 24th Ed.2023, 4500-H	6.55	6.5-8.5	No Relaxation
Turbidity	NTU	APHA 24 th Ed.2023, 2130 B	0.32	1.0	5.0
Taste	1.2	APHA 24th Ed.2023, 2160 C	Agreeable	Agreeable	Agreeable
Odour		IS 3025 (Part-5) :2018	Agreeable	Agreeable	Agreeable
Colour	Hazen	APHA 24th Ed.2023, 2120B&D	1.0	5.0	15
Total Dissolved Solids (TDS)	mg/L	APHA 24 th Ed.2023, 2540B,C&D	54.8	500	2000
Chloride (as Cl)	mg/L	APHA 24th Ed.2023, 4500 CI B	7.65	250	1000
Fluoride (as F)	mg/L	APHA 24th Ed.2023, 4500 F-D	BDL (DL: 0.1)	1.0	1.5
Total Alkalinity (as CaCO ₃)	mg/L	APHA 24th Ed,2023, 2320 B	8.8	200	600
Total Hardness (as CaCO ₃)	mg/L	APHA 24th Ed.2023, 2340 C	13.7	200	600
Sulphate (as SO ₄)	mg/L	APHA 24 th Ed.2023, 4500 SO₁ ⁻² -E	1.68	200	400
Nitrate (as NO ₃)	mg/L	APHA 24 th Ed.2023, 4500 NO ₂ -B	0.98	45	No. Relaxation

Page 1 of 4

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format: The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the lindaries done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context. without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable): BDL (Below Detection Limit): LDL (Lower Detection Limit)



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (JHARKHAND) GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD

Email: info@elespi.co.in , eles,ranchi@amail.com

Phone no.: 0651-2290103 Website: www.elespl.co.in



TC-53567

TEST REPORT

Test Report No. : ELES/RNC/2024/4876 Report Release Date : 29.08.2024

Work Order No. : 13612312113 Work Order Date : 28.03.2024

ULR No. : TC135872400002793F

Discipline : Chemic	al	Grou	ip: Water	The second secon	ory Limit 10500:2012
Parameter	Unit	Test Protocol	Result	Acceptable Limit	Permissible Limit
Phenolic Compound (as C ₆ H ₂ OH)	mg/L	1S 3025 (Part 43/Sec1): 2022	BDL, (DL: 0,001)	0.001	0.002
Free Residual Chlorine (RFC)	mg/L	IS 3025 (Part-26): 2021	0.41	0.2(Min)	1.0(Min)
Calcium (as Ca)	mg/L	APHA 24th Ed.2023, 3500 Ca B	2,36	75	200
Anionic Surfactants (as MBAS)	mg/L	APHA 24th Ed.2023, 5540-C	BDL (DL: 0.025)	0,2	1.0
Discipline : Chemic	cal	Gre	oup: Residues i	n Water	
Aluminum (as Al)	mg/L	IS 3025 (Part-55) :2003: RA2019	BDL (DL: 0.02)	0.03	0.2
Arsenic (as As)	mg/L	IS 3025 (Part-37): 2022	BDL (DL: 0.005)	0.01	No Relaxation
Boron (as B)	mg/L	IS 3025 (Part-57): 2021	BDL (DL: 0.2)	0.5	1.0
Cadmium (as Cd)	mg/L	APHA 24th Ed.2023; 3111B	BDL (DL: 0.003)	0.003	No Relaxation
Total Chromium (as Cr)	mg/L	APHA 24th Ed.2023; 3111B	BDL (DL: 0.03)	0.05	No Relaxation
Copper (as Cu)	mg/L	APHA 24th Ed.2023; 3111B	BDL (DL: 0.03)	0.05	1.5
Cyanide (as CN)	mg/L	APHA 24 st Ed.2023, 4500 CN-E	BDL (DL: 0.012)	0.05	No Relaxation
Iron (as Fe)	mg/L	APHA 24th Ed.2023; 3111B	0.066	1.0	No Relaxation
Lead (as Pb)	mg/L	APHA 24th Ed.2023; 3111B	BDL (DL: 0.01)	0.01	No Relaxation
Manganese (as Mn)	mg/L	APHA 24th Ed.2023; 3111B	BDL (DL: 0.05)	0.1	0.3
Mercury (as Hg)	mg/L	IS 3025 (Part-48): 2019	BDL (DL: 0.001)	0.001	No Relaxation
Selenium (as Se)	mg/L	1S 3025 (Part-56): 2019	BDL (DL: 0.01)	0.01	No Relaxation

Page 2 of 4

The Document stated as Lest Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without price written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secared from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the coment or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are refained for Hodays from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable): BDL (Below Detection Limit). LDL (Lower Detection Limit).



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (IHARKHAND) 65T NO:- 20AAECE97130124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in , eles.ranchi@gmail.com

Phone no.: 0651-2290103 Website: www.elespl.co.in



TEST REPORT

 Test Report No.
 : ELES/RNC/2024/4876
 Report Release Date
 : 29.08.2024

 Work Order No.
 : 13612312113
 Work Order Date
 : 28.03.2024

ULR No. : TC135872400002793F

Discipline : Chemical		Group: Residues in Water		Regulatory Limit as per IS10500:2012	
Parameter	Unit	Test Protocol	Result	Acceptable Limit	Permissible Limit
Zinc (as Zn)	mg/L	APHA 24 th Ed.2023; 3111B	BDL (DL; 0.1)	5,0	15
Polynuclear Aromatic Hydrocarbons (PAH)	μg/L	ELES/GC/SOP/04: 2023	BDL (DL: 0.05)	0.1	No Relaxation
Polychlorinated biphenyls (PCB)	μg/L	ELES/GC/SOP/03: 2023	BDL (DL: 0.1)	0.5	No Relaxation
Pesticides				Li	mit
Alachlor	μg/L.	ELES/GC/SOP/01: 2023	BDL (DL: 0.5)	3	20
Atrazine	µg/L	ELES/GC/SOP/01: 2023	BDL (DL: 0.5)	2	.0
Butachlor	µу/L	ELES/GC/SOP/01: 2023	BDL (DL: 0.5)	1	25
Chlorpyriphos	μg/L	ELES/GC/SOP/01: 2023	BDL (DL: 0.5)	30	
Ethion	µg/L	ELES/GC/SOP/01: 2023	BDL (DL: 0.5)	3,0	
Malathion	μg/L	ELES/GC/SOP/01: 2023	BDL (DL: 0.5)	190	
Methyl parathion	μg/L	ELES/GC/SOP/01: 2023	BDL (DL: 0.1)	0	.30
Monocrotophos	μg/L	ELES/GC/SOP/01: 2023	BDL (DL: 0.5)	1	.0
Phorate µg/L		ELES/GC/SOP/01: 2023	BDL (DL: 0.5)	2,0	
Phorate Sulphone	μg/L	ELES/GC/SOP/01: 2023	BDL (DL: 0.5)		
Dieldrin	μg/L	ELES/GC/SOP/02: 2023	BDL (DL: 0.01)	0	.03
Alpha HCH	μg/L	ELES/GC/SOP/02; 2023	BDL (DL: 0.006)	0	.01
Beta HCH	μg/L	ELES/GC/SOP/02: 2023	BDL (DL: 0.02)	0	.04

Page 3 of 4

The Document strated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of elsent's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report is full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & fabstification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are returned for 30days from the Date of released issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Compitaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit), LDL (Lower Detection Limit).



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (JHARKHAND) GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Website: www.elespi.co.in

Email: info@elespl.co.in , eles.ranchi@gmail.com Phone no.: 0651-2290103



TC-13587

TEST REPORT

 Test Report No.
 : ELES/RNC/2024/4876
 Report Release Date
 : 29.08.2024

 Work Order No.
 : 13612312113
 Work Order Date
 : 28.03.2024

ULR No. : TC135872400002793F

Pesticides				
Parameter	Unit	Test Protocol	Result	Limit
Delta HCH	μg/L	ELES/GC/SOP/02; 2023	BDL (DL: 0.02)	0.04
Gamma HCH (Lindane)	μg/L	ELES/GC/SOP/02; 2023	BDL (DL: 0.02)	2.0
Endosulfan (alpha, beta and sulphate)	μg/L	ELES/GC/SOP/02: 2023	BDL (DL: 0.05)	0.40
DDT(o,p and p,p-isomers of DDT) (o,p DDE and p,p DDD)	µg/L	ELES/GC/SOP/02: 2023	BDL (DL: 0.05)	1.0
Discipline : Biological		Group	p: Water	
Total Coliform (Qualitative)	Per 100 mL	IS 15185: 2021	Not Detected	Shall not be detected
Escherichia coli (Qualitative)	Per 100 mL	IS 15185: 2021	Not Detected	Shall not be detected

Remarks: 1, pH and RFC done at Lab.

AKASH KUMAR Quality Managar ELES PVT, LTD

****End of Report***

Authorised Signatory

Ph. Deependra Kumar Sinhu Ph. D Environmental Engg. ELES Pvt. Ltd. Technical Manager

Page 4 of 4

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the stime of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report is all or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of fitability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Dute of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Compilaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (JHARKHAND) GST NO:- 20AAECE97130124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in , eles.ranchi@gmail.com Phone no.: 0651-2290103

Website: www.elespl.co.in

TEST REPORT

Test Report No.	: ELES/RNC/2024/4876	Report Release Date	: 29.08.2024	
Work Order No.	: 13612312113	Work Order Date	: 28.03.2024	

CUSTOMER DET	TAILS	SAMPLE DETAILS		
Customer Name	: Hindalco Industries Limited	Sample Ref. No. Sampling Date	: ELES/RNC/2024/DW/5554 : 14.08.2024	
Address	: Lohardaga, Jharkhand-835302	Sample Received Date Type of Sample Source of Sample Location of Sample	: 20.08.2024 : Drinking Water : Tap Water : Near Pauri Village	
Mines Status	: Operational	Sampling Procedure	(Serengdag-B Bauxite Mines) : ELES/DOC/SMPL/01	
Period of Analysis	: 20.08.2024 to 29.08.2024	Sampling Done By Sample Condition	: ELES Pvt. Ltd. : Sealed & Preserved	

Discipline : Chemical		Group: Wa	ter	-	ory Limit 10500:2012
Parameter	Unit	t Test Protocol Result		Acceptable Limit	Permissible Limit
Mineral Oil*	mg/L	IS 3025 (Part-39): 2021, Clause 6 Infrared Spectroscopic method.	BDL (DL: 0,01)	0.5	No Relaxation

Remarks: (*) Parameters are outsourced to other Lab.

Ouality Manager ELES PVT. LTD.

****End of Report****

Authorised Signatory

Dr. Deependra Kumar Slahu Ph. D Environmental Engg

ELES Pvl. Ltd. Technical Manua

Page 1 of 1

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-appeaved format. The results shown in the Test Report refer or relates only is the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30days from the Date of release/issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accepted. The entire lime schedule mentioned in Test Report is in 24hours format. Abbreviation used. N/A (Non Applicable). BDL (Before Detection Limit); LDL (Lower Detection Limit).

CONTENT

Hi	indalco Industries : Shrengdag B Bauxite Mine Environmental Monitoring Report S	eptember 2024
	Shrengdag B Bauxite Mine	
	AMBIENT AIR QUALITY- CORE ZONE	
1	Mine Pit Quarry No 2B	
2	Near Baisbhatan Village	
3	Block 2A (Prohopat Village)	
4	Harup Block C (Proposed)	
	AMBIENT AIR QUALITY-BUFFER ZONE	
1	Near Banjari Village	
2	Near Pauri Village	
3	Near Harup Village	
4	Near Paintoli Village	
	AMBIENT NOISE	
	WORKZONE NOISE	
	Spring Water	
1	Chapa Kona	





PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (IHARKHAND) GST NO:-20A46CE9713D1Z6

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in , eles.ranchi@gmail.com

Phone na.: 0651-2290103 Website: www.elespl.co.in



TEST REPORT

Test Report No.	: ELES/RNC/2024/5517	Report Release Date	: 28.09.2024	
Work Order No.	: 13612312113	Work Order Date	; 28.03.2024	
ULR No.	: TC135872400003422F			

CUSTOMER DET	AILS	SAMPLE DETAILS		
Customer Name	: Hindalco Industries Limited	Sample Ref. No. Location	: ELES/RNC/2024/AA/6363 : Mine Pit Quarry No 2B Serengdag-B Bauxite Mines (77.89ha)	
Address	: Lohardaga, Jharkhand-835302	Sampling Date Sample Received Date	: 18.09.2024 to 19.09.2024 : 20.09.2024	
Mines Status	Operational	Type of Sample Sampling Procedure	: Ambient Air : ELES/DOC/SMPL/02	
Period of Analysis	: 20.09.2024 to 28.09.2024	Sampling Done By Sample Condition	: ELES Pvt. Ltd. : Sealed & Preserved	

M	ETEOROLOGICAL INFORM.	ATION				
1	Average Temperature (°C)	29	2	Barometric Pressure (mmHg)	: 740.	
3	Relative Humidity (%)	58	4	Weather Condition	: Clear	

Discipline: Chemic	al	Group:	Group: Atmospheric Pollution		
Parameter	Unit	Test Protocol	Result	Regulatory Limit	
Particulate Matter (PM10)	µg/m³	1S 5182 (Part- 23): 2022	59	100 (24hrs)	
Particulate Matter (PM2.5)	μg/m³	IS 5182 (Part- 24): 2019	32	60 (24hrs)	
Sulphur Di-Oxide (SO ₂)	μg/m³	IS 5182 (Part- 2/Sec1): 2023	10.2	80 (24hrs)	
Nitrogen Di-Oxide (NO ₂)	μg/m³	IS 5182 (Part- 6); 2022	18.5	80 (24hrs)	
Ozone (O ₃)	μg/m³	15.5182 (Part- 9): 2019	<20.0	100 (8hrs)	
Ammonia (NH ₃)	μg/m²	IS 5182 (Part- 25): 2018	<10.0	400 (24hrs)	
Carbon Monoxide (CO)	mg/m ²	IS 5182 (Part- 10); 2019 (NDIR Method)	<1.0	2 (8hrs)	
Lead (Pb)	μg/m ²	IS 5182 (Part- 22): 2019	0.005	1 (24hrs)	
Nickel (Ni)	ng/m³	15 5182 (Part- 26): 2020	<6.0	20 (Annual)	
Arsenic (As)	ng/m¹	ELES/AIR/SOP/01: 2021	<2.0	06 (Annual)	
Benzene (C _n H ₆)	μg/m ³	ELES/GC/SOP/06: 2023	<2.5	05(Annual)	
Benzo-(a)-Pyrene	ng/m³	ELES/GC/SOP/05: 2023	<0.5	01(Annual)	

Reviewed by

Quality Manager

****End of Report***

Authorised Signatory Dr. Deependra Kumar Sinha Ph. D. Environmental Engg.

Page 1 of 1

Technical Manager

The Decement stated as Less Report, is bound by the Laboratory under General Lerons and Conditions, only on Company letter bond in pre-approved Report of the testification of the Laboratory and the information amond on the Vest Report reflects the findings alone by the Laboratory is the found of conditional and the found of conditions and the found of conditions and the findings alone by the Laboratory is responsible for all the autoritions, or done provided by the report of the Condition of th



PLOT NO-30, MANSAROVAR ENCLAVE, TUPLIDANA HATIA, RANCHI-834003 (JHARKHAND) GST NO:- 204AECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in , eles.ranchi@amail.com

Phone no.: 0651-2290103 Website: www.elespi.co.in



TEST REPORT

Test Report No.	: ELES/RNC/2024/5518	Report Release Date	: 28.09.2024	
Work Order No.	: 13612312113	Work Order Date	: 28.03.2024	
ULR No.	: TC135872400003423F			

CUSTOMER DET	AILS	SAMPLE DETAILS		
Customer Name	: Hindalco Industries Limited	Sample Ref. No. Location	: ELES/RNC/2024/AA/6364 : Near Baisbhatan Village	
Address	: Lohardaga, Jharkhand-835302	Sampling Date Sample Received Date	Serengdag-B Bauxite Mines (77.89ha) ; 18,09,2024 to 19,09,2024 ; 20,09,2024	
Mines Status	: Operational	Type of Sample Sampling Procedure	: Ambient Air : ELES/DOC/SMPL/02	
Period of Analysis	: 20.09.2024 to 28.09.2024	Sampling Done By Sample Condition	: ELES Pvt. Ltd. : Sealed & Preserved	

M	ETEOROLOGICAL INFOR	MATION				
1	Average Temperature (°C)	: 29	2	Barometric Pressure (mmHg)	: 740	
3	Relative Humidity (%)	= 58	4	Weather Condition	: Clear	

Discipline: Chemic	al	Group:	Atmospheric	Pollution
Parameter	Unit	Test Protocol	Result	Regulatory Limit
Particulate Matter (PM10)	μg/m³	IS 5182 (Part- 23): 2022	59	100 (24hrs)
Particulate Matter (PM2.5)	µg/m³	IS 5182 (Part- 24): 2019	29	60 (24hrs)
Sulphur Di-Oxide (SO ₂)	µg/m³	1S 5182 (Part- 2/Sec1): 2023	6.7	80 (24hrs)
Nitrogen Di-Oxide (NO ₂)	μg/m³	IS 5182 (Part- 6): 2022	20.2	80 (24hrs)
Ozone (O _i)	µg/m ²	1S 5182 (Part- 9); 2019	<20.0	100 (8hrs)
Ammonia (NH ₃)	μg/m³	IS 5182 (Part- 25): 2018	<10.0	400 (24hrs)
Carbon Monoxide (CO)	mg/m³	IS 5182 (Part- 10); 2019 (NDIR Method)	<1,0	2 (8hrs)
Lead (Pb)	μg/m ^y	IS 5182 (Part- 22): 2019	0.004	l (24hrs)
Nickel (Ni)	ng/m³	IS 5182 (Part- 26): 2020	<6.0	20 (Annual)
Arsenic (As)	ng/m ³	ELES/AIR/SOP/01: 2021	<2.0	06 (Annual)
Benzene (C ₆ H ₆)	μg/m³	ELES/GC/SOP/06: 2023	<2.5	05(Annual)
Benzo-(a)-Pyrene	ng/m ⁴	ELES/GC/SOP/05: 2023	<0.5	01(Annual)

Reviewed by Akash Kuttuar Quality Managar

****End of Report****

Dr. Deepolide William Sinha Ph. D. Environmental Engg.

Teetimical Manager

Page 1 of 1

The Discourant stated as Tate Report, is issued by the Laboratory under General Toron and Conditional, only on Company lower bond in pre-approved forms. The results drown in the Test Report reflects the findings done by the Laboratory only. The information remed in the Cost Report reflects the findings done by the Laboratory at the finite of street is instructioned. The Laboratory is responsible for all the information are done provided in the operation assessed in the laboratory is responsible for all the information are done provided in the operation which is provided by the client. The Report is full and any part of the report is not under not of courses, without provided approved of the Laboratory. Report is full as to part dual not be published, advertice, stople for any logal actions where prior permissions has been secured. From the Management of the Laboratory. Attriction of drawn on the limitation of flabelity, compositions in the content or approximate of the Test Report is understanded of flabelity in the fallow extent of the laboratory and principles are returned to include a state of the Laboratory and the content or approximate of the Test Report is understanded as specified. Any type of Observations or Complaints regarding the Reports shall be done continued to the substitute or and the content of the Report is the content of the cont



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (JHARKHAND) GST NO:- 20AA6CE9713D124

ENCINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in , eles,ranchi@gmail.com Phone no.: 0651-2290103 Website : www.elespi.co.in

TEST REPORT

Test Report No.	: ELES/RNC/2024/5519	Report Release Date	: 28.09.2024	
Work Order No.	: 13612312113	Work Order Date	: 28.03.2024	
ULR No.	: TC135872400003424F			

CUSTOMER DET	AILS	SAMPLE DETAILS		
Customer Name	: Hindalco Industries Limited	Sample Ref. No. Location	: ELES/RNC/2024/AA/6365 : Block 2A (Prohopat Village) Serengdag-B Bauxite Mines (77.89kn)	
Address	; Lohardaga, Jharkhand-835302	Sampling Date Sample Received Date	: 18.09.2024 to 19.09.2024 : 20.09.2024	
Mines Status	; Operational	Type of Sample Sampling Procedure	: Ambient Air : ELES/DOC/SMPL/02	
Period of Analysis	: 20.09.2024 to 28.09.2024	Sampling Done By Sample Condition	: ELES Pvt, Ltd. : Sealed & Preserved	

M	ETEOROLOGICAL INFOR	MATION			
1	Average Temperature ("C)	. 29	2	Barometric Pressure (mmHg)	: 740.
3	Relative Humidity (%)	: 58	4	Weather Condition	: Clear

Discipline : Chemic	al	Group:	Atmospheric	Pollution
Parameter	Unit	Test Protocol	Result	Regulatory Limit
Particulate Matter (PM10)	μg/m ³	IS 5182 (Part- 23): 2022	55	100 (24hrs)
Particulate Matter (PM2.5)	μg/m ¹	IS 5182 (Part- 24); 2019	26	60 (24hrs)
Sulphur Di-Oxide (SO ₃)	μg/m³	1S 5182 (Part- 2/Sec1): 2023	5.9	80 (24hrs)
Nitrogen Di-Oxide (NO ₂)	μg/m ³	IS 5182 (Part- 6): 2022	19.5	80 (24hrs)
Ozone (O ₃)	μg/m ¹	IS 5182 (Part- 9); 2019	<20.0	100 (8hrs)
Ammonia (NH ₃)	µg/m ³	1S 5182 (Part- 25): 2018	<10.0	400 (24hrs)
Carbon Monoxide (CO)	mg/m³	IS 5182 (Part- 10): 2019 (NDIR Method)	<1.0	2 (8hrs)
Lead (Pb)	µg/m ^T	IS 5182 (Part- 22): 2019	0.008	1 (24hrs)
Nickel (Ni)	ng/m³	1S 5182 (Part- 26): 2020	<6.0	20 (Annual)
Arsenic (As)	ng/m¹	ELES/AIR/SOP/01: 2021	<2.0	06 (Annual)
Benzene (C _c H ₆)	µg/m³	ELES/GC/SOP/06: 2023	<2.5	05(Annual)
Benzo-(a)-Pyrene	ng/m³	ELES/GC/SOP/05: 2023	<0.5	01(Annual)

Reviewed by Akash Kumar

Quality Manoger

****End of Report****

Dr. Deetharing Kinnal Sinha Ph. D. Environmental Engg.

recimical manager

Page | of |

The Document many is: You Report, in insued by the Laboratory under General Terror and Conditions, only on Congrues, letter hand in pre-approved formal. The results elected in the Test Report pelar to release only to the pole analysis done by the Laboratory stell. The information small on the Test Report reflects the Endings time by the Laboratory at the time of anotherseen only and within the lines of client's nottactions. The Laboratory is responsible for all the information or data provided in the topics, except the information which is provided by the client. The flapout commit by reproduced accept as full and any part of the export is not taken out of centent, without prior written approval of the Laboratory. The Report in full of an part shall not be published. shapper, and for any legal actions unique prior permission has been secured from the Mahaperent of the Laboratory. Attention to death to the limitation of liability, compensation and production among Any anisothermore all fast fillness of the Test Report to unique and offendation may be procured to the rather secure of the line samples and extended for Fiddys from the Date of release cone of the Test Report Flore in the part and a specified. Any type of Observation, in Compliance regarding the Report of the first within Object from the Date of release cone of the Test Report released mental. After the test period stated before, we compliance will be compared. The context of mental and test many first period stated before, we compliance will be compared. The context of the first period stated before, we compliance will be compared. Report is in 2 thoses format. Althrevious small, N/A (Not Applicable), BDL (Bulow Departure Limit) 1391, (Lower Departure Limit)



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (JHARKHAND) GST NO:- 20AAECE9713D12N

ENGINEERING SERVICES PVT. LTD.



Email: info@elespl.co.in , eles.ranchi@gmail.com Phone no.: 0651-2290103 Website : www.elespl.co.in

TC-13587

TEST REPORT

Test Report No.	: ELES/RNC/2024/5520	Report Release Date	: 28.09.2024
Work Order No.	: 13612312113	Work Order Date	: 28.03.2024
ULR No.	: TC135872400003425F		

CUSTOMER DET	AILS	SAMPLE DETAILS		
Customer Name	: Hindalco Industries Limited	Sample Ref. No.	: ELES/RNC/2024/AA/6366	
		Location	: Harup Block C (Proposed)	
			Serengdag-B Bauxite Mines (77.89ha)	
Address	: Lohardaga, Jharkhand-835302	Sampling Date	: 18.09.2024 to 19.09.2024	
T HAVE SUIT	- London State of the Control of the	Sample Received Date	: 20.09.2024	
		Type of Sample	: Ambient Air	
Mines Status	: Operational	Sampling Procedure	ELES/DOC/SMPL/02	
Lot Lot D. M. Marchard	Andreaday Januarasay	Sampling Done By	ELES PVL Ltd.	
Period of Analysis	: 20.09.2024 to 28.09.2024	Sample Condition	: Sealed & Preserved	

M	METEOROLOGICAL INFORMATION					
1	Average Temperature (°C)	±29	1	Barometric Pressure (mmHg)	2740	
3	Relative Humidity (%)	1.58	4	Weather Condition	: Clear	

Discipline : Chemic	al	Group:	Atmospheric	Pollution
Parameter	Unit	Test Protocol	Result	Regulatory Limit
Particulate Matter (PM10)	μg/m ¹	IS 5182 (Part-23): 2022	60	100 (24hrs)
Particulate Matter (PM2.5)	μg/m ³	IS 5182 (Part- 24); 2019	29	60 (24hrs)
Sulphur Di-Oxide (SO ₂)	jıg/m³	IS 5182 (Part- 2/Sec1): 2023	6.8	80 (24hrs)
Nitrogen Di-Oxide (NO ₂)	μg/m³	IS 5182 (Part- 6): 2022	16.9	80 (24hrs)
Ozone (O ₂)	μg/m³	IS 5182 (Part- 9): 2019	<20.0	100 (8hrs)
Ammonia (NH ₃)	μg/m³	IS 5182 (Part- 25): 2018	<10.0	400 (24hrs)
Carbon Monoxide (CO)	mg/m³	IS 5182 (Part- 10); 2019 (NDIR Method)	<1,0	2 (8hrs)
Lead (Ph)	µg/m²	IS 5182 (Part- 22): 2019	0.008	1 (24hrs)
Nickel (Ni)	ng/m³	IS 5182 (Part- 26): 2020	<6.0	20 (Annual)
Arsenic (As)	ng/m³	ELES/AIR/SOP/01: 2021	<2.0	06 (Annual)
Benzene (C _n H ₆)	µg/m [‡]	ELES/GC/SOP/06: 2023	<2,5	Ø5(Annual)
Benzo-(a)-Pyrene	ng/m1	ELES/GC/SOP/05; 2023	<0.5	OI(Annual)

Reviewed by

Quality Manager

****End of Report****

Dr. Deependra Kumar Sinha

Ph. D. Environmental Enon

Page 1 of 1

Technical Manager

The Uniquest manufact Leaf Report, is assessed by the Laboratory under General Terms and Conditions, only us Company letter local in pre-approved forms. The results disease in the Laboratory and vicinity in relaxed south to the published by the Laboratory in responsible for all the information or data provided on the paper, except the information which is provided by the charm of the report example to report, except the information which is provided by the charm of the report example or report, except the information which is provided by the charm of the report of the report of the information or data provided on the paper of the Laboratory. The Report is full on in part shall not be published, adversary legal actions infer print provision, has been accused from the Management of the Laboratory. The Report is the limitation of inhibity, comprisation and provided adversary and inhibit control of the Laboratory of the Control of the Con



- TO TAKEN SAME (MANUAL)



Small light in selection in the small Remail Com-

SECURE AND ADDRESS OF THE



TEST REPORT

Test Report No.	: ELES/RNC/2024/5509	Report Rolesse Date	: 28.09.2024
Work Order No.	: 03612312113	Work Order Data	= 28.03.202 <i>a</i>
ULR No.	: TC135872400063414F		

CUSTOMER DET	Ails	SAMPLE DETAILS	
Customer Name	Hindales Industries Limited	Sample Ref. No. Location	: ELES/RNC/2024/AA/6355 : Near Banjan Village Serengdag-A Bauxite Mines (155.81ha)
Address	: Lohardaga, Jharkhund-835302	Sampling Date Sample Received Date Type of Sample	: 16.09.2024 to 17.09.2024 : 20.09.2024 Ambient Ali
Mines Statte	: Operational	Sampling Procedure	ELES/DOC/SMPL/02
Period of Analysis	; 20.09.2024 to 28.09.2024	Sampling Done By Sample Condition	Senied & Preserved

341	ETEOROLOGICAL INFOR	MATION			
1	Average Temperature (°C)	: 29	2	Barometric Pressure (mmHg)	: 740
3	Relative Humidity (%)	:61	4	Weather Condition	: Clear

Discipline: Chemic	in:	Group:	Atmospheric l	Pollution
Parameter	Unit	Test Protocol	Result	Regulatory Limit
Particulate Matter (PM10)	μg/m ^T	IS 5182 (Part-23); 2022	51	100 (24hrs)
Particulate Matter (PM2.5)	µg/m³	IS 5(82 (Part- 24): 2019	21	60 (24hrs)
Sulphur Di-Oxide (SO ₂)	µg/m³	IS 5182 (Part- 2/Sec1): 2023	5.2	80 (24hrs)
Nitrogen Di-Oxide (NO ₂)	μg/m³	IS 5182 (Part- 6): 2022	16.7	80 (24hrs)
Ozone (O ₂)	μg/m ³	1S 5182 (Part- 9); 2019	<20.0	100 (8hrs)
Anumonia (NH ₁)	jig/m	IS 5182 (Part- 25): 2018	<10.0	400 (24hrs)
Carbon Monoxide (CO)	mg/m ³	15 5182 (Part- 10); 2019 (NDIR Method)	<1.0	2 (8hrs)
Lead (Pb)	µg/m²	IS 5182 (Part- 22): 2019	0.006	1 (24hrs)
Nickel (Ni)	ng/m [∓]	18 5182 (Part- 26): 2020	<6.0	20 (Armual)
Arsenic (As)	ng/m²	ELES/AIR/SOP/01: 2021	<2.0	06 (Annual)
Benzene (C ₆ H ₆)	ug/m³	ELES/GC/SOP/06: 2023	<2.5	05(Annuil)
Benzo-(a)-Pyrene	ng/m²	ELES/GC/SOP/05: 2023	< 0.5	01(Annual)

Reviewed by

Cupity Minters

****End of Report****

Authorised Signature

Authorised Signatory Dr. Deependra Kumar Sinha

Ph. D. Environmental Engg. Technical Manager

Page 1 of 1

The Foundation of Tot Report, is issued by the Laboratory with Description and Constitute only in Company later hand in pro-approved format. The results they not in the Happer policy in the processing of the Laboratory way. The information graph of the Report reflects the Printings have by the Laboratory of the Laboratory of the Laboratory of the property of the printing of the Laboratory of the Laborator



HERE, LAWSHIESHOS HEREINANDS



TEST REPORT

Test Report No.	: ELES/RNC/2024/5510	Report Release Date	: 28.09.2024
Work Order No.	x 13612312113	Work Order Date	: 28,03.2024
ULH No.	: TC135872408003415F		

CUSTOMER DET	AILS	SAMPLE DETAILS	
Customer Name	: Filindalco ludustries Limited	Sample Ref. No. Location	: ELES/RNC/2024/AA/6356 : Near Pauri Village Serengdag-A Bauxite Mines (155.81ha)
Address	Lohardags, Jharkhand-835302	Sampling Date Sample Received Date Type of Sample	: 16,09,2024 to 17,09,2024 : 20,09,2024 - Ambient AlV
Mines Status	Operational	Sampling Procedure	BLES/DOC/SMPL/03
Period of Analysis	: 20.09,2024 to 28,09,2024	Sampling Done By Sample Condition	ELES Pyt. Ltd. : Sealed & Preserved

M	ETEOROLOGICAL INFOR	EMATION			
1	Average Temperature (°C)	: 29	2	Barometric Pressure (immFig)	= 74Q
3	Relative Humidity (%)	:61	4	Weather Condition	: Clear

Discipline: Chemic	eri	Group :	Atmospheric	Pollution
Parameter	Unit	Test Protocol	Result	Regulatory Limit
Particulate Matter (PM10)	µg/m³	IS 5182 (Part- 23): 2022	58	100 (24hrs)
Particulate Matter (PM2,5)	μg/m³	IS 5182 (Part- 24): 2019	24	60 (24hrs)
Sulphur Di-Oxide (SO ₂)	µg/m³	IS 5182 (Part- 2/Sec1): 2023	6.1	80 (24hrs)
Nitrogen Di-Oxide (NO ₂)	μg/m ³	IS 5182 (Part- 6): 2022	18.4	80 (24hrs)
Ozone (Ox)	μg/m ³	IS 5182 (Part- 9); 2019	<20.0	100 (8hrs)
Ammonia (NH ₃)	µg/m"	IS 5182 (Part- 25): 2018	<10.0	400 (24hrs)
Carbon Monoxide (CO)	mg/m ^F	IS 5182 (Part- 10): 2019 (NDIR Method)	<1.0	2 (8hrs)
Lend (Pb)	нд/т	IS 5182 (Part- 22): 2019	0,004	1 (24hrs)
Nickel (NI)	ng/m³	IS 5182 (Part-26): 2020	<6.0	20 (Annual)
Arsenic (As)	ng/m³	ELES/AIR/SOP/01: 2021	<2.0	06 (Annual)
Benzene (C ₆ H ₆)	µg/m³	ELES/GC/SOP/06: 2023	<2.5	05(Annual)
Benzo-(a)-Pyrene	ng/m	ELES/GC/SOP/05: 2023	< 0.5	01(Annual)

Reviewed by URPAIN FOR SHARTY CONT.

"" "End of Report" ""

Dr. Deependra Kumar Sinha Ph. D. Environmental Enga.


Technical Manager

Page 1 of 1

The Immunitaries are a fear deposit in initial by the Liberary water Council Terms and Construent, only on Company larger head to pre-approved farmer. The results altered in the Two Reposit the return on the infrared with the set collection of the determinent and or the fact Expert reflects the feetings does by the Laboratory of the time of evolutionary and and the fact Expert reflects the feetings does by the Laboratory of the Laboratory. The Laboratory of the Labora man for Scales from the Day of Alexander of the Too Aspect The complete from Baydon's Souther as to be destined as epoched, not upon at Description of England expendent the Report of the Control of the



AND THE SHARE SHARE THE SHARE THE SHARE THE SHARE SHAR



Committee of the Commit



TEST REPORT

Test Report No.	: ELES/RNC/2024/5511	Report Release Date	1.28,09,2024	
Work Order No.	: 13612312113	Work Order Date	± 28.03.2024	
ULR No.	: TC135872400003416F			

CUSTOMER DET	AILS	SAMPLE DETAILS	
Oustomer Name	- Hindalou Industries Limited	Sample Ref. No. Location	: ELES/RNC/2024/AA/6357 : Near Harup Village Serengdag-A Bauxite Mines (155/81ha)
Address	Lohardaga, Jharkhand-835302	Sampling Date Sample Received Date Type of Sample	Ambient Air
Mines Status	: Operational	Sampling Procedure	: ELES/DOC/SMPL/02
Period of Analysis	; 20,09,2024 to 28,09,2024	Sampling Done By Sample Condition	Stated & Preserved

M	ETEOROLOGICAL INFOR	MATION			
1	Average Temperature ("C")	-29	2:	Barometric Pressure (mmlig)	: 740
3.	Relative Humidity (%)	061	4	Weather Condition	: Clear

Discipline: Chemic	fact.	Group:	Atmospherie i	Pollution
Parameter	Unit	Test Protocol	Result	Regulatory Limit
Particulate Matter (PM10)	µg/m³	IS 5182 (Part- 23): 2022	50	100 (24hrs)
Particulate Matter (PM2.5)	µg/m³	JS 5182 (Part- 24): 2019	25	60 (24hrs)
Sulphur Di-Oxide (SO ₂)	µg/m ¹	IS 5182 (Part- 2/Sec1): 2023	5.1	80 (24hrs)
Nitrogen Di-Oxide (NO ₁)	pg/m ²	15 5182 (Part- 6): 2022	17.5	80 (24hrs)
Ozone (O ₁)	μg/m ³	IS 5182 (Part- 9): 2019	<20.0	100 (8hrs)
Ammonia (NH ₁)	µg/m ⁴	IS 5182 (Part- 25): 2018	<6.61	400 (24hrs)
Carbon Monoxide (CO)	mg/m³	1S 5182 (Part- 10): 2019 (NDIR Method)	<1.0	2 (8hrs)
Lend (Pb)	μg/m ¹	IS 5182 (Part- 22): 2019	<0.002	1 (24hrs)
Nickel (Ni)	ng/m*	IS-5182 (Part- 26): 2020	< 5.0	20 (Annual)
Arsenic (As)	ng/m²	ELES/AIR/SOP/01: 2021	<2.0	06 (Annual)
Benzene (C _n (H _n)	µg/m	ELES/GC/SOP/06: 2023	<2.5	05(Annual)
Benzo-(a)-Pyrene	ng/m	ELES/GC/SOP/05: 2023	<0.5	01(Amount)

Reviewed by

****End of Report****

Ath

Dr. Deepersta William Sinha Ph. D. Environmental Engg.

rechnical Manager

Page For E

The Discount number has Report to most by the Laborator with The interesting training on Company letter and a greengeword form. The trainer state of the interesting training on the product of the produ



THE ROLL WHEN SHOULD DELIVE OWNER, AND PERSONS LINEAR PROPERTY. CD'10 DISTRICT



Enoth into Select coulty sets problem into con-PASSE NO - THE LANGUEST Manufacture and the same of th



TEST REPORT

Test Report No.	: ELES/RNC/2014/5512	Report Release Data	: 28.09.2024
Work Order No.	: 13612312113	Work Order Date	: 28.03,3024
UER Na.	: TC135872400003417F		

CUSTOMER DET	ATCS	SAMPLE DETAILS	
Customer Name	: Hindaleo Industries Limited	Sample Ref. No. Location	: ELES/RNC/2024/AA/6358 : Near Paintoll VIllage Serengdag-A Bauchte Mines (155,811a)
Addrest-	Lohardaga, theridand-835301	Sampling Date Sample Received Date Type of Sample	: 16.09.2024 to 17.09.2024 : 20.09.2024 Ambient Air
Mines Status	: Operational	Sampling Procedure	ELES/DOC/SMPL/02
Period of Analysis	20.09.2024 to 28.09.2024	Sampling Done By Sample Condition	: BLES Pvt. Ltd. : Senied & Preserved

MI	ETEOROLOGICAL INFORMATION			
1	Average Temperature (°C) = 29	2	Baromeiric Pressure (mmHg)	: 740
3	Relative Humidity (%) = 61	4.	Weather Condition	: Clear

Discipline: Chemic	enl	Group:	Atmospheric !	Pollution
Parameter	Unit	Test Protocol	Result	Regulatory Limit
Particulate Matter (PM10)	μg/m²	IS 5182 (Part- 23); 3022	57	100 (24hrs)
Particulate Matter (PM2.5)	µg/m³	IS 5182 (Part- 24): 2019	28	60 (24hrs)
Sulphur Di-Oxide (SO ₃)	μg/m³	IS 5182 (Pari- 2/Sec1); 2023	6.1	80 (24hrs)
Nitrogen Di-Oxide (NO ₂)	µg/m³	IS 5182 (Part- 6): 2022	17.3	80 (24hrs)
Ożone (O ₂)	μg/m [®]	1S 5182 (Part- 9): 2019	<20.0	100 (8hrs)
Ammonia (NH ₁)	µg/m³	1S 5182 (Part- 25): 2018	<10.0	400 (24hrs)
Carbon Monoxide (CO)	mg/m ³	15 5182 (Part- 10); 2019 (NDIR Method)	<1.0	2 (8hrs)
Lead (Pb)	μg/m [®]	IS 5182 (Part- 22): 2019	0.005	i (24hrs)
Nickel (Ni)	ng/m³	1S 5182 (Part-26); 2020	<6.0	20 (Annual)
Arsenic (Ás)	ng/m²	ELES/AIR/SOP/01: 2021	<2.0	06 (Annual)
Benzene (C ₄ H ₄)	ug/m³	ELES/GC/SOP/06: 2023	<2.5	Q5(Annual)
Benzo-(a)-Pyrene	ng/m³	ELES/GC/SOP/05: 2023	< 0.5	01(Annual)

Reviewed by AARDO PARTIES

****End of Report****

Authorised Signatory Dr. Deependra Kumar Sinha Ph. D. Environmental Enga

Page 1 of 1

Technical Manager The December String of the Source of the Laboratory under Comment Terms and Constraints under Constraints and a Company of the Source Institute of the Constraints of tions they make that abjunction of the committee of the Country of the Total Report is not offended using the producted or on. Bellets country of the law All the complete any control in Phase from the line of release control Report. The samples from Replacing to the control of specified. Any type of Observation of the English regarding the Report will be for a second to the sample of the sample of



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (JHARKHAND) GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: Info@elespl.co.in , eles.ranchi@amail.com

Phone no.: 0651-2290103 Website: www.elespl.co.in



TC-1388

TEST REPORT

Test Report No.	: ELES/RNC/2024/5527	Report Release Date	: 28.09.2024
Work Order No.	: 13612312113	Work Order Date	: 28.03.2024
ULR No.	: TC135872400003432F		

CUSTOMER DETAILS		SAMPLE DETAILS		
Customer Name Address	: Hindalco Industries Limited : Lohardaga, Jharkhand-835302	Sampling Date Sampling Received Date Type of Sample Sampling procedure Sampling Done By	18.09,2024 to 19.09,2024 : 20.09,2024 Ambient Noise : ELES/DOC/SMPL/03 : ELES Pvt. Ltd.	
Mines Status	: Operational	Period of Analysis	: 20.09.2024 to 28.09.2024	

M	ETEOROLOGICAL INFORMA	TION		
1	Average Temperature (%C) : 29	2	Barometric Pressure (mmHg	:740
3	Relative Humidity (%) : 58	4	Weather Condition	: Clear

Discipline : Chemical			Group: Atmospheric Pollution		
Location	Unit	Test Protocol	Rest	ilt	Regulatory Limit (Industrial Zone)
Nane Mina Dit	81ha)		Time	Log	
Serengdag- B Bauxite Mines (155.81ha)		IS 9989: 2020	Day Time	72	75 dB(A) Day Time &
Sample ID: ELES/RNC/2024/AN/6373		13 7707, 5050	Night Time	49	70 dB(A) Night Time



****End of Report***

Dr. Deeperided Kinngrey Inha Ph. D. Environmental Engg. Technical Manager

Page 1 of 1

The Document stated as Test Report is issued by the Laboratory under General Terms and Canditions, only on Company letter head in pre-approved limital. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information of data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and try part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attentions at drawn to the limitation of liability, compensation and jurisdiction issues. Any unsuntherized alternation & fairficiation of the content or appearance of the Test Report is unlowful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30 days from the Date of refenselissue of the Test Report, is unlowful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for 30 days from the Date of refenselissue of the Test Report is Report released as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15 days from the Date of Test Report released issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24 hours format. Abhreviation used: N/A (Not Applicable), BDI (Below Detection Limit); LDI (Limit).



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (JHARKHAND) GST NO:-20AAECE9713D124

GINEERING SERVICES PVT. LTD.

Email: Info@elespl.co.in , eles.ranchi@gmail.com

Phone no.: 0651-2290103 Website: www.elespl.co.in



TE-13587

TEST REPORT

Test Report No.	: ELES/RNC/2024/5531	Report Release Date	: 28.09.2024
Work Order No.	: 13612312113	Work Order Date	28.03.2024
ULR No.	: TC135872400003436F		

CUSTOMER DETAILS		SAMPLE DETAILS		
Customer Name Address	: Hindalco Industries Limited : Lohardaga, Jharkhand-835302	Sampling Date Sampling Received Date Type of Sample Sampling procedure Sample Drawn By	: 18.09.2024 : 20.09.2024 : Workzone Noise : ELES/DOC/SMPL/03 : ELES Pvt. Ltd.	
Mines Status	: Operational	Period of Analysis	: 20.09.2024 to 28.09.2024	

M	ETEOROLOGICAL INFORMATION			
1	Average Temperature (°C) : 30	2	Barometric Pressure (mmH	(g) ±740
_	Relative Humidity (%) : 59	4	Weather Condition	: Clear

Location	Unit	Test Protocol	Res	ult	Regulatory Limit (Industrial Zone)
Mine Pit Quarry No 2B			Time	L_{eq}	
Serengdag-B Bauxite Mines (140.07ha)	dB(A)	IS 4758: 2017	Day Time 72	72	90 dB (A)
Sample ID: ELES/RNC/2024/WN/6377			Day Time		

Nes & Eng Reviewed by

****End of Report***

Dr. Deependra Kumar Sinha Ph. D. Environmental Engg. Technical Manager

Page 1 of 1

The Document stated as Vest Report is issued by the Laborators under General Terms and Conditions, only on Company letter head in pre-approved format. The results shown in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory or the time of involvensem only and within the limas of client's instructions. The Laboratory is responsible for all the information or time provided on the report, except the information which is provided by the client. The Report cannot be sepreduced except in fall and any part of the seport is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Massagement of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unanthroused alteration & falsification of the consent or appearance of the Test Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for Abdays from the Date of releasements of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Compilators regarding the Reports shall be done within 15days from the Date of Test Report released/issued. After the time period stated before, no complaints will be accupied. The entire Time schedule insentional to Test Report is in 24hours format. Abbreviation used: 5/A (Not Applicable). BDI: (Below Detection Lamil; LDI, (Lower Detection Limit)



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (JHARKHAND) GST NO:- ZBAAECE9713D1Z4

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in , eles ranchi@gmail.com

Phone no.: 0651-2290103 Website: www.elespi.co.in



TEST REPORT

Test Report No.	: ELES/RNC/2024/5539	Report Release Date	: 28.09.2024	
Work Order No.	: 13612312113	Work Order Date	: 28.03.2024	
ULR No.	: TC135872400003444F			

CUSTOMER DET	AILS	SAMPLE DETAILS		
Customer Name Address	: Hindalco Industries Limited : Lohardaga, Jharkhand-835302	Sample Ref. No. Sampling Date Sample Received Date Type of Sample Source of Sample Location of Sample	: ELES/RNC/2024/SW/638: : 18.09.2024 : 20.09.2024 : Surface Water : Spring Water : Chapa Kona, Screngdag-B Bauxite Mine (140.07ha)	
Mines Status	Operational	Sampling Procedure	: ELES/DOC/SMPL/01	
Period of Analysis	: 20.09.2024 to 28.09.2024	Sampling Done By Sample Condition	: ELES Pvt. Ltd. : Sealed & Preserved	

Discipline: Chemical		G	roup: Water	Tolerance Limits
Parameter	Unit	Test Protocol	Result	as per 1S 2296-1992 Class C (Inland Surface Water)
pH (at 24.6 °C)	- 0	IS 3025 (Part-11) : 2022	6.54	6.5-8.5
Colour	Hazen	IS 3025 (Part -4): 2021	5.0	300
Odour	- 1	IS 3025 (Part-5): 20)8	Unobjectionable	4
Turbidity	NTU	IS 3025 (Part-10): 2023	0.84	-
Total Dissolved Solids (TDS)	mg/L	IS 3025 (Pari-16): 2023	74	1500
Total Alkalinity (as CaCO ₃)	mg/L.	IS 3025 (Part-23); 2023	21.7	
Total Hardness (as CaCO ₂)	mg/L	IS 3025 (Part-21): 2019	27.2	÷.
Sulphate (as SO ₄)	mg/L	IS 3025 (Part-24/Sec1): 2022	BDL (DL: 1.0)	400
Chloride (as CI)	mg/L	IS 3025 (Part-32): 2019	12.6	600
Fluoride (as F)	mg/L	IS 3025 (Part-60): 2019	BDL (DL: 0.1)	1.5
Nitrate (as NO ₁)	mg/L	APHA 24 th Ed.2023, 4500 NO ₅ -B	BDL (DL: 0.5)	50

Page 1 of 4

The Document stated as Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved format. The results shows in the Test Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings dinie by the Laboratory at the time of involvement only and within the limits of elient's instructions. The Laboratory is responsible for all the information or data provided on the report, except the referenation which is provided by the client. The Report cames be reproduced except in full and any part of the report is not taken out of context. without prior written appenyal of the Laboratory. The Report in full or in part shall not be jublished, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Asternion is drawn to the limitation of liability, compensation and jurisdiction issues. Any manufaction & labelication of the content or appearance of the Ten Report is unlawful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for Abdays, from the Date of release/sesser of the Test Report. The samples from Regulatory bodies are to be retained as speciafied. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report released issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours formst. Abbreviation used N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (IHARKHAND) GST NO:- 20AAECE97130124

ENGINEERING SERVICES PVT. LTD

Email: Info@elespl.co.in , eles.ranchi@amail.com Phone no.: 0651-2290103

Website: www.elespl.co.in



TEST REPORT

: ELES/RNC/2024/5539 : 28.09.2024 Test Report No. Report Release Date Work Order No. Work Order Date : 28.03.2024 : 13612312113

ULR No. : TC135872400003444F

Discipline : Chemical	2.1	Group : Wa	ter	Tolerance Limits
Parameter	Unit	Test Protocol	Result	as per IS 2296-1992 Class C (Inland Surface Water
Free Residual Chlorine (RFC)	mg/L	IS 3025 (Part-26): 2021	BDL (DL: 0.1)	44
Phenols Compounds (as C ₃ H ₂ OH)	mg/L	IS 3025 (Part-43/Sec1): 2022	BDL (DL: 0.001)	0.005
Calcium (as Ca)	mg/L	IS 3025 (Part-40): 2019	6.2	
Discipline : Cher	oup: Residues	in Water		
Aluminum (as Al)	mg/L	IS 3025 (Part-55): 2003;RA2019	BDL (DL: 0.02)	+1
Arsenic (as As)	mg/L	18 3025 (Part 37):2022	BDL (DL; 0.005)	0.2
Boron (as B)	mg/l.	IS 3025 (Part-57): 2021	BDL (DL: 0.2)	- 22
Cadmium (as Cd)	mg/L	APHA 24th Ed.2023; 3111B	BDL (DL: 0.003)	0.01
Total Chromium (as Cr)	mg/L	APHA 24th Ed.2023; 3111B	BDL (DL: 0.03)	0.05
Copper (as Cu)	mg/L	APHA 24th Ed.2023; 3111B	BDL (DL: 0.03)	1.5
Iron (as Fe)	mg/L	APHA 24th Ed.2023; 3111B	0.215	50
Lead (as Pb)	mg/L	APHA 24th Ed.2023; 3111B	BDL (DL: 0.01)	0.1
Manganese (as Mn)	mg/L	APHA 24 th Ed.2023; 3111B	BDL (DL: 0.05)	14
Mercury (as Hg)	mg/L	IS 3025(Part-48): 1994; RA2019	BDL (DL: 0.001)	44
Selenium (as Se)	mg/L	IS 3025(Part-56); 2019	BDL (DL: 0.01)	0.05
Zinc (as Zn)	mg/L	APHA 24th Ed.2023; 3111B	BDL (DL: 0.1)	15

Page 2 of 4

The Document stated in Test Report, is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved formit. The results shown in the Test Report refer or relates only to the job analysis done by the Laboratory ordy. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of chent's instructions. The Laboratory is responsible for all the information or data provided on the report, except the information which is provided by the client. The Report cannot be reproduced except in full and any part of the report is not taken out of context. withing prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Munagement of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alteration & falsification of the content or appearance of the Test Report is unlawful and offenders may be prosecuted to the follow extent of the law. All the samples are retained for 30days from the Date of release issue of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15thays from the Date of Test Report released/issued. After the time period nated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format, Abbreviation used: N/A (Not Applicable); BDI. (Below Detection Limit); LDI. (Lower Detection Limit



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, HANCHI-834003 (JHARKHAND) GST NO:-20AAECE97130124

ENGINEERING SERVICES PVT. LTD

Email: Infa@elespl.co.ln , eles.ranchi@gmail.com Phone no.: 0651-2290103

Phone no.: 0651-2290103 Website: www.elespl.co.in



TEST REPORT

Test Report No. : ELES/RNC/2024/5539 Report Release Date : 28.09.2024

Work Order No. : 13612312113 Work Order Date : 28.03.2024

ULR No. : TC135872400003444F

Discipline : Cher	mical	Group: Res	idues in Water	Tolerance Limits
Parameter Unit		Test Protocol	Result	as per 1S 2296-1992 Class C (Inland Surface Water
Cyanide (as CN)	mg/L	APHA 24th Ed.2023, 4500 CN-E	BDL (DL; 0,012)	0.05
Polynuclear Aromatic Hydrocarbons (PAH)	μg/L	ELES/GC/SOP/04: 2023	BDL (DL: 0.05)	· ·
Pesticides				
Alachlor	µg/L	ELES/GC/SOP/01: 2023	BDL (DL: 0.5)	
Atrazine	μg/L	ELES/GC/SOP/01: 2023	BDL (DL; 0.5)	-
Butachlor	μg/L	ELES/GC/SOP/01: 2023	BDL (DL: 0.5)	+
Chlorpyriphos	μg/L	ELES/GC/SOP/01: 2023	BDL (DL: 0.5)	#
Ethioa	μg/L	ELES/GC/SOP/01: 2023	BDL (DL: 0.5)	
Malathion	μg/L	ELES/GC/SOP/01: 2023	BDL (DL: 0.5)	167
Methyl parathion	μg/L.	ELES/GC/SOP/01: 2023	BDL (DL; 0.1)	+
Monocrotophos	µg/L	ELES/GC/SOP/01: 2023	BDL (DL: 0.5)	-
Phorate	μg/L	ELES/GC/SOP/01: 2023	BDL (DL: 0.5)	-
Phorate Sulphone	μg/L	ELES/GC/SOP/01: 2023	BDL (DL: 0.5)	
Dieldrin	pg/L	ELES/GC/SOP/02: 2023	BDL (DL: 0.01)	2

Page 3 of 4

The Document stated as Test Report, is insued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved formst. The results shown in the Tast Report refer or relates only to the job/analysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory of the time of involvement only and within the limits of effect's instructions. The Laboratory is responsible for all the information or data provided on the report except the information which is provided by the effect. The Report cannot be reproduced except in full and any part of the report is not taken out of context, without prior written approval of the Laboratory. The Report in full or in part shall not be published, advertise, used for any tegal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized alternation & labelity from the Date of referencessing of the Test Report is unlessful and offenders may be prosecuted to the fullest extent of the law. All the samples are retained for Judges from the Date of referencessing of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15days from the Date of Test Report reference/issued. After the time period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable); BDL (Below Detection Limit); LDL (Lower Detection Limit).



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (JHARKHAND) GST NO:- 204AECE9713D1Z4

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in , eles_ranchi@gmall.com

Phone no.: 0651-2290103 Website: www.elespl.co.in



707-12587

TEST REPORT

Test Report No.	: ELES/RNC/2024/5539	Report Release Date	: 28,09,2024
Work Order No.	: 13612312113	Work Order Date	: 28.03.2024
ULR No.	: TC135872400003444F		

Pesticides				Tolerance Limits
Parameter	Unit	Test Protocol	Result	as per 1S 2296-1992 Class C (Inland Surface Water)
Alpha HCH	µg/L	ELES/GC/SOP/02: 2023	BDL (DL: 0.006)	+
Beta HCH	μg/L	ELES/GC/SOP/02: 2023	BDL (DL: 0.02)	-
Delta HCH	μg/L	ELES/GC/SOP/02: 2023	BDL (DL: 0.02)	e
Gamma HCH (Lindane)	μg/L	ELES/GC/SOP/02: 2023	BDL (DL: 0.02)	-
Endosulfan (alpha, beta and sulphate)	μg/L	ELES/GC/SOP/02: 2023	BDL (DL: 0.05)	Dec.
DDT(o,p and p,p-isomers of DDT) (DDE and DDD)	μg/L	ELES/GC/SOP/02: 2023	BDL (DL: 0.05)	-
Discipline: Biolo	gical	Gre	up: Water	
Total Coliform	CFU/100 mL	IS 15185: 2021	2.59×10 ²	
Escherichia coli	CFU/100 mL	IS 15185: 2021	24.0	-

Remarks: pH & RFC done at Lah

Reviewed by

****End of Report****

Authorised Signatory Dr. Deependra Kumar Sinha Ph. D. Environmental Engg.

Technical Manager

Page 4 of 4

The Document stand as Test Report, is issued by the Laboratory under General Terms and Conditions, only in Company letter head in pre-approved format. The results shown in the Test Report refer or relates only in the jobranalysis done by the Laboratory only. The information stated on the Test Report reflects the findings done by the Laboratory at the time of involvement only and within the limits of client's instructions. The Laboratory is responsible for all the information or data provided on the report except the information which is provided by the client. The Report causes be reproduced except in full and any part of the report is not taken out of consest, without prior written approval of the Laboratory. The Report in part shall not be published, advertise, used for any legal actions unless prior permission has been secured from the Management of the Laboratory. Attention is drawn to the limitation of liability, compensation and jurisdiction issues. Any unauthorized ditermine & falsification of the consent or appearance of the Test Report is unlawful and offenders may be prosecuted to the fuffest extent of the law. All the samples are retained for Judges from the Date of release/some of the Test Report. The samples from Regulatory bodies are to be retained in specified. Any type of Observations or Complaints regarding the Reports shall be done within 13days from the Date of Test Report is in 24hours format. Abbreviation used: N/A (Not Applicable), BDL (Below Detection Limit), LDL, (Lower Detection Limit).



PLOT NO-30, MANSAROVAR ENCLAVE, TUPUDANA HATIA, RANCHI-834003 (JHARKHAND) GST NO:- 20AAECE9713D124

ENGINEERING SERVICES PVT. LTD.

Email: info@elespl.co.in , eles.ranchi@gmail.com

Phone no.: 0651-2290103 Website: www.elespl.co.in

TEST REPORT

Test Report No.	: ELES/RNC/2024/5539	Report Release Date	: 28.09.2024	
Work Order No.	: 13612312113	Work Order Date	: 28.03.2024	

CUSTOMER DET	AILS	SAMPLE DETAILS		
Customer Name Address	: Hindalco Industries Limited : Lohardaga, Jharkhand-835302	Sample Ref. No. Sampling Date Sample Received Date Type of Sample Source of Sample Location of Sample	: ELES/RNC/2024/SW/6385 : 18.09;2024 : 20.09;2024 : Surface Water : Spring Water : Chapa Kona, Serengdag-B Bauxite Mine (140,07ha)	
Mines Status	; Operational	Sampling Procedure	: ELES/DOC/SMPL/01	
Period of Analysis	: 20.09.2024 to 28.09.2024	Sampling Done By Sample Condition	: ELES Pvt. Ltd. : Scaled & Preserved	

Discipline: Chemic	al	Gro	Tolerance Limits	
Parameter 1		Test Protocol	Result	as per IS 2296-1992 Class C (Inland Surface Water)
Taste	94	APELA 24th Ed,2023, 2160C	N/A	-
Anionic Surfactants (as MBAS)	mg/L	APHA 24th Ed.2023, 5540-C	BDL (DL: 0.025)	1.0
Mineral Oil*	mg/L	IS 3025 (Part-39):2021 (Clause 6 Infrared Specifoscopie Method)	BDL (DL: 0.01)	

Remarks: 1. (*) Parameters are outsourced to other Lab.

Reviewed by an analyst and analyst and analyst and analyst and analyst and analyst ana

****End of Report****

Dr. Deependra Kumar Sinha Ph. D. Environmental Engg. Technical Manager

Page 1 of 1

The Document stated as Test Report is issued by the Laboratory under General Terms and Conditions, only on Company letter head in pre-approved Stemal. The results shown in the Test Report reflects only as the job analysis done by the Laboratory only. The misroentom stated on the Test Report reflects the farallogs done by the Laboratory is responsible for all the information of the provided by the citem. The Report cannot be reproduced except in full and any part of the report is not taken out of cornect without prior written approval of the Laboratory. The Report is full on a part shall not be published, advertue, used for any legal actions unders prior permission has been second from the Management of the Laboratory. Attention is drawn in the limitation of liability, compensation and sensitions issues. Any unauthorized alternation it find fermion of appearance of the Test Report is unliability and offenders may be prosecuted to the lidiest extent of the law. All the samples are retained for follows for the latest extent of the law. All the samples are retained for follows from the Date of release over of the Test Report. The samples from Regulatory bodies are to be retained as specified. Any type of Observations or Complaints regarding the Reports shall be done within 15they from the Date of Test Report released/sected. After the later period stated before, no complaints will be accepted. The entire Time schedule mentioned in Test Report in p. 245 auras format. Abbreviation used. N/A (Not Applicable), BDI. (Below Describin Limits), LDI. (Lewer Detection Limits).



Annexure 3

Date - 22.11.2024

Office Order

Environmental Cell has been re-constituted at Serengdag Bauxite Mine (Area 77.89 ha) comprising below mentioned team members. The team will ensure compliance of Environment Act, Regulation & Rule in respect of the said mines of Hindalco Industries Limited.

- 1. Mr. Akhilesh Sinha (Coordinator)
- 2. Mr. Narayan Pramanik (Geologist)
- 3. Ms. Abhilasha Singh-Environment Engineer
- 4. Mr. Anand Prakash Tiwari Environment Engineer

The Undersigned is the in charge of above Environment Management Cell constituted for the purpose of ensuring compliances of environmental act rule and regulation for the above mine.

Basudev Gangopadhyay
AVP (Planning, Environment & Compliance)

Annexure 4

	Production, Mined Out, Back Filled and Over Burden removal from April'24 to September'24							
S No	Name of the Mines	Mining lease area (ha)	Production Capacity (MT)*	Lease Period*	Production (MT)	Mined out area (ha)	Back filled area (ha)	Over burden (Cu.M)
1	Bagru Bauxite Mine	75.41	85000	22.01.1974 to 31.03.2030	NIL	NIL	NIL	NIL
2	Bhusar Bauxite Mine	65.31	280000	11.07.1981 to 31.03.2030	82481	0.25	0.57	191521.65
3	Hisri (New) Bauxite Mine	14.55	100000	19.07.1981 to 31.03.2030	63197	0.45	0.35	26905.95
4	Pakhar (8.09) Bauxite Mine	8.09	80000	16.05.1973 to 31.03.2030	NIL	NIL	NIL	NIL
5	Pakhar (35.12) Bauxite Mine	35.12	200000	17.04.1975 to 31.03.2030	NIL	NIL	NIL	NIL
6	Pakhar (115.13) Bauxite Mine	115.13	300000	19.07.1996 to 31.03.2030	96744	4.29	8.89	365249.34
7	Sherangdag-A Bauxite Mine	155.81	260000	16.10.1974 to 31.03.2030	6200	0.23	0.2	10200.00
8	Serangdag-B Bauxite Mine	77.89	100000	04.10.1978 to 31.03.2030	49850	0.96	0.85	104303.82
9	Jalim & Sanai Bauxite Mine	12.14	50000	16.10.1974 to 31.03.2030	12450	0.14	0.12	13050.63
10	Gurdari Bauxite Mine	584.19	325000	23.03.1985 to 22.03.2035	96115	4.69	2.46	185023.98
11	Kujam - I Bauxite Mine	80.87	150000	13.03.2006 to 12.03.2056	7175	0.97	0.43	21377.24
12	Kujam - II Bauxite Mine	157.38	300000	24.03.2006 to 23.03.2056	49120	5.28	3.56	137098.55
13	Amtipani Bauxite Mine	190.95	150000	13.03.2006 to 12.03.2056	87109	2.153	0.987	225462.85

	Minerals & Minerals Limited							
14	Pakhar (109.507) Bauxite Mine	109.507	280000	26.07.2008 to 25.07.2058	147714.95	2.06	2.60	160334.49
15	Pakhar (15.58) Bauxite Mine	15.58	60000	28.04.1965 to 31.03.2030	NIL	NIL	NIL	NIL
16	Bimarla Bauxite Mine	134.526	300000	18.07.2009 to 17.07.2059	78750	4.44	7.35	116233.81
17	Amtipani Chirodih Bauxite Mine	130.01	450000	11.01.2017 to 10.01.2067	140900	4.25	1.50	235195.494

^{*}Static information about the mines included in the above table

Basudev Cangopadhyay

AVP (Planning, Environment and Compliance)

BREAK UP THE COST OF ENVIRONMENTAL MEASURES DURING THE YEAR 2024-25

The composite cost during the year 2023-24 for environmental protection & pollution control by Jharkhand Mines division of M/s Hindalco Industries Ltd & M/s Minerals & Minerals Ltd for implementation of the suggested measures in EC at our all the operating mines in the state of Jharkhand-namely Bagru (75.41 ha), Hisri New (14.55 ha), Bhusar (65.31 ha), Pakhar (115.13 ha), Pakhars (109.507 ha), Pakhar (15.58 ha), Pakhar (8.09 ha), Pakhar (35.12 ha), Sherangdag (155.81 ha), Serangdag (77.89 ha), Jalim & Sanai (12.14 ha), Bimarla Bauxite Mines (134.526 ha), Gurdari (584.19 ha), Amtipani (190.95 ha), Kujam I (80.87 ha) Kujam II (157.38 ha), and Amtipani Chirodih (130.01 ha) Bauxite Mines.

S No	Description	Budget (in Rupees) FY 2024-25 (From Apr'24 to Sep'24)	Actual (in Rupees) FY 2024-25 (From Apr'24 to Sep'24)
1	Pollution Control & Environment monitoring	61,35,000.00	53,47,442.83
2	Reclamation/ Back filing & Rehabilitation**	5,62,80,000.00	5,60,24,564.93
3	Green belt, Plantation & Water sprinkling arrangement	73,42,000.00	69,41,114.17
4	Rural Development	2,75,00,000.00	2,05,55,592.67

^{**}Part of OB removed cost.

Basudev Gangopadhyay AVP (Planning, Environment & Compliance)

30/9/24

ź	1			
	Ranthy Organ	39	14	
2	Lalley Map Ci	28	n	
3	Ranthy Mahle :	30,	M	
4		23	M	
5	Raviendai Yadav	39	14	
6	Binam Draon	20)	19	
7	Dinesh Mahali	31	N/	
	1	32	Ŋ	
	n o l	2	14	
10	Manoj Kumar 2	.4	M	
11	Dinesh Kumar 3	2 P	2	
	n III	9 14	XT III	
13	Ravi Drapp 18	B)	
-14	Bisu Kherwar 29	14		
15	Joseph Latra 36	N		

16/4/2024

- To the second	
Dahry Oraon 31 14	
17/11	
17/1/24	
Bishnudayal Draon 33 M	
2 Tomangal Oraco 40 14	-
3 Sukesh Draon ag 14	
4 Lalder Yadar 47 M	
5 Saniau Dra	
- 6. Kalendar Cal	
7 Avril prajapati 314	A Commence of the last
8 Paul Colon	
No Ravi Basiele 28 4	Total Street or Williams
9 Shyam Kumai 474	STREET, SQUARE,
to Brijkishox Oxaon 25 M	

FORM "O"

(See Rule 29 F(2) and 29L) REPORT OF MEDICAL EXAMINATION UNDER RULE 29 B (TO BE ISSUED IN TRIPLICATE)**

Certificate No:	Security-01 SHD						
Certified that has been examined for an The findings of the examin	Ravi Bariek Initial ning authority are given in the attached sheet. It is			in de appe vi Bariek	Shrengdag ears to be	g Bauxite Mine Loherdaga 28	, Form-A No. years of age.
✓	a. Is medically fit for any employment in mine	es.					
×	b. Is suffering from (i) Any employment in mines, or (ii) Any employment below groun (iii) Any employment or work	d, or	and is medically unfit	t for			
*	c. Is suffering from examined within a period of of test of specialist from his duties during this period. Photograph of Employee		and should get this di	. He	appear for re-e the opinion c be permitted/i	examination with the result	hity tter
Place Rajendra Hospital , I	Ravi Bariek				Dr. (Hindale Reg.	DR OMPRAKASH DUBEY ST.CONSULATANT Reg-No-33297 BR2002 mprakash Du Sr. Consultant co Mines Divi., Loharda No33297, BR-200	boy aga 12

17/7/2024 *Delete whatever not applicable.

**One copy of the certificate shall be handed over to the person concerned and another copy shall be sent to the Manager of the mine concerned by registered post and the third copy shall be retained by the examining authority.

pg. 1 of 5

 $\textbf{Report of the Examining Authority} \\ \textbf{(To be filled in for every medical examination whether initial or periodical or re-examination or after cure/control of disability)} \\$

entification Mark:	A Cutmark on Lt	Hand		Left thumb impression of the Candidate
1. Company I Davidson was to				17504
1 General Development 2 Height	157 cms	_		
3 Weight				120
4 Eyes	Kgs			Var L
(i) Visual Acuity - Distant Vision	(with or with NORMAL)			
(1) Fisher Fleurey Discusse Fisher	Right Eye 6/6	Left Eye	6/6	without glasses
(ii) Any organic disease of eyes	NO NO		0/0	— Without glusses
*(iii) Night Blindness	NO			
*(iv) Colour Blindness	NO			
(v) Squint	NO			
(*to be tested in special cases)				
5 Ears				
(i) Hearing:	Right Ear WNL	Left Ear	WNL	
(ii) Any organic disease	NO			
6 Respiratory System:				
Chest Measurement				
(i) After full inspiration	94	cms		
(ii) After full expiration	90	cms		
7 Circulatory System				
Blood Pressure	110/70	mm of Hg		
Pulse	76	per minute		
8 Abdomen				
Tenderness	CNAD			
Liver	CNAD			
Spleen	CNAD			
Tumor	CNAD			
9 Nervous System				
History of Fits or Epilepsy	NO NO	_		
Paralysis Martal Health	NO			
Mental Health D Loco Motor System	NORMAL NORMAL			
1 Skin	FAIR			
2 Hernia	NIL			
3 Hydrocele	NIL			
4 Any other abnormality	NO			
5 Urine				
Reaction	ACIDIC			
Albumin	NIL	-		
Sugar	NIL			
6 Skia gram of chest	NORMAL			
-	cessary by the examining authori	tv	ECG. SPIROMETRY T	EST, AUDIOMETRY TEST & BLOOD TEST
8 Any opinion of specialist cons		•	NA NA	

Place: Hindalco Industries LTD Mines Divn-Lohardaga

Signature of Examining Authority

Omprakash Dubay Sr. Consultant Hindalco Mines Divi., Lohardaga Reg. No.-33297, BR-2002

Report of Medical Examination as per the recommendations of National Safety Conferences in Mines

(To be used in continuation with Form "O")

Certificate No.	Shrengdag 001	
Name	Ravi Bariek	
Identification Marks	A Cutmark on Lt Hand	_

1. Cardiological Assessment

Auscultation	S1		
	S2		
	Additional Sound		
Electrocardiograph (12 Leads) Findings	Normal	

Enclosed ECG

2. Neurological Assessment

Findings	Normal/Abnormal		
Superficial Reflexes	NORMAL		
Deep Reflexes	NORMAL		
Peripheral Circulation	NORMAL		
Vibrational Syndromes	NORMAL		

3.ILO Classification of Chest Radiograph

Perfusion of Pneumoconiotic opacities	Grades	Types
Absent	1	0/0

Enclosed Chest Radiograph

pg. 3 of 5

Rajendra Hospital

Palmer Ganj, Lohardaga

Patient: RAVI BARAIK

Refd.By:

6

5

4

3

2

1

0

OFEV1

Pred.Eqns: RECORDERS

: 17-07-2024 11:43 AM Date

Age : 28 Yrs


Height: 165 Cms


Weight : 50 Kgs : SHD 204 Gender : Male Smoker : No


Eth. Corr: 100

Temp









(FEV1/FVC) %Pred

(FEV1/FVC) %Pred

		F	VC Resu	lts	(FEV1	./FVC) %Pr	ed
Paramete	er	Pred	M.Pre		M. Post	%Pred	%Imp
FVC	(L)	03.37	02.63	078			
FEV1	(L)	02.88	02.63	091			Street Street, April
FEV1/FVC		85.46	100.00		~		****
FEF25-75	(L/s)	04.38	05.59	128			
PEFR	(L/s)	08.92	05.87	066			Mirach ecopys Tamm
FIVC	(L)		04.46				
FEV.5	(L)		02.52				
FEV3	(L)	03.27	02.63	080			6007 4400 -bat
PIFR	(L/s)		01.77				
FEF75-85	(L/s)						
FEF.2-1.		07.45	04.62				
FEF 25%	(L/s)		05.41	073			700 000 000
FEF 50%	(L/s)	07.94	05.27	066			me this year
FEF 75%		05.85	05.80	099			
FEV.5/FV	(L/s)	03.14	05.23	167			
FEV3/FVC			95.82				dent was plan
	(용)	97.03	100.00	103			Name where the
FET	(Sec)		00.55				
ExplTime	(Sec)		00.05				200
Lung Age	(Yrs)	028	031	111			- One was
FEV6	(L)	03.37					- Mar 4-
FIF25%	(L/s)		01.33				
FIF50%	(L/s)		01.01				900 mar at
FFF7Fest	(LPB) S	everity	00.00				skill Japan Sanar
est within	normal		-3.00				ANALY SERVICE CONTROL OFFICE AND ADDRESS A

Pre Medication Report Indicates Early Small Airway Obstruction as FEF 25-75 %Pred or PEFR %Pred < 70 Mild Restriction as (FEV1/FVC)%Pred >95 and FVC%Pred <80

> Om Prakash Dubey Dr. General Physician

http://www.rmsindia.com © TMS Spindneren He Os (2.60) Sr. Consultant Hindalco Mines Divi., Lohardaga Reg. No. 120 1 S.P. 2002

5

6 T(Seconds)

Rajendra Hospital

Palmer Ganj, Lohardaga

: SHD 204

Patient: RAVI BARAIK

Refd.By:

Pred.Eqns: RECORDERS


Date : 17-07-2024 11:43 AM


Age : 28 Yrs Height : 165 Cms Weight : 50 Kgs

Gender : Male Smoker : No

Eth. Corr: 100 Temp :







F(Litres/Sec) 14 12 PEFR , 8 □FEF25% 6 -QFEF50% 4 FEF75% 2 V(Litres) FVC 0 -2 -4 -6 -8 -10 <u>V(Litres)</u> PRE -- POST 6 5

3

2

1

ofEV1

Paramete	r	Pred	rometry				
				*Prec	M.Pos	t%Pred	%Imp
FVC FEV1	(L)	03.37	02.63	078			
FEV1/FVC	(L)	02.88	02.63	091			
	1 4 /	85.46	100.00	117			
FEF25-75	(L/s)	04.38	05.59	128			
PEFR	(L/s)	08.92	05.87	066			
FIVC	(L)		04.46				*****
FEV.5	(L)		02.52				_
FEV3	(L)	03.27	02.63	080			****
PIFR	(L/s)		01.77				Made annu regul
FEF75-85	(L/s)		04.62				
FEF.2-1.2	2(L/s)	07.45	05.41	073			
FEF 25%	(L/s)	07.94	05.27	066			
FEF 50%	(L/s)	05.85	05.80	099			
FEF 75%	(L/s)	03.14	05.23				-the may make
FEV.5/FVC				167			****
FEV3/FVC	(왕)	97.03	95.82				
FET	(Sec)		100.00	103			THE WHILE SHALL
ExplTime	(Sec)		00.55				Make Trees
Lung Age	(Yrs)		00.05				
FEV6		028	031	111			
FIF 25%	(L)	03.37					Now have some
FIF 50%	(L/s)		01.33				
	(L/s)		01.01				
	(L/s)		00.00				
SVC	(L)						
CRV	(L)	01.48					
RV	(L)						
	/min)						
	/min)						
	(sec)						
'e	(sec)						
T	(L)						
T/Ti							70.00
i/Ttot							White more graph
C	(L)						
	min)	137					two spec
(23)	min)	13/					TM 64, 44
VT (1/							
A T	(L)						

Pre Medication Report Indicates
Early Small Airway Obstruction as FEF 25-75 %Pred or PEFR %Pred < 70
Mild Restriction as (FEV1/FVC)%Pred >95 and FVC%Pred <80

Dr. Om Prakash Dubey General Physician

http://www.rmsindia.com/p.RMS/Spiromater(Helios/v3/2.60)

5 6

T(Seconds)

DFEV6FVC

Report of Medical Examination under Mines Rule 29B (To be used in continuation with Form "O")

Certificate No.	Shrengdag 001				
Name	Ravi Bariek				
Identification Marks	A Cutmark on Lt Hand				

Result of Lung Function Test (Spirometry)

Parameters	Predicted Value	Performed Value	% Of Predicted	
Forced Vital Capacity (FVC)	3.37	2.63	78	+
Forced Exhalation Volume in				
1 st Second(FEV1)	2.88	2.63	91	
FEV1/FVC	85.46	100	117	1
Peak Expiratory Flow	8.92	5.87	66	1

Enclosed Spirometry Report:

Signature of the Examination Authority

Hindalco Mines Divi., Lohardaga Reg. No.-pg.5 of 5-2002

RMS

RECORDERS AND MEDICARE SYSTEM PVT LTD

#196, Industrial Area Phase I, Panchkula, 134113

Patient ID : 0376 Name : RAVI BARIK


CR Number: 20240717104306

Registration Date: 17-Jul-2024

Age : 28

Gender: Male

Operator: RAJENDRA HOSPITAL LOHARDAGA



	125 Hz	250 Hz	500 Hz	750 Hz	1000 Hz	1500 Hz	2000 Hz	3000 Hz	4000 Hz	6000 Hz	8000 4
X - Air Left			25		20		15	10	30	35	40
O - Air Right			20		25		20	15	40	(35)	50
> - Bone Left										(00)	30
< - Bone Right											

	Average	High	Mid	Low
AIR Left	N.A	28.75 dB	N.A	N.A
AIR Right	N.A	35.00 dB	N.A	11.6
		Total de	N.A	N.A

Clinical Notes:

Not Found

1 Smit

https://www.rmsindia.com @ RMS Audiometer(HERMES_v3.0.0.7)

Print Date:17-Jul-2024

Dr. Omprakash Dubay Sr. Consultant Hindalco Mines Divi., Lohardaga Reg. No.-33297, BR-2002 4. Audiometry Findings

Conduction Type	Left Ear	Right Ear
Ear Conduction	Normal	Normal
Bone Conduction	Normal/Abnormal	Normal/Abnormal

Enclosed Audiometry Report

5 Pathological /Microbiological Investigations

S.No.	Tests	Findings	
1	Blood-TC, DC, Hb%, ESR, Platelets Count	WNL	
2	Blood Sugar- Random	99 mg/dl	
3	Lipid Profile	WNL	
4	Blood Urea and Serum Creatinine	WNL	
5	5 Routine Examination of Urine		
6	Stool Routine	WNL	

Enclosed Investigation Reports

6. Special Test for Mn exposure (NOT APPLICABLE)

Beha	Behavioral Disturbances		
	Speech Defect	Present/Not Present	
	Tremor	Present/Not Present	
Nouvelogical	Adiadochokinesia		
Neurological		Present/Not Present	
Disturbances	Emotional Changes	Present/Not Present	

A	ny other spec	ial Test Requi	ired			

Signature on the Examination Authority

Markach Duboy

Sr. Consultant

Hindales Mines Pills Hindalco Mines Dig. 4 of 5 dags

				A HOSPITA REPORT ON EYE			iΑ		
f Employe	ee		Ravi Bariek	LFORT ON ETE	Age	28		Sex	Femai
tion		Se	ecurity Guard		Workir	ng S_#####	###_		
Employe	er/Industry	Hindalco	o Industries Ltd.	.(Mines Div.), I	.ohardaga				
No.									
cuity				·					
ision			NORMAL						
Segmen	t		NORMAI						
Segment			NORMAL	-					
PTION F	OR GLASSE	s	NORMAL	_					
PTION FO	OR GLASSE				SDH	Icvi		LEFT EYE	7
PTION F	OR GLASSE	AXIS	VISION	Distance	SPH	CYL	AXIS	LEFT EYE VISION	}
PTION FO	OR GLASSE			Distance Reading	SPH	CYL			
PTION FO	OR GLASSE			Distance Reading	SPH	CYL			
PTION FO	EYE CYL			_					
RIGHT SPH	EYE CYL			_	SPH LEFT EY	'E	AXIS	VISION	
RIGHT SPH RIGHT	EYE CYL	AXIS	VISION	_	LEFT EY				

Signature

Dr. Omprakash Duboy

Sr. Consultant

Hindalco Mines Divi., Lohardaga

Reg. No.-33297, BR-2002

Centre for Environment & Occupational Health

A Unit of Rajendra Hospital **Lohrdaga**

Certificate No.	Security-01 SHD	Date:	17/	7/2024	-	
Name	Ravi Bariek	Age:	28	_Sex:	femail	
CHEST X-RAY PA VI	EW REPORT					
Trachea:				CEN	TRAL	
Cardiac Shadow:				NO	RMAL	
Both Costophrenic	& Cardiophrenic angles:		2	NOI	RMAL	
Both side Bronchio	vascular markings are:			PRON	MINENT	
I.L.O. Classification	of Opacities:		0/0			
					1	
Impression:				Normal	Chest X-Ray	
				1.62750	RAKASH DUBEY	
				Sr. Consu	Barakash Dubon	

Hindalco Mines Divi.. Lohardaga Reg. No.-33297, BR-2002

RAJENDRA HOSPITAL HINDALCO INDUSTRIES, MINES DIVISION, LOHARDAGA

Certificate No.	Security-01 SHD	Date	17/07/2024	
Name	Ravi Bariek	28	Sex	Male

4.7:PATHOLOGICAL INVESTIGATION REPORT

1.BLOOD TEST

Si.No.	TEST		RESULT	NORMAL RANGE	REMARKS
1	DC			40-70%	
		EOSINOPHIL	5	01-05%	
		BASOPHIL	1	00-01%	
		LYMPHOCYTE	25	20-40%	
		MONOCYTE	4	02-08%	
2	ESR		6	0-15mm(1 st hour)	
3	HAEMOGLOBIN		14	11.0-16.0 gm%	


2.TOTAL COUNT

SL.	TEST	RESULT	NORMAL RANGE
1	TWBC	9,600	4,000-11000/Cmm
2	TRBC	4.2	3.5-6.2million/Cmm
3	Total Platelet	2.5	1.5-4.0Lac/Cmm

3.COMPLETE LIPID PROFILE

SL.	TEST	RESULT	NORMAL RANGE	REMARKS
1	CHOLESTROL	180	120-250mg/dl	
2	TRIGLCERIDE	100	40-150mg/dl	
3	HDL	54	>50mg/dl	
4	LDL	60	Risk>150mg/dl	
5	VLDL	20	22mg/dl	





Form 59 [See rules 115 (2)]

Pollution Under Control Certificate

Authorised By:

Government of Jharkhand

Date 17/09/2024 Time 14:20:22 PM Validity upto 16/03/2025

Certificate SL. No.

Registration No.

Date of Registration Month & Year of Manufacturing

Valid Mobile Number

Emission Norms

Code

GSTIN

Fees

MIL observation

JH01900240006160

JH08F9268

09/Feb/2005 February-2005

*****1360


BHARAT STAGE II

DIESEL

JH0190024

Rs.300.00

Vehicle Photo with Registration plate 60 mm x 30 mm



Sr. No.	Pollutant (as applicable)	Units (as applicable)	Emission limits	Measured Value (upto 2 decimal places)
1	2	3	4	5
adling Emissions	Carbon Monoxide (CO)	percentage (%)		
Calling Emissions	Hydrocarbon, (THC/HC)	ppm		
	со	percentage (%)	*	
High idling emissions	RPM	RPM	2500 ± 200	
	Lambda	-	1 ± 0.03	
Smoke Density	Light absorption coefficient	1/metre	2.45	0.22

This PUC certificate is system generated through the national register of motor vehicles and does not require any signature.

Note: 1. Vehicle owners to link their mobile numbers to registered vehicle by logging to https://puc.parivahan.gov.in

Authorised Signature with stamp of PUC Operator 60mm x 20 mm

Form 59

(See rules 115 (2))

Pollution Under Control Certificate

Authorised By :

Government of Jharkhand

Date : 10/10/2024 Time : 12:28:49 PM Validity upto : 09/04/2025



Centificate St. No Registration to Cate of Registration Month & Year of Manufacturing Vaid Mobile Number Emission Norms

JH01900240006311 JH08G9042 07/Jun/2003 Arre-2003(180) BHARAT STAGE 1

DIESEL 140190024

: Rs 300 00

Vehicle Photo with Registration plate 60 mm x 30 mm

PUC Coce

GSTIN

JH08G 9042

Sr. No.	Pollutant (as applicable)	Units (as applicable)	Emission limits	Measured Value (upto 2 decimal places)
ī	7	3	4	5
Idling Emissions	Carbon Monoxide (CO)	percentage (%)		
, , , , , , , , , , , , , , , , , , , ,	Hydrocarbon, (THC/HC)	ppm		
	co	percentage (%)		
High idling	RPM	RPM	2500 ± 200	
	Lambda		1 ± 0.03	
Smoke Density	Light absorption coefficient	1/metre	2.45	0.34

This PUC certificate is system generated through the national register of motor vehicles and does not require any signature.

Note: 1. Vehicle owners to link their mobile numbers to registered vehicle by logging to https://puc.parivahan.gov.in

Authorised Signature with stamp of PUC Operator 60mm x 20 mm

11. 4 632 49. 9

US.



Event Report

Velocity (mm/s)

Date/Time

Vert at 11:40:11 May 2, 2024

Trigger Source Range Record Time Geo: 0.700 mm/s Geo: 254.0 mm/s 3.0 sec at 2048 sps

Operator/Setup: Operator/BV.MMB

Notes

Location: Client: User Name: General:

Microphone PSPL

Linear Weighting 123.6 dB(L) at 0.452 sec

ZC Freq 123.6 d

Channel Test Passed (Freq = 19.7 Hz Amp = 1154 mv)

PPV PPV (Ponderated) PPV ZC Freq Time (Rel. to Trig) Peak Acceleration Peak Displacement Sensor Check	Tran 9.025 7.402 70.11 35 0.197 0.275 0.044 Passed	Vert 7.850 6.509 68.90 29 0.166 0.160 0.067 Passed	Long 8.363 7.590 69.45 22 0.122 0.191 0.057 Passed	mm/s mm/s dB Hz sec g mm
Sensor Check Frequency Overswing Ratio	7.3 4.6	Passed 7.3 4.5	Passed 6.9 4.9	Hz

Peak Vector Sum 10.39 mm/s at 0.198 sec

Serial Number Battery Level

File Name


UM17410 V 10-89 Micromate ISEE

3.8 Volts

Unit Calibration October 13, 2023 by UES New Delhi


__TEMP.EVT

DGMS India (A)



Frequency (Hz)
Tran: + Vert: x Long: Ø

a)Industrial Buildings b)Domestic houses/structures c)Historic objects, sensitive structures



Time Scale: 0.20 sec/div Amplitude Scale: Geo: 2.000 mm/s/div Mic: 10.000 pa.(L)/div Trigger = - - - -

Sensor Check



Date: 02.11.2023

To
The Dy. Director General of Forest (C)
Ministry of Environment, Forests and Climate Changes
2nd Floor, Headquarter-Jharkhand State Housing Board
Harmu Chowk, Ranchi, Jharkhand-834002.

Sub: Intimation of revalidated EC grant of Serangdag Bauxite Mine (Area: 77.89 Ha) of Hindalco Industries Limited, with production capacity of Bauxite 100000 TPA Villages: Serangdag, Hanrup and Paunri, Taluka: Bishunpur & Ghagra, District: Gumla, Jharkhand.

Sir,

We would like to bring this to your notice that revalidated EC has been granted for Serangdag-B Bauxite Mine by SEIAA, Jharkhand.

A copy of issued Environmental Clearnce is attached along with this letter for your ready reference.

Thanking You,

Yours Sincerely
For Hindalco Industries Ltd

(Basudev Gangopadhyay)





Date: 02.11.2023

To

The Member Secretary,
Jharkhand State Pollution Control Board,
TA Building, Dhurwa,
Ranchi (Jharkhand).

Sub: Intimation of revalidated EC grant of Serangdag Bauxite Mine (Area: 77.89 Ha) of Hindalco Industries Limited, with production capacity of Bauxite 100000 TPA near Villages: Serangdag, Hanrup and Paunri, Taluka: Bishunpur & Ghagra, District: Gumla, Jharkhand.

Sir,

We would like to bring this to your notice that revalidated EC has been granted for Serangdag-B Bauxite Mine by SEIAA, Jharkhand.

A copy of issued Environmental Clearnce is attached along with this letter for your ready reference.

Thanking You,

Yours Sincerely
For Hindalco Industries Ltd

(Basudev Gangopadhyay)

AVP (Planning, Environment & Compliance)

Sold Sold Report RANCH RANCH



Date: 02.11.2023

To

Gram Panchayat Mukhiya, Panchayat Bhawan, Aadar, Block-Ghagra, Gumla.

Sub: Intimation of revalidated EC grant of Serangdag Bauxite Mine (Area: 77.89 Ha) of Hindalco Industries Limited, with production capacity of Bauxite 100000 TPA Villages: Serangdag, Hanrup and Paunri, Taluka: Bishunpur & Ghagra, District: Gumla, Jharkhand.

Sir,

We would like to bring this to your notice that revalidated EC has been granted for Serangdag-B Bauxite Mine by SEIAA, Jharkhand.

A copy of issued Environmental Clearnce is attached along with this letter for your ready reference.

मुखिया ग्राम-आदर पंचायत-आदर धाधरा गुमला

Thanking You,

Yours Sincerely
For Hindalco Industries Ltd

(Basudév Gangopadhyay)



Date: 02.11.2023

To

Zilla Parishad, Gumla, Jharkhand.

Sub: Intimation of revalidated EC grant of Serangdag Bauxite Mine (Area: 77.89 Ha) of Hindalco Industries Limited, with production capacity of Bauxite 100000 TPA Villages: Serangdag, Hanrup and Paunri, Taluka: Bishunpur & Ghagra, District: Gumla, Jharkhand.

Sir,

We would like to bring this to your notice that revalidated EC has been granted for Serangdag-B Bauxite Mine by SEIAA, Jharkhand.

A copy of issued Environmental Clearnce is attached along with this letter for your ready reference.

Thanking You,

Yours Sincerely
For Hindalco Industries Ltd

(Basudev Gangopadhyay)





Date: 02.11.2023

To

District Industries Centre, Gumla, Jharkhand.

Sub: Intimation of revalidated EC grant of Serangdag Bauxite Mine (Area: 77.89 Ha) of Hindalco Industries Limited, with production capacity of Bauxite 100000 TPA Villages: Serangdag, Hanrup and Paunri, Taluka: Bishunpur & Ghagra, District: Gumla, Jharkhand.

Sir,

We would like to bring this to your notice that revalidated EC has been granted for Serangdag-B Bauxite Mine by SEIAA, Jharkhand.

A copy of issued Environmental Clearnce is attached along with this letter for your ready reference.

Thanking You,

Yours Sincerely
For Hindalco Industries Ltd

(Basudev Gangopadhyay)

AVP (Planning, Environment & Compliance)

Hindalco Industries Limited



Date: 02.11.2023

To
The Deputy Commissioner,
Office of the Deputy Commissioner (District General Branch),
New Collectorate Building Nag-01, Room No.-09,
Gumla, Pin 835207 (Jharkhand)

Sub: Intimation of revalidated EC grant of Serangdag Bauxite Mine (Area: 77.89 Ha) of Hindalco Industries Limited, with production capacity of Bauxite 100000 TPA Villages: Serangdag, Hanrup and Paunri, Taluka: Bishunpur & Ghagra, District: Gumla, Jharkhand.

Sir,

We would like to bring this to your notice that revalidated EC has been granted for Serangdag-B Bauxite Mine by SEIAA, Jharkhand.

A copy of issued Environmental Clearnce is attached along with this letter for your ready reference.

Thanking You,

Yours Sincerely
For Hindalco Industries Ltd

(Basudev Gangopadhyay)

