



Ref: HILS/HKD/24-25/329

28<sup>th</sup> November 2024

To,

The Dy. Director General of Forests (C)  
Integrated Regional Office,  
Ministry of Environment and Forests & CC,  
Government of India,  
A/3, Chandrasekharpur,  
Bhubaneswar - 751023

Sub: Submission of Six-monthly Compliance of Environment Clearance (EC) conditions for the period April'24 to September'24

Ref.: EC No.: (i) J-11011/400/2006-IA II (I), dated 6<sup>th</sup> February 2008 &  
J-11011/144/2006-IA II (I), dated 19 October 2009

Dear Sir,


With referene to the above stated Environment Clearance (EC), accorded to our Aluminium Smelter & CPP Plant at Hirakud in the district of Sambalpur, Odisha, please find enclosed herewith the point wise compliance to the conditions laid down in the EC for the period April'24 to September'24.

Due to some technical glitch in the Parivesh 2.0 portal while submitting the compliance, a copy of the same has been sent via email to [roez\\_bsr-mef@nic.in](mailto:roez_bsr-mef@nic.in). We will submit the compliance on the parivesh portal once the issue is resolved.

Thanking you.

Yours truly  
for M/s Hindalco Industries Ltd

Encl: As above

  
29/11/24  
Debasis Mallik  
Unit Head - Hirakud S&P

Copy for kind information to:

1. The Member Secretary, SPCB, Bhubaneswar
2. The Regional Director, Zonal office of CPCB, Kolkata
3. The Regional Officer, SPCB, Sambalpur

**Hindalco Industries Limited**

Hirakud Complex, Hirakud - 768 016, District : Sambalpur, Odisha, India

T : +91663 2481307 / 2481273 / 2481295 | Fax : +91 663 2481356 / 2481342 | E : [hindalco@adityabirla.com](mailto:hindalco@adityabirla.com)

W : [www.hindalco.com](http://www.hindalco.com)

Registered Office : 21st Floor, One International Center, Tower 4, Senapati Bapat Marg,  
Prabhadevi, Mumbai 400013

Corporate ID No.: L27020MH1958PLC011238



**Six-Monthly Compliance to the Environmental Clearance (EC) Conditions granted  
for 360 KTPA Smelter & 967.5 MW CPP  
of M/s Hindalco Industries Limited, At/PO - Hirakud, Dist.- Sambalpur, Odisha.**

|                                    |                                                                                                                                                                 |
|------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Name of the project</b>         | <b>M/s Hindalco Industries Limited, Smelter &amp; Power<br/>At/Po- Hirakud,<br/>Dist.- Sambalpur, State- Odisha,<br/>Pin -768 016.</b>                          |
| <b>Clearance Letter No: EC No.</b> | <b>J - 11011/400/2006-IA II (I), dated: 6<sup>th</sup> February 2008, &amp;<br/>Amendment J - 11011/144/2006-IA II (I), dated 19<sup>th</sup> October 2009.</b> |
| <b>Period of Compliance Report</b> | <b>April 2024 to September 2024</b>                                                                                                                             |

| <b>Sl. No.</b> | <b>SPECIFIC CONDITIONS</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | <b>Status as of 30<sup>th</sup> September 2024</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|----------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| (i)            | As stated in the Public Hearing, the new expansion site shall be on the opposite site of the village.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | The expansion site up to 216 KTPA Smelter & 467.5 MW CPP is on the opposite side of the village NuaJamda.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| (ii)           | The expansion shall be based only on Pre-baked Anode Technology and all Soderberg Technology-based pots shall be converted to Pre-baked Anode Technology, as per the schedule submitted to the Ministry. The Captive Power Plant shall be based on CFBC/PFC Boiler.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | : Prebaked anode technology is being adopted in the existing Smelter Plant. All the Soderberg pots have already been converted to pre-baked technology.<br><br>All the 13 Boilers of the 467.5 MW (1x 67.5 MW & 4x 100 MW) Power Plant are of CFBC technology.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| (iii)          | The gaseous emissions (SO <sub>2</sub> , NO <sub>x</sub> , CO, HC, and Fluoride) and Particulate matter along with RSPM levels from various process units shall conform to the standards prescribed by the concerned authorities from time to time. The State Board may specify more stringent standards for the relevant parameters keeping in view of the nature of the industry and its size and location. At no time, the emission level shall go beyond the prescribed standards.<br><br>Online continuous monitoring system for particulate emissions, SO <sub>2</sub> and NO <sub>x</sub> shall be provided and shall make necessary arrangements for the submission of online real-time emission data to the CPCB website.<br><br>Interlocking facility shall be provided between pollution control equipment and the process operation so that in the event of the pollution control equipment not working, the respective unit (s) is shut down automatically. In the event of failure of any pollution control system adopted by the unit, the respective unit should not be restarted until the control measures are rectified to achieve the desired efficiency. | : The stack emission from Smelter & CPP units confirms to the standards prescribed by MoEF&CC, CPCB and OSPCB from time to time. Particulate Matter and Fluoride emission from FTP stacks and rooftop fugitive fluoride from pot rooms is being monitored on monthly basis and report is being submitted to SPCB & CPCB. The summary of the monitoring report is enclosed as <b>Annexure I</b> .<br><br>Online real-time fluoride and dust monitoring analyzers installed at all FTP stacks of Smelter. Opacity Monitors for monitoring of particulate matter and gas analyzers (CEMS) for SO <sub>2</sub> , NO <sub>x</sub> , and Hg monitoring installed in all the stacks of CPP. Real-time monitoring data is being transmitted to SPCB/CPCB RTDAS server.<br><br>As the pollution control devices are attached to multiple process operations (pots in case of Smelter and boilers in case of CPP) and the operations are continuous in nature interlocking facilities are not feasible. alarm systems have been installed for identification of any kind of failure/tripping of pollution |

|       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|-------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|       | Low NOx burners shall be installed to control the NOx emissions.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | control systems attached to the operating units.<br><br>In CPP, environment-friendly CFBC boilers have been installed in each unit, which are low NOx-generating. The emission is well below the limit prescribed by OSPCB.                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| (iv)  | Only 10 new stacks shall be installed for the expansion project - 4 in the smelter plant, 4 in the anode plant, and 2 in the casting unit. The scrubbed alumina from the alumina-based dry scrubbing system shall be reused in the process. Minimum stack height shall be 50 m. The minimum height of other stacks of anode plant and casting plant shall be 35 m, which shall be based on the Sulphur content of the fuel. 3 new stacks in the Power plant shall be provided with ESP.                                                                                                                                          | : Fume Treatment Plant (FTPs) with dry scrubbing systems have been installed and the enriched alumina from the FTPs is being reused in the process. Currently, Five Stacks of height of more than 50 m have been provided to all FTPs, and six stacks are attached to casting units & caster. Anode baking plant not installed in smelter unit.<br><br>Stacks of height 130 m have been provided to each unit of CPP and ESPs of efficiency 99.9%, equipped with High Frequency Rectifier Transformers (HFTRs) have been provided to all boilers of the 467.5 MW CPP.                                                                                                                     |
| (v)   | Total Fluoride emissions and pitch fumes from the smelter and anode-baking unit shall be controlled using alumina alumina-based dry scrubbing system to limit Fluoride emissions within 0.8 kg/ton Aluminium produced and SPM within 50 mg/Nm <sup>3</sup> . SPM emissions from the Captive Power Plant shall be less than 100 mg/NM <sup>3</sup> .<br><br>Forage Fluoride levels of less than 80 ppm for one month, less than 60 ppm for two months, and less than 40 ppm for 12 months shall be complied with. Further, the pot emissions through the fume treatment plant shall not exceed 0.30 kg/ton of Aluminium produced. | : All the FTPs of the Smelter are based on alumina-based dry scrubbers through which the total fluoride emission is controlled within the prescribed limit of CPCB/SPCB. Baked anodes from nearby units of Aditya Aluminium are used in the smelting process. The particulate matter, fluoride emissions, and forage fluoride in the grass are being monthly monitored for the impact of the Smelter Plant operation and reported to SPCB and MOEFCC through half-yearly EC compliance reports. All the processes of Smelter & CPP units meet the stipulated norms of MoEF&CC/CPCB/SPCB. Please refer to <b>Annexure-I</b> for a summary of the stack monitoring report of Smelter & CPP. |
| (vi)  | Regular monitoring of fluoride content in ambient air, forage fluoride, and groundwater shall be carried out and data shall be submitted to the State Pollution Control Board.                                                                                                                                                                                                                                                                                                                                                                                                                                                   | : Regular monitoring of fluoride in ambient air, surface water, groundwater as well as forage is being carried out in regular intervals and the data is being submitted to State Pollution Control Board along with monthly progress reports. The summary of the analysis report of Ambient Air, Ground Water, Surface Water, and Forage is enclosed as <b>Annexure II</b> .                                                                                                                                                                                                                                                                                                              |
| (vii) | Raw material shall be stored in covered yards. Water sprinkling arrangements shall be made in the raw material stockyard to control fugitive emissions. Coal and other raw materials shall be transported in covered trucks, containers, etc., which shall later be shifted to covered rail wagons.                                                                                                                                                                                                                                                                                                                              | : The Coal for the Power Plant is transported from various sources through railway BOXN wagons and trucks with tarpaulin covering and stored under sheds in the coal yard of the Power plant. Dust suppression arrangement like water sprinkling is done through fixed sprinklers to prevent fugitive emissions.                                                                                                                                                                                                                                                                                                                                                                          |

|        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|--------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | <p>Fugitive dust on the roads is suppressed by water sprinkling through mobile water tankers. 16 nos. of water spraying systems/ rain guns have been installed in and around the Coal yard &amp; 53 nos of water sprinklers installed at Railway siding. Besides, 06 nos of mist Fog canons have also been deployed for CHP and ash silo area. Additionally, we have deployed truck mounted road sweeping machine at Coal &amp; Railway siding area.</p> <p>Alumina for Smelter Plant is transported from Alumina Refinery at Rayagada, Odisha, and Muri, Jharkhand through BTAP wagons/ bulkers and stored in dedicated Alumina silos, for which 09 silos (6 x 1700 MT, 1 x 3400 MT, &amp; 2 x 3500 MT). Alumina from the silos is conveyed pneumatically to the pots.</p>                              |
| (viii) | <p>In plant control measures for checking fugitive emissions from all the vulnerable sources like spillage/raw materials/coal handlings etc. shall be provided. Further, specific measures like the provision of a dust extraction and suppression system consisting of water sprinkling, suction hoods, fans, cyclones, bag filters, venturi scrubbers, etc. shall be installed at material transfer points and other enclosed raw material handling areas. Centralized de-dusting system i.e. collection of fugitive emissions through a suction hood shall be provided and subsequent treatment through a bag filter or any other device and finally emitted through a stack of appropriately designed height, as prescribed above.</p> | <p>: Bag filters have been provided to Fume Treatment Plants (FTPs) connected to the Smelting process. Dust collection and suppression systems have been provided at different dust-generating sources of Smelter.</p> <p>Control of fugitive emissions in CPP is ensured by the central de-dusting system with suction hoods. Bag filters have also been provided in the crusher houses of CHP and Ash silos. Dust suppression systems have been provided in the railway siding, coal yard, ash silo area, ash transporting road, and all other vulnerable areas of fugitive dust emission. Adequate ash conditioning is being ensured before ash unloading from the ash silo to prevent fugitive dust emission. Frequent water sprinkling is carried out on the ash and coal transportation roads.</p> |
| (ix)   | <p>Fugitive Fluoride emissions from the Pot room shall not exceed 0.4 Kg/Ton of Aluminium produced. Fugitive emissions, especially in the work zone area, product, and raw materials storage area, etc. shall be regularly monitored and records maintained. The emissions shall conform to the limits imposed by the State Pollution Control Boards / Central Pollution Control Board.</p>                                                                                                                                                                                                                                                                                                                                                | <p>: The fugitive fluoride emission from the pot room is ~ 0.31 Kg/ MT of Aluminium produced. Regular monitoring of fugitive emissions in the work zones is being carried out.</p> <p>The fluoride emission is being monitored through continuous emission monitoring analyzers and data is transmitted to SPCB &amp; CPCB. The summary of the pot room rooftop fugitive monitoring report is attached as <b>Annexure-III</b>.</p>                                                                                                                                                                                                                                                                                                                                                                       |
| (x)    | <p>Windbreakers shall be installed to restrict fugitive dust</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | <p>: Boundary wall with windbreaker of sufficient height installed in Coal handling area to restrict the fugitive dust. Adequate no.s of sprinkling, at potential source of generation, is</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |

|        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|--------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | being carried out through fixed and mobile sprinklers to contain the fugitive dust.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| (xi)   | The water requirement for the expansion project shall not exceed 69,600 KLD and shall be sourced from the Hirakud reservoir                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | : The raw water for Smelter, Power & FRP is being sourced from the Hirakud reservoir. Total raw water withdrawal from the reservoir is around 24000 KLD (Avg.).                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| (xii)  | Wastewater generation shall not exceed 14,250 KLD for the expansion project. Wastewater generated from smelter shall be treated in Rotating Biological Contactor and shall be reused in the plant. Cooling water blow down from the power plant shall be treated up to discharge standards and discharged into Kharjhor nalla.                                                                                                                                                                                                                                                                                     | : The wastewater generation from all the units is around 2600 KLD (avg.).<br><br>The wastewater generated from the Smelter is being treated in three nos. of effluent treatment plants (ETPs) of capacity 250 KLD, 350 KLD, and 50 KLD and reused in cooling towers. The earlier installed Rotating Biological Contractor (RBC) has been replaced with an RO-based 350 KLD ETP.<br><br>The cooling tower blow-down water of CPP is treated in the RO Plant and reused for cooling. Wastewater from other processes is being treated to meet the standards before reuse in various in-house activities and cooling towers.<br><br>The domestic wastewater of three plants is treated in STPs of capacities 500KLD, 400KLD, 300KLD & 100KLD. The treated water of these STPs water is reused inside plants for gardening.<br><br>Monitoring of water quality is being carried out monthly and the same is enclosed for the period April'24 to September'24. Refer to <b>Annexure IV</b> . |
| (xiii) | 7650 TPA of solid waste generated, mainly the spent pot lining from the smelter shall be disposed of in a secured landfill site inside the premises. The SLF shall be as per CPCB guidelines. 2.55 million TPA of coal ash generated from the power plant shall be disposed of as dry ash mounds. However, it shall be ultimately disposed of as backfill material in abandoned coal mines or shall be utilized as per the Fly Ash Notification 5.0.763 (E) dated 14.9.1999 of this Ministry. The proposed Amendment / revision to this Notification shall be applicable for compliance from the Project Authority | : The carbon part of spent pot lining is disposed to actual users i.e., M/s Regrow Transo Pvt Ltd., Jharsuguda the refractory part to M/s Re Sustainability (CHW-TSDF, Jajpur), mixed fines to cement plants for co-processing and silicon carbide to authorized recycler. Besides, SPL refractory parts are also supplied to Teknoprocessors LLP for trial run purposes.<br><br>The Aluminium dross generated in the process is re-processed in the in-house Dross Processing Unit and partly supplied to actual users and other hazardous waste is disposed to actual users/CHWTSDF/Co-processing in Cement manufacturing in line with the hazardous waste authorization order. Presently, no waste is being disposed of in captive SLF.                                                                                                                                                                                                                                              |

|                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|-------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                          | The Coal ash generated from the CPP is supplied to brick manufacturers, cement plants, low-lying area filling, road making, and other areas. The ash utilization for the period FY 2024-25 is 100.0%. The ash generation and utilization status are enclosed as <b>Annexure-V</b> .                                                                                                                                                            |
| (xiv)                         | Minimum Cycle of Concentration (COC) for the CPP shall be 5.0                                                                                                                                                                                                                                                                                                                                                                                            | : The CoC was maintained at ~ 6 in all the operating units of CPP.                                                                                                                                                                                                                                                                                                                                                                             |
| (xv)                          | Minimum of 33 % of the total land area shall be developed as green belt with local species in consultation and as per the CPCB's guidelines.                                                                                                                                                                                                                                                                                                             | : Around 35% of the total project area has been covered under greenbelt. The details of the plantation are enclosed as <b>Annexure -VI</b> .                                                                                                                                                                                                                                                                                                   |
| (xvi)                         | All the recommendations made in the Charter on Corporate Responsibility for Environment Protection (CREP) for the Aluminium Sector shall be strictly implemented.                                                                                                                                                                                                                                                                                        | : All the recommendations of Charter of Corporate Responsibility for Environment Protection (CREP) for the Aluminium sector are implemented and followed.                                                                                                                                                                                                                                                                                      |
| (xvii)                        | The project authorities shall earmark Rs.369 crores to implement the conditions stipulated by the Ministry of Environment and Forests as well as the State Government along with the implementation schedule for all the conditions stipulated herein. The funds so provided shall not be diverted for any other purpose.                                                                                                                                | : Against expansion proposal of 100 KTPA Smelter to 360 KTPA & 267.5 MW CPP to 967.5 MW, Smelter has expanded up to 216 KTPA & CPP up to 467.5 MW. During the expansion of both plants till date around Rs 278 Crore has been spent towards pollution control measures like ESPs, BF, FTPs, ETPs & STPs, Stacks, and other environment related initiatives. Allocated funds for environment protection are not diverted for any other purpose. |
| <b>B. GENERAL CONDITIONS:</b> |                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| (i)                           | The project authorities shall strictly adhere to the stipulations made by the State Pollution Control Board                                                                                                                                                                                                                                                                                                                                              | : Stipulations of the State Pollution Control Board through its CTO are being strictly adhered.                                                                                                                                                                                                                                                                                                                                                |
| (ii)                          | No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment and Forests. In case of deviations or alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.                      | : No expansion or modifications in the plant have been done without prior approval of MoEF&CC/SPCB.                                                                                                                                                                                                                                                                                                                                            |
| (iii)                         | Regular monitoring of ambient air for SPM, RSPM, SO <sub>2</sub> , NO <sub>x</sub> , CO, HC, and Fluoride shall be carried out as per CPCB guidelines. The locations of ambient air quality monitoring stations shall be reviewed in consultation with the State Pollution Control Board (SPCB) and additional stations shall be installed, if required, in the downwind direction as well as where maximum ground level concentrations are anticipated. | : The ambient air quality is being monitored at 8 locations surrounding the Smelter, and CPP. The summary of ambient air quality monitoring is enclosed as <b>Annexure- VII</b> .<br><br>For the continuous monitoring of ambient air quality 5 no's CAAQMS (2 no.s inside Smelter premise & 3 no.s inside CPP premise) have been installed. The online monitoring data is                                                                     |

|        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|--------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | being transmitted to servers of SPCB & CPCB server.                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| (iv)   | Data on ambient air quality, fugitive emissions, and stack emissions should be regularly submitted to the concerned Regional Office of this Ministry and SPCB/CPCB every six months and posted on the Website of the Project Authority                                                                                                                                                                                                                                                          | : Data on ambient air quality, fugitive emissions, stack emissions, and water effluent quality are being regularly submitted to the Eastern Regional Office along with six monthly EC compliance reports before 1 <sup>st</sup> June & 1 <sup>st</sup> Dec.<br><br>The six-monthly compliance report is available on the company's website. (URL: <a href="http://www.hindalco.com/sustainability/regulatory-compliances">http://www.hindalco.com/sustainability/regulatory-compliances</a> ) |
| (v)    | Industrial wastewater shall be properly collected and treated so as to conform to the standards prescribed under GSR422 (E) dated 19 <sup>th</sup> May 1993 and 3 <sup>rd</sup> December, 1993 or as amended from time to time                                                                                                                                                                                                                                                                  | : Wastewater is collected and treated to meet the standards and the treated water is reused as Cooling tower make-up. The analysis is being submitted to SPCB every month.                                                                                                                                                                                                                                                                                                                    |
| (vi)   | The project authorities shall strictly comply with the rules and guidelines under the Manufacture, Storage, and Import of Hazardous Chemicals Rules, 1989 as amended in October 1994 and January 2000, and Hazardous Waste (Management and Handling) Rules, 1989, as amended from time to time. Authorization from the SPCB shall be obtained for the collection, treatment, storage, and disposal of hazardous wastes. All Transportation of Hazardous Chemicals shall be as per the MVA, 1989 | : Authorization for the Management and Handling of Hazardous Waste has been obtained from the State Pollution Control Board for Smelter and CPP separately. The conditions stipulated in the authorizations are being strictly followed in line with the authorization order.                                                                                                                                                                                                                 |
| (vii)  | The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures, etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under the Environment (Protection) Act, 1986 Rules, 1989 viz. 75 dBA (daytime) and 70 dBA (nighttime)                                                                                            | : The Noise level in and around the plants is being monitored monthly and found within the prescribed limit. The monthly report is being submitted to SPCB. The ambient noise level data for the period April'2024 to September'2024 is enclosed as <b>Annexure-VIII</b> .                                                                                                                                                                                                                    |
| (viii) | Occupational health surveillance of the workers shall be carried out on a regular basis and records shall be maintained as per the Factories Act.                                                                                                                                                                                                                                                                                                                                               | : Occupational health surveillance of all the employees is being carried out regularly and records are maintained.                                                                                                                                                                                                                                                                                                                                                                            |
| (ix)   | Training shall be imparted to all employees on the safety and health aspects of chemical handling. Pre-employment and routine periodical medical examinations for all employees shall be undertaken on regular basis                                                                                                                                                                                                                                                                            | : Regular training is being imparted to all the employees on various safety, health and environmental topics.<br><br>Pre-employment and routine periodical medical examinations for all employees are being undertaken regularly.                                                                                                                                                                                                                                                             |

|        |                                                                                                                                                                                                                                                                                      |                                                                                                                                                                                                                                                                                                                                                                         |
|--------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|        |                                                                                                                                                                                                                                                                                      | <p>For the period April'2024 to September'2024 the health surveillance statistics are as follows:</p> <p>Pre-employment health surveillance against new recruitment- 3792 people.</p> <p>Periodic medical health surveillance for permanent employees- 696 people.</p> <p>Periodic medical health surveillance for contractual employees- 1640 people.</p>              |
| (x)    | Usage of PPEs by all employees/ workers shall be ensured                                                                                                                                                                                                                             | : The use of PPEs by all the employees and contractual workers is being strictly ensured in the unit.                                                                                                                                                                                                                                                                   |
| (xi)   | The Company shall harvest surface as well as rainwater from the rooftops of the buildings proposed in the expansion project and stormwater drains to recharge the groundwater and use the same water for the various activities of the project to conserve fresh water               | : For harvesting of surface water as well as rainwater from rooftops of the buildings, two harvesting structures have been installed in the residential colonies. The collected water is used for various in-house activities.                                                                                                                                          |
| (xii)  | The project proponent shall also comply with all the environmental protection measures and safeguards proposed in the EIA/EMP report. All the recommendations made in respect of environmental management and risk mitigation measures relating to the project shall be implemented. | : We are complying with the environmental protection measures and safeguards proposed in the EIA/EMP. All the recommendations made in respect of environmental management and risk mitigation measures relating to the project have been implemented.                                                                                                                   |
| (xiii) | The company will undertake all relevant measures, as indicated during the Public Hearing to improve the Socio-economic conditions of the surrounding area. CSR activities will be undertaken by involving local villages and administration                                          | : The company is undertaking various community development programs in and around Hirakud involving SHGs.                                                                                                                                                                                                                                                               |
|        |                                                                                                                                                                                                                                                                                      | The expenditure towards CSR activities & details of beneficiaries for the period April'2024 to September'2024 are enclosed as <b>Annexure IX.</b>                                                                                                                                                                                                                       |
| (xiv)  | The company shall undertake eco-developmental measures including community welfare measures in the project area for the overall improvement of the environment. The eco-development plan should be submitted to the SPCB within three months of receipt of this letter for approval  | : The company is undertaking various community development programs in and around Hirakud involving local SHGs. Various welfare measures are undertaken. During the period April'2024 to September'2024 Rs. 152.33 Lakh has been spent towards community development projects including rural periphery development at Hirakud localities. <b>Refer to annexure IX.</b> |
|        |                                                                                                                                                                                                                                                                                      | The Environmental Expenditure from April'24 to September'24 is 64.49 Crore are enclosed as <b>Annexure -X.</b>                                                                                                                                                                                                                                                          |
| (xv)   | A separate Environmental Management Cell equipped with full-fledged laboratory facilities                                                                                                                                                                                            | : Separate Environmental Management Cell with required laboratory facility available in Smelter & CPP Complex to carry out                                                                                                                                                                                                                                              |



|         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|---------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|         | shall be set up to carry out the Environmental Management and Monitoring functions.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | environmental monitoring & analysis activities.                                                                                                                                                                                                                                                                                                                                                                                                                 |
| (xvi)   | The implementation of the project vis-a-vis environmental action plans shall be monitored by the concerned Regional Office of the Ministry/ SPCB / CPCB. A six-monthly compliance status report shall be submitted to monitoring agencies and shall be posted on the Website of the Company.                                                                                                                                                                                                                                                                                                                                                                    | : The six-monthly compliance status report is submitted before 1 <sup>st</sup> June & 1 <sup>st</sup> December each year and is uploaded to our Company website. Ref URL: <a href="http://www.hindalco.com/sustainability/regulatory-compliances">http://www.hindalco.com/sustainability/regulatory-compliances</a>                                                                                                                                             |
| (xvii)  | The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB/ Committee and may also be seen at the Website of the Ministry at <a href="http://envfor.nic.in">http://envfor.nic.in</a> . This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional Office of the Ministry. | : The public was informed through advertisements in three widely circulated regional newspapers namely:<br><br>(1) The Dharitri, Dated 12 <sup>th</sup> February 2008<br>(2) The Agnisikha, Dated 12 <sup>th</sup> February 2008<br>(3) The Sambad, Dated 14 <sup>th</sup> February 2008,<br><br>This was also communicated to the Regional Office of MOEF, Bhubaneswar vide our letter of 14 <sup>th</sup> February 2008 along with copies of the newsletters. |
| (xviii) | The project authorities shall inform the Regional Office as well as the Ministry, of the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.                                                                                                                                                                                                                                                                                                                                                                                                                                         | : The Smelter & CPP expansion has been carried out in a phased manner. The last expansion of Smelter, i.e. addition of 235KA potline (80 pots) commissioned in October 2014.                                                                                                                                                                                                                                                                                    |
| (xix)   | The Ministry may revoke or suspend the clearance if the implementation of any of the above conditions is not satisfactory.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | : Noted and accepted.                                                                                                                                                                                                                                                                                                                                                                                                                                           |

### Amendment Letter: J - 11011/144/2006-IA II (I), dated 19<sup>th</sup> October 2009.

| Sl. No | Conditions                                                                                                                                                                            | Compliance status as on 30 <sup>th</sup> September 2024                                                   |
|--------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|
| 3.0.1  | All the specific and general conditions shall remain unchanged and have to be complied in Toto and pari-passu.                                                                        | : All the specific and general conditions are complied.                                                   |
| 2      | There shall be no change or modification in the ultimate capacity of the Smelter Plant (1,00,000 to 3,60,000 TPA) and Captive Power Plant (267.5 MW to 967.5 MW).                     | : The Smelter & CPP capacity is 216 KTPA & 467.5 MW, which is within the approved capacity.               |
| 3      | All the emissions (ambient air, stack, fugitive, and fluoride emissions) shall be within the permissible limit as prescribed in the Environmental Clearance dated 6th February, 2008. | : All the emissions are within the prescribed limit. Please refer to the annexure annexures I, II, & III. |
| 4      | No additional land shall be acquired.                                                                                                                                                 | : No additional land was acquired for the expansion activities.                                           |
| 5      | No additional water shall be used.                                                                                                                                                    | : The water consumption is within the limit specified in EC.                                              |

|   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |   |                                                                                                                                                                                                                                                                                                                                                |
|---|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 6 | A copy of the clearance letter shall be sent by the proponent to the concerned Panchayat Zilla Parishad / Municipal Cooperation, Urban local body, and the local NGO, if any, from whom suggestions/representations if any were received while processing the proposal. The clearance letter shall also be put on the website of the company by the proponent.                                                                                                                                                                                                                                                                                                  | : | The copy of the environmental clearance letter was submitted to the local Urban local body.                                                                                                                                                                                                                                                    |
| 7 | The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of the MOEF at Bhubaneswar, the respective Zonal office of CPCB and the OPCB. The criteria pollutant levels namely, SPM, RSPM, SO <sub>2</sub> , NO <sub>x</sub> (ambient levels as well as Stack emissions) or critical sectorial parameters, indicated for the projects shall be monitored and displayed at a convenient location near the main gate of the company in the public domain. | : | The six-monthly EC compliance is submitted to the Regional Office of the Ministry of Environment & Forests & Climate Change (MoEF&CC), Bhubaneswar regularly. The same is also uploaded on the website of the company. Environmental monitoring parameters are displayed in the main gates of both the Smelter and Power Plant for the public. |
| 8 | The project proponent shall also submit six monthly reports on the status of compliance with the stipulated environment clearance conditions, including results of monitored data (both in hard copies as well as by e-mail) to the regional office of MOEF at Bhubaneswar, the respective Zonal office of CPCB and the OPCB. The Regional Office of this Ministry at Bhubaneswar / CPCB/ OPCB shall monitor the stipulated conditions.                                                                                                                                                                                                                         | : | Six monthly compliance of Environment Clearance (EC) conditions are submitted through the MOEFCC Portal.                                                                                                                                                                                                                                       |
| 9 | The environmental statement for each financial year ending 31 <sup>st</sup> March in Form-V is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986 as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental conditions and shall also be sent to the respective Regional Office of the MoEFCC by e-mail.                                                                                                                                                                         | : | The annual environmental statement in Form-V is being submitted to the State Pollution Control Board and MOEFCC every year and is being uploaded to the company's website. (URL: <a href="http://www.hindalco.com/sustainability/regulatory-compliances">http://www.hindalco.com/sustainability/regulatory-compliances</a> )                   |

  
**(Authorized Signatory)**



**ANNEXURE – I**

**ENVIRONMENTAL QUALITY PARAMETERS OF SMELTER**

**(April'2024 to September'2024)**

**1. STACK EMISSION FUME TREATMENT PLANT (DRY SCRUBBERS) done through NABL approved Laboratory.**

Particulate Matter: Standard: 100 mg/Nm<sup>3</sup>

Total Fluoride: Standard: 0.3 Kg/MT. Al.

| Stack             | Parameter          | UOM                | STD | Apr'24 | May'24 | June'24 | July'24 | Aug'24 | Sept'24 | Average |
|-------------------|--------------------|--------------------|-----|--------|--------|---------|---------|--------|---------|---------|
| FTP -1<br>Stack-1 | Particulate Matter | mg/Nm <sup>3</sup> | 100 | 11.55  | 10.15  | 11.88   | 12.44   | 11.88  | 10.92   | 11.45   |
|                   | Total Fluoride     | Kg/MT. Al          | 0.3 | 0.15   | 0.11   | 0.16    | 0.19    | 0.18   | 0.18    | 0.16    |
|                   | Hydrocarbon        | ppm                | -   | 3.12   | 3.86   | 2.66    | 3.14    | 3.87   | 2.98    | 3.27    |
| FTP -1<br>Stack-2 | Particulate Matter | mg/Nm <sup>3</sup> | 100 | 10.89  | 13.44  | 10.96   | 13.22   | 12.67  | 10.44   | 11.93   |
|                   | Total Fluoride     | Kg/MT. Al          | 0.3 | 0.15   | 0.13   | 0.16    | 0.20    | 0.19   | 0.18    | 0.17    |
|                   | Hydrocarbon        | ppm                | -   | 3.89   | 4.11   | 3.45    | 4.08    | 4.02   | 3.29    | 3.80    |
| FTP -2<br>Stack-3 | Particulate Matter | mg/Nm <sup>3</sup> | 100 | 13.29  | 12.19  | 14.63   | 10.38   | 12.77  | 10.55   | 12.30   |
|                   | Total Fluoride     | Kg/MT. Al          | 0.3 | 0.18   | 0.17   | 0.17    | 0.18    | 0.16   | 0.16    | 0.17    |
|                   | Hydrocarbon        | ppm                | -   | 4.96   | 4.55   | 4.69    | 4.58    | 5.22   | 4.78    | 4.79    |
| FTP -3<br>Stack-4 | Particulate Matter | mg/Nm <sup>3</sup> | 100 | 14.45  | 13.66  | 12.96   | 14.78   | 15.11  | 11.22   | 13.69   |
|                   | Total Fluoride     | Kg/MT. Al          | 0.3 | 0.15   | 0.15   | 0.12    | 0.14    | 0.14   | 0.14    | 0.14    |
|                   | Hydrocarbon        | ppm                | -   | 5.78   | 5.27   | 5.44    | 5.89    | 6.54   | 6.24    | 5.86    |
| FTP -4<br>Stack-5 | Particulate Matter | mg/Nm <sup>3</sup> | 100 | 12.11  | 14.78  | 11.22   | 12.88   | 11.48  | 14.97   | 12.90   |
|                   | Total Fluoride     | Kg/MT. Al          | 0.3 | 0.11   | 0.11   | 0.2     | 0.11    | 0.15   | 0.12    | 0.13    |
|                   | Hydrocarbon        | ppm                | -   | 6.58   | 6.69   | 6.54    | 6.69    | 5.47   | 5.47    | 6.24    |



**ENVIRONMENTAL QUALITY PARAMETERS OF CPP**  
**STACK EMISSION**  
**(April 2024 - September 2024)**  
**Unit # I**

Process attached to the unit: Boiler # 1 & 2

| Sl. No.         | Month / Year | Unit                 | PM                                | SO <sub>2</sub> | NO <sub>x</sub> | Hg |
|-----------------|--------------|----------------------|-----------------------------------|-----------------|-----------------|----|
| 01.             | April        | mg / NM <sup>3</sup> | The unit was under shut down (SD) |                 |                 |    |
| 02.             | May          | mg / NM <sup>3</sup> | The unit was under shut down (SD) |                 |                 |    |
| 03.             | June         | mg / NM <sup>3</sup> | The unit was under shut down (SD) |                 |                 |    |
| 04.             | July         | mg / NM <sup>3</sup> | The unit was under shut down (SD) |                 |                 |    |
| 05.             | August       | mg / NM <sup>3</sup> | The unit was under shut down (SD) |                 |                 |    |
| 06.             | September    | mg / NM <sup>3</sup> | The unit was under shut down (SD) |                 |                 |    |
| <b>Average</b>  |              | mg / NM <sup>3</sup> | The unit was under shut down (SD) |                 |                 |    |
| <b>Standard</b> |              | mg / NM <sup>3</sup> | 100                               | 600             | 600             |    |

**STACK EMISSION**  
**(April 2024 - September 2024)**

**Unit # II**

Process attached to the unit : Boiler # 3, 4 & 5

| Sl.No.          | Month / Year | Unit                 | PM           | SO <sub>2</sub> | NO <sub>x</sub> | Hg            |
|-----------------|--------------|----------------------|--------------|-----------------|-----------------|---------------|
| 01.             | April        | mg / NM <sup>3</sup> | 44.05        | 409.70          | 299.50          | 0.009         |
| 02.             | May          | mg / NM <sup>3</sup> | 46.13        | 402.60          | 325.83          | 0.008         |
| 03.             | June         | mg / NM <sup>3</sup> | 44.45        | 410.95          | 305.60          | 0.009         |
| 04.             | July         | mg / NM <sup>3</sup> | 45.95        | 403.00          | 303.40          | 0.008         |
| 05.             | August       | mg / NM <sup>3</sup> | 43.80        | 426.15          | 299.65          | 0.009         |
| 06.             | September    | mg / NM <sup>3</sup> | 43.33        | 423.23          | 324.82          | 0.009         |
| <b>Average</b>  |              | mg / NM <sup>3</sup> | <b>44.62</b> | <b>412.61</b>   | <b>309.80</b>   | <b>0.0087</b> |
| <b>Standard</b> |              | mg / NM <sup>3</sup> | 50           | 600             | 450             | 0.03          |



**STACK EMISSION**  
(April 2024 - September 2024)

**Unit # III**

Process attached to the unit : Boiler # 6, 7 &8

| Sl.No.          | Month / Year | Unit                 | PM           | SO <sub>2</sub> | NO <sub>x</sub> | Hg            |
|-----------------|--------------|----------------------|--------------|-----------------|-----------------|---------------|
| 01.             | April        | mg / NM <sup>3</sup> | 43.12        | 441.93          | 308.45          | 0.0082        |
| 02.             | May          | mg / NM <sup>3</sup> | 41.88        | 439.45          | 295.48          | 0.0082        |
| 03.             | June         | mg / NM <sup>3</sup> | 43.75        | 415.50          | 299.72          | 0.0078        |
| 04.             | July         | mg / NM <sup>3</sup> | 42.38        | 383.82          | 305.50          | 0.0084        |
| 05.             | August       | mg / NM <sup>3</sup> | 46.0         | 446.73          | 298.98          | 0.0089        |
| 06.             | September    | mg / NM <sup>3</sup> | 42.00        | 420.23          | 329.70          | 0.0085        |
| <b>Average</b>  |              | mg / NM <sup>3</sup> | <b>43.19</b> | <b>424.61</b>   | <b>306.31</b>   | <b>0.0083</b> |
| <b>Standard</b> |              | mg / NM <sup>3</sup> | 50           | 600             | 450             | 0.03          |

**STACK EMISSION**  
(April 2024 - September 2024)

**Unit # IV**

Process attached to the unit : Boiler # 9, 10 &11

| Sl.No.          | Month / Year | Unit                 | PM           | SO <sub>2</sub> | NO <sub>x</sub> | Hg            |
|-----------------|--------------|----------------------|--------------|-----------------|-----------------|---------------|
| 01.             | April        | mg / NM <sup>3</sup> | 43.12        | 428.35          | 308.15          | 0.0078        |
| 02.             | May          | mg / NM <sup>3</sup> | 44.97        | 427.05          | 312.32          | 0.0082        |
| 03.             | June         | mg / NM <sup>3</sup> | 45.87        | 428.10          | 312.00          | 0.0085        |
| 04.             | July         | mg / NM <sup>3</sup> | 43.95        | 378.12          | 312.40          | 0.0080        |
| 05.             | August       | mg / NM <sup>3</sup> | 44.55        | 424.97          | 305.80          | 0.0082        |
| 06.             | September    | mg / NM <sup>3</sup> | 44.83        | 419.25          | 309.83          | 0.0084        |
| <b>Average</b>  |              | mg / NM <sup>3</sup> | <b>44.55</b> | <b>417.64</b>   | <b>310.08</b>   | <b>0.0082</b> |
| <b>Standard</b> |              | mg / NM <sup>3</sup> | 50           | 600             | 450             | 0.03          |



**STACK EMISSION**  
**(April 2024 - September 2024)**

**Unit # V**

Process attached to the unit :      Boiler # 12 &13

| Sl.No. | Month / Year    | Unit                 | PM           | SO <sub>2</sub> | NO <sub>x</sub> | Hg            |
|--------|-----------------|----------------------|--------------|-----------------|-----------------|---------------|
| 01.    | April           | mg / NM <sup>3</sup> | 43.53        | 421.38          | 299.10          | 0.0083        |
| 02.    | May             | mg / NM <sup>3</sup> | 44.88        | 430.18          | 299.25          | 0.0084        |
| 03.    | June            | mg / NM <sup>3</sup> | 43.20        | 419.60          | 308.93          | 0.0085        |
| 04.    | July            | mg / NM <sup>3</sup> | 44.45        | 371.20          | 274.75          | 0.0079        |
| 05.    | August          | mg / NM <sup>3</sup> | 45.05        | 396.80          | 288.00          | 0.0090        |
| 06.    | September       | mg / NM <sup>3</sup> | 46.50        | 406.05          | 295.95          | 0.0084        |
|        | <b>Average</b>  | mg / NM <sup>3</sup> | <b>44.60</b> | <b>407.54</b>   | <b>294.33</b>   | <b>0.0084</b> |
|        | <b>Standard</b> | mg / NM <sup>3</sup> | 50           | 600             | 450             | 0.03          |



# Visiontek Consultancy Services Pvt. Ltd.

(Committed For Better Environment)

Certified for : ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 (OH&S), ISO/IEC 17025:2017

Accredited by : NABET-A Grade, MOEF & CC/CPCB & SPCB-A Grade

**Laboratory Services**  
 Environment Lab  
 Food Lab  
 Material Lab  
 Soil Lab  
 Mineral Lab  
 &  
 Microbiology Lab

- Infrastructure Engineering
- Water Resource Management
- Environmental & Social Study

- Surface & Sub-Surface Investigation
- Quality Control & Project Management
- Renewable Energy

- Agricultural Development
- Information Technology
- Public Health Engineering

- Mine Planning & Design
- Mineral/Sub-Soil Exploration
- Waste Management Services

Ref: VCSPL/24-25/TR-06249

Date: 05.07.2024

## AMBIENT AIR QUALITY MONITORING REPORT (APR-2024 TO JUN-2024)

| 1. Name of Industry       | M/s Hindalco Industries Limited, Hirakud Power, Sambalpur, Odisha |                                           |                                         |                                           |                                        |                            |                                         |                                                       |                                                            |                            |                            |                            |                           |
|---------------------------|-------------------------------------------------------------------|-------------------------------------------|-----------------------------------------|-------------------------------------------|----------------------------------------|----------------------------|-----------------------------------------|-------------------------------------------------------|------------------------------------------------------------|----------------------------|----------------------------|----------------------------|---------------------------|
| 2. Sampling Location      | Monitoring Station No.- AAQMS-1 : Plant Site                      |                                           |                                         |                                           |                                        |                            |                                         |                                                       |                                                            |                            |                            |                            |                           |
| 3. Monitoring Instruments | RDS(APM 460 BL), FPS(APM 550) Envirotech, CO Monitor, VOC Sampler |                                           |                                         |                                           |                                        |                            |                                         |                                                       |                                                            |                            |                            |                            |                           |
| 4. Sample collected by    | VCSPL representative                                              |                                           |                                         |                                           |                                        |                            |                                         |                                                       |                                                            |                            |                            |                            |                           |
| Date                      | PARAMETERS                                                        |                                           |                                         |                                           |                                        |                            |                                         |                                                       |                                                            |                            |                            |                            |                           |
|                           | PM <sub>10</sub><br>(µg/m <sup>3</sup> )                          | PM <sub>2.5</sub><br>(µg/m <sup>3</sup> ) | SO <sub>2</sub><br>(µg/m <sup>3</sup> ) | NO <sub>x</sub><br>(µg/m <sup>3</sup> )   | O <sub>3</sub><br>(µg/m <sup>3</sup> ) | CO<br>(mg/m <sup>3</sup> ) | NH <sub>3</sub><br>(µg/m <sup>3</sup> ) | C <sub>6</sub> H <sub>6</sub><br>(µg/m <sup>3</sup> ) | BaP<br>(ng/m <sup>3</sup> )                                | Ni<br>(ng/m <sup>3</sup> ) | Pb<br>(µg/m <sup>3</sup> ) | As<br>(ng/m <sup>3</sup> ) | F<br>(µg/m <sup>3</sup> ) |
| 01.04.2024                | 70.4                                                              | 35.6                                      | 18.5                                    | 23.8                                      | 7.2                                    | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |
| 04.04.2024                | 69.8                                                              | 35.1                                      | 17.9                                    | 25.4                                      | 7.5                                    | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |
| 08.04.2024                | 72.3                                                              | 36.8                                      | 17.6                                    | 22.9                                      | 6.7                                    | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |
| 11.04.2024                | 65.6                                                              | 33.1                                      | 17.1                                    | 24.9                                      | 6.9                                    | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |
| 15.04.2024                | 69.8                                                              | 35.2                                      | 18.7                                    | 23.8                                      | 6.3                                    | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |
| 18.04.2024                | 60.4                                                              | 30.8                                      | 19.3                                    | 24.5                                      | 7.1                                    | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |
| 22.04.2024                | 66.3                                                              | 33.4                                      | 18.8                                    | 25.9                                      | 7.8                                    | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |
| 25.04.2024                | 68.9                                                              | 34.5                                      | 18.2                                    | 26.6                                      | 7.5                                    | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |
| 02.05.2024                | 72.2                                                              | 36.6                                      | 16.3                                    | 22.1                                      | 7.9                                    | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |
| 06.05.2024                | 70.6                                                              | 35.9                                      | 17.5                                    | 24.3                                      | 6.7                                    | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |
| 09.05.2024                | 63.8                                                              | 32.2                                      | 18.6                                    | 22.3                                      | 6.9                                    | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |
| 13.05.2024                | 61.4                                                              | 31.8                                      | 18.8                                    | 23.5                                      | 6.3                                    | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |
| 16.05.2024                | 59.5                                                              | 30.9                                      | 19.3                                    | 23.2                                      | 7.2                                    | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |
| 20.05.2024                | 66.7                                                              | 33.4                                      | 19.5                                    | 24.1                                      | 7.1                                    | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |
| 23.05.2024                | 68.3                                                              | 34.6                                      | 18.9                                    | 24.5                                      | 6.5                                    | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |
| 27.05.2024                | 69.2                                                              | 34.9                                      | 19.1                                    | 22                                        | 6.9                                    | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |
| 03.06.2024                | 71.6                                                              | 36.1                                      | 17.6                                    | 21.8                                      | 7.8                                    | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |
| 06.06.2024                | 70.7                                                              | 35.5                                      | 16.3                                    | 24.9                                      | 7.2                                    | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |
| 10.06.2024                | 66.7                                                              | 33.8                                      | 16.5                                    | 22.7                                      | 6.7                                    | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |
| 13.06.2024                | 65.9                                                              | 33.1                                      | 18.6                                    | 24.5                                      | 6.5                                    | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |
| 17.06.2024                | 72.1                                                              | 36.4                                      | 19.2                                    | 25.3                                      | 6.6                                    | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |
| 20.06.2024                | 67.5                                                              | 34.2                                      | 19.9                                    | 25.1                                      | 7.1                                    | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |
| 24.06.2024                | 69.9                                                              | 35.1                                      | 18.2                                    | 24.9                                      | 7.5                                    | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |
| 27.06.2024                | 68.5                                                              | 34.4                                      | 20.8                                    | 25.1                                      | 7.2                                    | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |
| NAAQ Standard             | 100                                                               | 60                                        | 80                                      | 80                                        | 100                                    | 4                          | 400                                     | 05                                                    | 01                                                         | 20                         | 1.0                        | 06                         | --                        |
| Average                   | 67.8                                                              | 34.3                                      | 18.4                                    | 24.1                                      | 7.0                                    | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |
| Testing method            | Gravimetric                                                       | Gravimetric                               | Improved West and Geake method          | Modified Jacob & Hochheiser (Na-Arsenite) | Chemical Method                        | NDIR Spectroscopy          | Indo phenol blue method                 | Absorption & Desorption followed by GC analysis       | Solvent extraction followed by Gas Chromatography analysis | AAS method after sampling  |                            |                            | Zirconium SPADNS Method   |

BDL Values: SO<sub>2</sub><4 µg/m<sup>3</sup>, NO<sub>x</sub><9 µg/m<sup>3</sup>, O<sub>3</sub><4 µg/m<sup>3</sup>, Ni<0.01 ng/m<sup>3</sup>, As<0.001 ng/m<sup>3</sup>, C<sub>6</sub>H<sub>6</sub><0.001 µg/m<sup>3</sup>, BaP<0.002 ng/m<sup>3</sup>, Pb<0.001 µg/m<sup>3</sup>, F<0.01 µg/m<sup>3</sup>, CO<0.1 mg/m<sup>3</sup>





# Visiontek Consultancy Services Pvt. Ltd.

(Committed For Better Environment)

Certified for : ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 (OH&S), ISO/IEC 17025:2017

Accredited by : NABET-A Grade, MOEF & CC/CPCB & SPCB-A Grade

- Infrastructure Engineering
- Water Resource Management
- Environmental & Social Study

- Surface & Sub-Surface Investigation
- Quality Control & Project Management
- Renewable Energy

- Agricultural Development
- Information Technology
- Public Health Engineering

- Mine Planning & Design
- Mineral/Sub-Soil Exploration
- Waste Management Services

Laboratory Services  
 Environment Lab  
 Food Lab  
 Material Lab  
 Soil Lab  
 Mineral Lab  
 &  
 Microbiology Lab


Ref: VCSPL/24-25/TR -06250

Date: 05.07.2024

## AMBIENT AIR QUALITY MONITORING REPORT (APR-2024 TO JUN-2024)

| 1. Name of Industry       |                                          | : M/s Hindalco Industries Limited, Hirakud Power, Sambalpur, Odisha |                                         |                                           |                                        |                            |                                         |                                                       |                                                            |                            |                            |                            |                           |  |
|---------------------------|------------------------------------------|---------------------------------------------------------------------|-----------------------------------------|-------------------------------------------|----------------------------------------|----------------------------|-----------------------------------------|-------------------------------------------------------|------------------------------------------------------------|----------------------------|----------------------------|----------------------------|---------------------------|--|
| 2. Sampling Location      |                                          | : Monitoring Station No.- AAQMS-2: Alind Colony                     |                                         |                                           |                                        |                            |                                         |                                                       |                                                            |                            |                            |                            |                           |  |
| 3. Monitoring Instruments |                                          | : RDS(APM 460 BL), FPS(APM 550) Envirotech, CO Monitor, VOC Sampler |                                         |                                           |                                        |                            |                                         |                                                       |                                                            |                            |                            |                            |                           |  |
| 4. Sample collected by    |                                          | : VCSPL representative                                              |                                         |                                           |                                        |                            |                                         |                                                       |                                                            |                            |                            |                            |                           |  |
| Date                      | PARAMETERS                               |                                                                     |                                         |                                           |                                        |                            |                                         |                                                       |                                                            |                            |                            |                            |                           |  |
|                           | PM <sub>10</sub><br>(µg/m <sup>3</sup> ) | PM <sub>2.5</sub><br>(µg/m <sup>3</sup> )                           | SO <sub>2</sub><br>(µg/m <sup>3</sup> ) | NO <sub>x</sub><br>(µg/m <sup>3</sup> )   | O <sub>3</sub><br>(µg/m <sup>3</sup> ) | CO<br>(mg/m <sup>3</sup> ) | NH <sub>3</sub><br>(µg/m <sup>3</sup> ) | C <sub>6</sub> H <sub>6</sub><br>(µg/m <sup>3</sup> ) | BaP<br>(ng/m <sup>3</sup> )                                | Ni<br>(ng/m <sup>3</sup> ) | Pb<br>(µg/m <sup>3</sup> ) | As<br>(ng/m <sup>3</sup> ) | F<br>(µg/m <sup>3</sup> ) |  |
| 01.04.2024                | 56.9                                     | 28.8                                                                | 13.5                                    | 20.9                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 04.04.2024                | 58.4                                     | 29.7                                                                | 14.8                                    | 21.6                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 08.04.2024                | 60.3                                     | 30.5                                                                | 14.2                                    | 18.7                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 11.04.2024                | 61.8                                     | 31.1                                                                | 13.6                                    | 19.3                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 15.04.2024                | 55.4                                     | 27.9                                                                | 13.9                                    | 19.8                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 18.04.2024                | 52.9                                     | 26.8                                                                | 12.5                                    | 20.2                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 22.04.2024                | 62.7                                     | 31.8                                                                | 11.7                                    | 18.1                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 25.04.2024                | 60.8                                     | 30.6                                                                | 14.7                                    | 17.9                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 02.05.2024                | 61.3                                     | 30.9                                                                | 14.5                                    | 20.6                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 05.05.2024                | 56.6                                     | 28.8                                                                | 14.3                                    | 21.1                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 09.05.2024                | 59.2                                     | 30.1                                                                | 10.5                                    | 20.2                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 13.05.2024                | 50.4                                     | 30.4                                                                | 13.9                                    | 20.5                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 16.05.2024                | 61.3                                     | 31.5                                                                | 13.2                                    | 19.1                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 20.05.2024                | 62.5                                     | 31.9                                                                | 12.8                                    | 19.8                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 23.05.2024                | 50.6                                     | 26.1                                                                | 13.2                                    | 20.3                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 27.05.2024                | 55.1                                     | 27.8                                                                | 12.8                                    | 19.5                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 03.06.2024                | 54.8                                     | 27.5                                                                | 14.1                                    | 20.6                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 06.06.2024                | 59.3                                     | 29.9                                                                | 13.6                                    | 20.2                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 10.06.2024                | 61.3                                     | 30.8                                                                | 12.9                                    | 21.7                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 13.06.2024                | 60.6                                     | 30.5                                                                | 11.9                                    | 21.2                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 17.06.2024                | 65.1                                     | 33.1                                                                | 12.6                                    | 20.8                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 20.06.2024                | 60.6                                     | 30.5                                                                | 10.9                                    | 20.5                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 24.06.2024                | 56.4                                     | 28.8                                                                | 11.9                                    | 21.3                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 27.06.2024                | 55.2                                     | 27.9                                                                | 12.3                                    | 20.9                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| NAAQ Standard             | 100                                      | 60                                                                  | 80                                      | 80                                        | 100                                    | 4                          | 400                                     | 05                                                    | 01                                                         | 20                         | 1.0                        | 06                         | -                         |  |
| Average                   | 58.3                                     | 29.7                                                                | 13.1                                    | 20.2                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| Testing method            | Gravimetric                              | Gravimetric                                                         | Improve d West and Gaeke method         | Modified Jacob & Hochheiser (Na-Arsenite) | Chemical Method                        | NDIR Spectroscopy          | Indo phenol blue method                 | Absorption & Desorption followed by GC analysis       | Solvent extraction followed by Gas Chromatography analysis | AAS method after sampling  |                            |                            | Zirconium SPADNS Method   |  |

BDL Values: SO<sub>2</sub><4 µg/m<sup>3</sup>, NO<sub>x</sub><9 µg/m<sup>3</sup>, O<sub>3</sub><4 µg/m<sup>3</sup>, Ni<0.01 ng/m<sup>3</sup>, As<0.001 ng/m<sup>3</sup>, C<sub>6</sub>H<sub>6</sub><0.001 µg/m<sup>3</sup>, BaP<0.002 ng/m<sup>3</sup>, Pb<0.001 µg/m<sup>3</sup>, F<0.01 µg/m<sup>3</sup>, CO<0.1 mg/m<sup>3</sup>







# Visiontek Consultancy Services Pvt. Ltd.

(Committed For Better Environment)

Certified for : ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 (OH&S), ISO/IEC 17025:2017

Accredited by : NABET-A Grade, MOEF & CC/CPCB & SPCB-A Grade

**Laboratory Services**  
 Environment Lab  
 Food Lab  
 Material Lab  
 Soil Lab  
 Mineral Lab  
 &  
 Microbiology Lab

- Infrastructure Engineering
- Water Resource Management
- Environmental & Social Study

- Surface & Sub-Surface Investigation
- Quality Control & Project Management
- Renewable Energy

- Agricultural Development
- Information Technology
- Public Health Engineering

- Mine Planning & Design
- Mineral/Sub-Soil Exploration
- Waste Management Services

Ref: VCSPL/24-25/TR - 06251

Date: 05.07.2024

## AMBIENT AIR QUALITY MONITORING REPORT (APR-2024 TO JUN-2024)

|                           |   |                                                                   |
|---------------------------|---|-------------------------------------------------------------------|
| 1. Name of Industry       | : | M/s Hindalco Industries Limited, Hirakud Power, Sambalpur, Odisha |
| 2. Sampling Location      | : | Monitoring Station No.- AAQMS-3 : Budakanta Village               |
| 3. Monitoring Instruments | : | RDS(APM 460 BL), FPS(APM 550) Envirotech, CO Monitor, VOC Sampler |
| 4. Sample collected by    | : | VCSPL representative                                              |

| Date           | PARAMETERS                               |                                           |                                         |                                           |                                        |                            |                                         |                                                       |                                                            |                            |                            |                            |                           |  |
|----------------|------------------------------------------|-------------------------------------------|-----------------------------------------|-------------------------------------------|----------------------------------------|----------------------------|-----------------------------------------|-------------------------------------------------------|------------------------------------------------------------|----------------------------|----------------------------|----------------------------|---------------------------|--|
|                | PM <sub>10</sub><br>(µg/m <sup>3</sup> ) | PM <sub>2.5</sub><br>(µg/m <sup>3</sup> ) | SO <sub>2</sub><br>(µg/m <sup>3</sup> ) | NO <sub>x</sub><br>(µg/m <sup>3</sup> )   | O <sub>3</sub><br>(µg/m <sup>3</sup> ) | CO<br>(mg/m <sup>3</sup> ) | NH <sub>3</sub><br>(µg/m <sup>3</sup> ) | C <sub>6</sub> H <sub>6</sub><br>(µg/m <sup>3</sup> ) | BaP<br>(ng/m <sup>3</sup> )                                | Ni<br>(ng/m <sup>3</sup> ) | Pb<br>(µg/m <sup>3</sup> ) | As<br>(ng/m <sup>3</sup> ) | F<br>(µg/m <sup>3</sup> ) |  |
| 01.04.2024     | 55.9                                     | 28.4                                      | 10.7                                    | 19.8                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 04.04.2024     | 56.7                                     | 28.2                                      | 11.5                                    | 21.7                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 08.04.2024     | 50.8                                     | 25.6                                      | 10.9                                    | 20.3                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 11.04.2024     | 52.3                                     | 26.9                                      | 10.9                                    | 21.3                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 15.04.2024     | 59.1                                     | 30.1                                      | 11.1                                    | 20.8                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 18.04.2024     | 60.6                                     | 30.4                                      | 11.6                                    | 20.2                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 22.04.2024     | 55.6                                     | 27.9                                      | 10.9                                    | 19.6                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 25.04.2024     | 52.8                                     | 26.8                                      | 10.6                                    | 18.3                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 02.05.2024     | 53.9                                     | 27.7                                      | 12.3                                    | 18.9                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 06.05.2024     | 58.6                                     | 29.9                                      | 12.9                                    | 21.8                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 09.05.2024     | 56.6                                     | 28.4                                      | 13.1                                    | 22.6                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 13.05.2024     | 60.2                                     | 30.3                                      | 12.6                                    | 22.3                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 16.05.2024     | 61.1                                     | 30.9                                      | 10.8                                    | 20.9                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 20.05.2024     | 57.9                                     | 29.1                                      | 11.9                                    | 21.5                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 23.05.2024     | 55.4                                     | 27.8                                      | 12.3                                    | 19.9                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 27.05.2024     | 58.8                                     | 29.9                                      | 13.1                                    | 21.7                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 03.06.2024     | 59.7                                     | 30.3                                      | 12.6                                    | 22.8                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 06.06.2024     | 53.5                                     | 27.7                                      | 10.8                                    | 22.1                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 10.06.2024     | 56.2                                     | 28.3                                      | 11.1                                    | 20.6                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 13.06.2024     | 58.1                                     | 29.9                                      | 9.9                                     | 21.9                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 17.06.2024     | 59.5                                     | 30.1                                      | 10.2                                    | 21.8                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 20.06.2024     | 50.2                                     | 25.6                                      | 9.8                                     | 22.8                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 24.06.2024     | 56.6                                     | 28.7                                      | 10.6                                    | 20.9                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 27.06.2024     | 58.9                                     | 29.7                                      | 11.1                                    | 21.7                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| NAAQ Standard  | 100                                      | 60                                        | 80                                      | 80                                        | 100                                    | <0.1                       | 400                                     | 05                                                    | 01                                                         | 20                         | 1.0                        | 06                         | --                        |  |
| Average        | 56.6                                     | 28.7                                      | 11.4                                    | 21.1                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| Testing method | Gravimetric                              | Gravimetric                               | Improved West and Geake method          | Modified Jacob & Hochheiser (Na-Arsenite) | Chemical Method                        | NDR Spectroscopy           | Indo phenol blue method                 | Absorption & Desorption followed by GC analysis       | Solvent extraction followed by Gas Chromatography analysis | AAS method after sampling  |                            |                            | Zirconium SPADNS Method   |  |

BDL Values: SO<sub>2</sub>< 4 µg/m<sup>3</sup>, NO<sub>x</sub>< 9 µg/m<sup>3</sup>, O<sub>3</sub>< 4 µg/m<sup>3</sup>, Ni<0.01 ng/m<sup>3</sup>, As< 0.001 ng/m<sup>3</sup>, C<sub>6</sub>H<sub>6</sub><0.001 µg/m<sup>3</sup>, BaP<0.002 ng/m<sup>3</sup>, Pb<0.001 µg/m<sup>3</sup>, F<0.01 µg/m<sup>3</sup>, CO<0.1 mg/m<sup>3</sup>





# Visiontek Consultancy Services Pvt. Ltd.

(Committed For Better Environment)

Certified for : ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 (OH&S), ISO/IEC 17025:2017

Accredited by : NABET-A Grade, MOEF & CC/CPCB & SPCB-A Grade

- Infrastructure Engineering
- Water Resource Management
- Environmental & Social Study

- Surface & Sub-Surface Investigation
- Quality Control & Project Management
- Renewable Energy

- Agricultural Development
- Information Technology
- Public Health Engineering

- Mine Planning & Design
- Mineral/Sub-Soil Exploration
- Waste Management Services

**Laboratory Services**  
 Environment Lab  
 Food Lab  
 Material Lab  
 Soil Lab  
 Mineral Lab  
 &  
 Microbiology Lab

Ref: VCSPL/24-25/TR -06252

Date: 05.07.2024

## AMBIENT AIR QUALITY MONITORING REPORT (APR-2024 TO JUN-2024)

| 1. Name of Industry       |                                          | M/s Hindalco Industries Limited, Hirakud Power, Sambalpur, Odisha |                                         |                                           |                                        |                            |                                         |                                                 |                                                            |                            |                            |                            |                           |  |
|---------------------------|------------------------------------------|-------------------------------------------------------------------|-----------------------------------------|-------------------------------------------|----------------------------------------|----------------------------|-----------------------------------------|-------------------------------------------------|------------------------------------------------------------|----------------------------|----------------------------|----------------------------|---------------------------|--|
| 2. Sampling Location      |                                          | Monitoring Station No.- AAQMS-4 : Garmunda Village                |                                         |                                           |                                        |                            |                                         |                                                 |                                                            |                            |                            |                            |                           |  |
| 3. Monitoring Instruments |                                          | RDS(APM 460 BL), FPS(APM 550) Envirotech, CO Monitor, VOC Sampler |                                         |                                           |                                        |                            |                                         |                                                 |                                                            |                            |                            |                            |                           |  |
| 4. Sample collected by    |                                          | VCSPL representative                                              |                                         |                                           |                                        |                            |                                         |                                                 |                                                            |                            |                            |                            |                           |  |
| Date                      | PARAMETERS                               |                                                                   |                                         |                                           |                                        |                            |                                         |                                                 |                                                            |                            |                            |                            |                           |  |
|                           | PM <sub>10</sub><br>(µg/m <sup>3</sup> ) | PM <sub>2.5</sub><br>(µg/m <sup>3</sup> )                         | SO <sub>2</sub><br>(µg/m <sup>3</sup> ) | NO <sub>x</sub><br>(µg/m <sup>3</sup> )   | O <sub>3</sub><br>(µg/m <sup>3</sup> ) | CO<br>(mg/m <sup>3</sup> ) | NH <sub>3</sub><br>(µg/m <sup>3</sup> ) | CH <sub>4</sub><br>(µg/m <sup>3</sup> )         | BaP<br>(ng/m <sup>3</sup> )                                | Ni<br>(ng/m <sup>3</sup> ) | Pb<br>(µg/m <sup>3</sup> ) | As<br>(ng/m <sup>3</sup> ) | F<br>(µg/m <sup>3</sup> ) |  |
| 01.04.2024                | 62.8                                     | 31.6                                                              | 16.6                                    | 21.1                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                              | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 04.04.2024                | 60.7                                     | 30.9                                                              | 14.8                                    | 21.7                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                              | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 08.04.2024                | 55.4                                     | 27.8                                                              | 14.2                                    | 20.3                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                              | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 11.04.2024                | 61.7                                     | 30.8                                                              | 16.9                                    | 22.2                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                              | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 15.04.2024                | 60.9                                     | 30.3                                                              | 15.2                                    | 22.1                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                              | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 18.04.2024                | 56.3                                     | 28.8                                                              | 15.3                                    | 19.8                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                              | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 22.04.2024                | 58.9                                     | 29.7                                                              | 16.1                                    | 19.9                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                              | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 25.04.2024                | 60.4                                     | 30.5                                                              | 16.8                                    | 20.6                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                              | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 02.05.2024                | 59.5                                     | 30.1                                                              | 14.8                                    | 21.1                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                              | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 06.05.2024                | 53.8                                     | 27.2                                                              | 13.9                                    | 21.5                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                              | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 09.05.2024                | 56.7                                     | 28.5                                                              | 15.4                                    | 20.8                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                              | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 13.05.2024                | 55.2                                     | 27.9                                                              | 15.9                                    | 22.1                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                              | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 16.05.2024                | 61.1                                     | 30.8                                                              | 15.6                                    | 22.6                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                              | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 20.05.2024                | 60.9                                     | 30.5                                                              | 16.2                                    | 20.9                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                              | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 23.05.2024                | 56.7                                     | 28.6                                                              | 14.1                                    | 21.3                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                              | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 27.05.2024                | 59.2                                     | 29.9                                                              | 13.7                                    | 20.9                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                              | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 03.06.2024                | 58.6                                     | 29.5                                                              | 13.2                                    | 20.2                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                              | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 06.06.2024                | 62.3                                     | 31.4                                                              | 14.5                                    | 21.8                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                              | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 10.06.2024                | 60.1                                     | 30.5                                                              | 15.1                                    | 22.2                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                              | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 13.06.2024                | 59.9                                     | 30.1                                                              | 14.8                                    | 23.1                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                              | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 17.06.2024                | 56.3                                     | 28.8                                                              | 15.8                                    | 22.7                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                              | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 20.06.2024                | 54.8                                     | 27.9                                                              | 15.2                                    | 20.9                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                              | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 24.06.2024                | 58.1                                     | 29.3                                                              | 16.3                                    | 21.1                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                              | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 27.06.2024                | 59.2                                     | 29.7                                                              | 15.9                                    | 22.5                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                              | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| NAAQ Standard             | 100                                      | 60                                                                | 80                                      | 80                                        | 100                                    | 4                          | 400                                     | 05                                              | 01                                                         | 20                         | 1.0                        | 06                         | --                        |  |
| Average                   | 58.7                                     | 29.6                                                              | 15.3                                    | 21.4                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                              | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| Testing method            | Gravimetric                              | Gravimetric                                                       | Improved West and Gaeke method          | Modified Jacob & Hochheiser (Na-Arsenite) | Chemical Method                        | NDIR Spectroscopy          | Indo phenol blue method                 | Absorption & Desorption followed by GC analysis | Solvent extraction followed by Gas Chromatography analysis | AAS method after sampling  |                            |                            | Zirconium SPADNS Method   |  |

BDL Values: SO<sub>2</sub><4 µg/m<sup>3</sup>, NO<sub>x</sub><9 µg/m<sup>3</sup>, O<sub>3</sub><4 µg/m<sup>3</sup>, Ni<0.01 ng/m<sup>3</sup>, As<0.001 ng/m<sup>3</sup>, CH<sub>4</sub><0.001 µg/m<sup>3</sup>, BaP<0.002 ng/m<sup>3</sup>, Pb<0.001 µg/m<sup>3</sup>, F<0.01 µg/m<sup>3</sup>, CO<0.1 mg/m<sup>3</sup>





# Visiontek Consultancy Services Pvt. Ltd.

(Committed For Better Environment)

Certified for : ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 (OH&S), ISO/IEC 17025:2017

Accredited by : NABET-A Grade, MOEF & CC/CPCB & SPCB-A Grade

Laboratory Services  
 Environment Lab  
 Food Lab  
 Material Lab  
 Soil Lab  
 Mineral Lab  
 &  
 Microbiology Lab

- Infrastructure Engineering
- Water Resource Management
- Environmental & Social Study

- Surface & Sub-Surface Investigation
- Quality Control & Project Management
- Renewable Energy

- Agricultural Development
- Information Technology
- Public Health Engineering

- Mine Planning & Design
- Mineral/Sub-Soil Exploration
- Waste Management Services

Ref: VCSPL/24-25/TR -06253

Date: 05.07.2024

## AMBIENT AIR QUALITY MONITORING REPORT (APR-2024 TO JUN-2024)

| 1. Name of Industry       |                                          | M/s Hindalco Industries Limited, Hirakud Power, Sambalpur, Odisha |                                         |                                           |                                        |                            |                                         |                                                       |                                                            |                            |                            |                            |                           |  |
|---------------------------|------------------------------------------|-------------------------------------------------------------------|-----------------------------------------|-------------------------------------------|----------------------------------------|----------------------------|-----------------------------------------|-------------------------------------------------------|------------------------------------------------------------|----------------------------|----------------------------|----------------------------|---------------------------|--|
| 2. Sampling Location      |                                          | Monitoring Station No.- AAQMS-5 : Burla Town                      |                                         |                                           |                                        |                            |                                         |                                                       |                                                            |                            |                            |                            |                           |  |
| 3. Monitoring Instruments |                                          | RDS(APM 460 BL), FPS(APM 550) Envirotech, CO Monitor, VOC Sampler |                                         |                                           |                                        |                            |                                         |                                                       |                                                            |                            |                            |                            |                           |  |
| 4. Sample collected by    |                                          | VCSPL representative                                              |                                         |                                           |                                        |                            |                                         |                                                       |                                                            |                            |                            |                            |                           |  |
| Date                      | PARAMETERS                               |                                                                   |                                         |                                           |                                        |                            |                                         |                                                       |                                                            |                            |                            |                            |                           |  |
|                           | PM <sub>10</sub><br>(µg/m <sup>3</sup> ) | PM <sub>2.5</sub><br>(µg/m <sup>3</sup> )                         | SO <sub>2</sub><br>(µg/m <sup>3</sup> ) | NO <sub>x</sub><br>(µg/m <sup>3</sup> )   | O <sub>3</sub><br>(µg/m <sup>3</sup> ) | CO<br>(mg/m <sup>3</sup> ) | NH <sub>3</sub><br>(µg/m <sup>3</sup> ) | C <sub>6</sub> H <sub>6</sub><br>(µg/m <sup>3</sup> ) | BaP<br>(ng/m <sup>3</sup> )                                | Ni<br>(ng/m <sup>3</sup> ) | Pb<br>(µg/m <sup>3</sup> ) | As<br>(ng/m <sup>3</sup> ) | F<br>(µg/m <sup>3</sup> ) |  |
| 01.04.2024                | 68.8                                     | 34.5                                                              | 17.1                                    | 24.8                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 04.04.2024                | 60.9                                     | 30.8                                                              | 18.6                                    | 26.9                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 08.04.2024                | 65.3                                     | 33.1                                                              | 18.3                                    | 26.1                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 11.04.2024                | 71.2                                     | 35.9                                                              | 19.8                                    | 28.3                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 15.04.2024                | 70.8                                     | 30.4                                                              | 19.3                                    | 30.3                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 18.04.2024                | 65.4                                     | 32.8                                                              | 17.5                                    | 28.8                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 22.04.2024                | 66.7                                     | 33.8                                                              | 18.2                                    | 31.5                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 25.04.2024                | 69.1                                     | 35.1                                                              | 17.1                                    | 32.6                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 02.05.2024                | 68.5                                     | 34.7                                                              | 17.5                                    | 29                                        | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 06.05.2024                | 71.3                                     | 36.2                                                              | 18.9                                    | 28.9                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 09.05.2024                | 70.5                                     | 35.5                                                              | 19.3                                    | 33.1                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 13.05.2024                | 68.7                                     | 34.9                                                              | 19.5                                    | 30.8                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 16.05.2024                | 63.3                                     | 32.1                                                              | 18.9                                    | 26.3                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 20.05.2024                | 60.9                                     | 30.6                                                              | 15.6                                    | 31.8                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 23.05.2024                | 65.4                                     | 32.8                                                              | 17.1                                    | 32.5                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 27.05.2024                | 61.8                                     | 31.7                                                              | 18.1                                    | 30.9                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 03.06.2024                | 66.7                                     | 33.9                                                              | 16.8                                    | 30.3                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 06.06.2024                | 70.2                                     | 35.4                                                              | 19.2                                    | 32.2                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 10.06.2024                | 68.8                                     | 34.8                                                              | 18.8                                    | 30.6                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 13.06.2024                | 71.3                                     | 35.9                                                              | 16.7                                    | 31.8                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 17.06.2024                | 67.9                                     | 34.4                                                              | 15.3                                    | 29.7                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 20.06.2024                | 65.2                                     | 33.1                                                              | 17.2                                    | 28.8                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 24.06.2024                | 69.1                                     | 34.9                                                              | 16.1                                    | 29.5                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 27.06.2024                | 66.3                                     | 33.5                                                              | 15.8                                    | 30.2                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| NAAQ Standard             | 100                                      | 60                                                                | 80                                      | 80                                        | 100                                    | 4                          | 400                                     | 05                                                    | 01                                                         | 20                         | 1.0                        | 06                         | -                         |  |
| Average                   | 67.3                                     | 33.8                                                              | 17.8                                    | 29.8                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| Testing method            | Gravimetric                              | Gravimetric                                                       | Improved West and Gaeke method          | Modified Jacob & Hochheiser (Na-Arsenite) | Chemical Method                        | NDIR Spectroscopy          | Indo phenol blue method                 | Absorption & Desorption followed by GC analysis       | Solvent extraction followed by Gas Chromatography analysis | AAS method after sampling  |                            |                            | Zirconium SPADNS Method   |  |

BDL Values: SO<sub>2</sub><4 µg/m<sup>3</sup>, NO<sub>x</sub><9 µg/m<sup>3</sup>, O<sub>3</sub><4 µg/m<sup>3</sup>, Ni<0.01 ng/m<sup>3</sup>, As<0.001 ng/m<sup>3</sup>, C<sub>6</sub>H<sub>6</sub><0.001 µg/m<sup>3</sup>, BaP<0.002 ng/m<sup>3</sup>, Pb<0.001 µg/m<sup>3</sup>, F<0.01 µg/m<sup>3</sup> CO<0.1 mg/m<sup>3</sup>





# Visiontek Consultancy Services Pvt. Ltd.

(Committed For Better Environment)

Certified for : ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 (OH&S), ISO/IEC 17025:2017

Accredited by : NABET-A Grade, MOEF & CC/CPCB & SPCB-A Grade

- Infrastructure Engineering
- Water Resource Management
- Environmental & Social Study

- Surface & Sub-Surface Investigation
- Quality Control & Project Management
- Renewable Energy

- Agricultural Development
- Information Technology
- Public Health Engineering

- Mine Planning & Design
- Mineral/Sub-Soil Exploration
- Waste Management Services

**Laboratory Services**  
 Environment Lab  
 Food Lab  
 Material Lab  
 Soil Lab  
 Mineral Lab  
 &  
 Microbiology Lab


Ref: VCSPL/24-25/TR - 06254

Date: 05.07.2024

## AMBIENT AIR QUALITY MONITORING REPORT (APR-2024 TO JUN-2024)

| 1. Name of Industry       | M/s Hindalco Industries Limited, Hirakud Power, Sambalpur, Odisha |                            |                                |                                           |                         |                         |                          |                                                 |                                                            |                           |                         |                         |                         |
|---------------------------|-------------------------------------------------------------------|----------------------------|--------------------------------|-------------------------------------------|-------------------------|-------------------------|--------------------------|-------------------------------------------------|------------------------------------------------------------|---------------------------|-------------------------|-------------------------|-------------------------|
| 2. Sampling Location      | Monitoring Station No.- AAQMS-6 : Dhanipalli village              |                            |                                |                                           |                         |                         |                          |                                                 |                                                            |                           |                         |                         |                         |
| 3. Monitoring Instruments | RDS(APM 460 BL), FPS(APM 550) Envirotech, CO Monitor, VOC Sampler |                            |                                |                                           |                         |                         |                          |                                                 |                                                            |                           |                         |                         |                         |
| 4. Sample collected by    | VCSPL representative                                              |                            |                                |                                           |                         |                         |                          |                                                 |                                                            |                           |                         |                         |                         |
| Date                      | PARAMETERS                                                        |                            |                                |                                           |                         |                         |                          |                                                 |                                                            |                           |                         |                         |                         |
|                           | PM10 (µg/m <sup>3</sup> )                                         | PM2.5 (µg/m <sup>3</sup> ) | SO2 (µg/m <sup>3</sup> )       | NOx (µg/m <sup>3</sup> )                  | O3 (µg/m <sup>3</sup> ) | CO (mg/m <sup>3</sup> ) | NH3 (µg/m <sup>3</sup> ) | C6H6 (µg/m <sup>3</sup> )                       | BaP (ng/m <sup>3</sup> )                                   | Ni (ng/m <sup>3</sup> )   | Pb (µg/m <sup>3</sup> ) | As (ng/m <sup>3</sup> ) | F (µg/m <sup>3</sup> )  |
| 01.04.2024                | 61.5                                                              | 31.3                       | 18.5                           | 25.6                                      | <4.0                    | <0.1                    | <20.0                    | <4                                              | <0.5                                                       | <2.5                      | <0.02                   | <1                      | <0.01                   |
| 04.04.2024                | 58.9                                                              | 30.2                       | 16.9                           | 27.9                                      | <4.0                    | <0.1                    | <20.0                    | <4                                              | <0.5                                                       | <2.5                      | <0.02                   | <1                      | <0.01                   |
| 08.04.2024                | 55.6                                                              | 28.3                       | 17.7                           | 22.9                                      | <4.0                    | <0.1                    | <20.0                    | <4                                              | <0.5                                                       | <2.5                      | <0.02                   | <1                      | <0.01                   |
| 11.04.2024                | 60.3                                                              | 30.5                       | 17.9                           | 28.6                                      | <4.0                    | <0.1                    | <20.0                    | <4                                              | <0.5                                                       | <2.5                      | <0.02                   | <1                      | <0.01                   |
| 15.04.2024                | 54.9                                                              | 28.2                       | 16.5                           | 26.4                                      | <4.0                    | <0.1                    | <20.0                    | <4                                              | <0.5                                                       | <2.5                      | <0.02                   | <1                      | <0.01                   |
| 18.04.2024                | 58.1                                                              | 29.6                       | 18.2                           | 25.3                                      | <4.0                    | <0.1                    | <20.0                    | <4                                              | <0.5                                                       | <2.5                      | <0.02                   | <1                      | <0.01                   |
| 22.04.2024                | 52.6                                                              | 26.9                       | 15.8                           | 27.1                                      | <4.0                    | <0.1                    | <20.0                    | <4                                              | <0.5                                                       | <2.5                      | <0.02                   | <1                      | <0.01                   |
| 25.04.2024                | 55.9                                                              | 27.6                       | 11.1                           | 26.7                                      | <4.0                    | <0.1                    | <20.0                    | <4                                              | <0.5                                                       | <2.5                      | <0.02                   | <1                      | <0.01                   |
| 02.05.2024                | 57.5                                                              | 28.9                       | 16.3                           | 24.9                                      | <4.0                    | <0.1                    | <20.0                    | <4                                              | <0.5                                                       | <2.5                      | <0.02                   | <1                      | <0.01                   |
| 06.05.2024                | 60.3                                                              | 30.5                       | 18.8                           | 26.3                                      | <4.0                    | <0.1                    | <20.0                    | <4                                              | <0.5                                                       | <2.5                      | <0.02                   | <1                      | <0.01                   |
| 09.05.2024                | 62.8                                                              | 31.8                       | 15.4                           | 25.5                                      | <4.0                    | <0.1                    | <20.0                    | <4                                              | <0.5                                                       | <2.5                      | <0.02                   | <1                      | <0.01                   |
| 13.05.2024                | 58.9                                                              | 30.5                       | 14.9                           | 28.2                                      | <4.0                    | <0.1                    | <20.0                    | <4                                              | <0.5                                                       | <2.5                      | <0.02                   | <1                      | <0.01                   |
| 16.05.2024                | 57.7                                                              | 29.6                       | 16.3                           | 27.6                                      | <4.0                    | <0.1                    | <20.0                    | <4                                              | <0.5                                                       | <2.5                      | <0.02                   | <1                      | <0.01                   |
| 20.05.2024                | 59.5                                                              | 29.9                       | 12.3                           | 28.9                                      | <4.0                    | <0.1                    | <20.0                    | <4                                              | <0.5                                                       | <2.5                      | <0.02                   | <1                      | <0.01                   |
| 23.05.2024                | 51.6                                                              | 26.2                       | 12.9                           | 26.3                                      | <4.0                    | <0.1                    | <20.0                    | <4                                              | <0.5                                                       | <2.5                      | <0.02                   | <1                      | <0.01                   |
| 27.05.2024                | 50.4                                                              | 25.7                       | 13.3                           | 27.2                                      | <4.0                    | <0.1                    | <20.0                    | <4                                              | <0.5                                                       | <2.5                      | <0.02                   | <1                      | <0.01                   |
| 03.06.2024                | 52.3                                                              | 27.1                       | 14.5                           | 28.9                                      | <4.0                    | <0.1                    | <20.0                    | <4                                              | <0.5                                                       | <2.5                      | <0.02                   | <1                      | <0.01                   |
| 06.06.2024                | 55.2                                                              | 28.2                       | 15.1                           | 25.2                                      | <4.0                    | <0.1                    | <20.0                    | <4                                              | <0.5                                                       | <2.5                      | <0.02                   | <1                      | <0.01                   |
| 10.06.2024                | 58.9                                                              | 29.7                       | 16.3                           | 21.5                                      | <4.0                    | <0.1                    | <20.0                    | <4                                              | <0.5                                                       | <2.5                      | <0.02                   | <1                      | <0.01                   |
| 13.06.2024                | 61.1                                                              | 31.3                       | 14.4                           | 22.3                                      | <4.0                    | <0.1                    | <20.0                    | <4                                              | <0.5                                                       | <2.5                      | <0.02                   | <1                      | <0.01                   |
| 17.06.2024                | 60.7                                                              | 30.5                       | 15.9                           | 24.4                                      | <4.0                    | <0.1                    | <20.0                    | <4                                              | <0.5                                                       | <2.5                      | <0.02                   | <1                      | <0.01                   |
| 20.06.2024                | 56.3                                                              | 29.7                       | 13.8                           | 27.7                                      | <4.0                    | <0.1                    | <20.0                    | <4                                              | <0.5                                                       | <2.5                      | <0.02                   | <1                      | <0.01                   |
| 24.06.2024                | 58.4                                                              | 29.9                       | 15.1                           | 24.9                                      | <4.0                    | <0.1                    | <20.0                    | <4                                              | <0.5                                                       | <2.5                      | <0.02                   | <1                      | <0.01                   |
| 27.06.2024                | 59.1                                                              | 30.4                       | 14.2                           | 22.3                                      | <4.0                    | <0.1                    | <20.0                    | <4                                              | <0.5                                                       | <2.5                      | <0.02                   | <1                      | <0.01                   |
| NAAQ Standard             | 100                                                               | 60                         | 80                             | 80                                        | 100                     | 4                       | 400                      | 05                                              | 01                                                         | 20                        | 1.0                     | 06                      | -                       |
| Average                   | 57.4                                                              | 29.3                       | 15.5                           | 25.9                                      | <4.0                    | <0.1                    | <20.0                    | <4                                              | <0.5                                                       | <2.5                      | <0.02                   | <1                      | <0.01                   |
| Testing method            | Gravimetric                                                       | Gravimetric                | Improved West and Gaeke method | Modified Jacob & Hochheiser (Na-Arsenite) | Chemical Method         | NDIR Spectroscopy       | Indo phenol blue method  | Absorption & Desorption followed by GC analysis | Solvent extraction followed by Gas Chromatography analysis | AAS method after sampling |                         |                         | Zirconium SPADNS Method |

BDL Values: SO<sub>2</sub>< 4 µg/m<sup>3</sup>, NO<sub>x</sub>< 9 µg/m<sup>3</sup>, O<sub>3</sub>< 4 µg/m<sup>3</sup>, Ni<0.01 ng/m<sup>3</sup>, As<0.001 ng/m<sup>3</sup>, C<sub>6</sub>H<sub>6</sub><0.001 µg/m<sup>3</sup>, BaP<0.002 ng/m<sup>3</sup>, Pb<0.001 µg/m<sup>3</sup>, F<0.01 µg/m<sup>3</sup>, CO<0.1 mg/m<sup>3</sup>





# Visiontek Consultancy Services Pvt. Ltd.

(Committed For Better Environment)

Certified for : ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 (OH&S), ISO/IEC 17025:2017

Accredited by : NABET-A Grade, MOEF & CC/CPCB & SPCB-A Grade

**Laboratory Services**  
 Environment Lab  
 Food Lab  
 Material Lab  
 Soil Lab  
 Mineral Lab  
 &  
 Microbiology Lab

- Infrastructure Engineering
- Water Resource Management
- Environmental & Social Study

- Surface & Sub-Surface Investigation
- Quality Control & Project Management
- Renewable Energy

- Agricultural Development
- Information Technology
- Public Health Engineering

- Mine Planning & Design
- Mineral/Sub-Soil Exploration
- Waste Management Services


Ref: VCSPL/24-25/TR -06255

Date: 05.07.2024

## AMBIENT AIR QUALITY MONITORING REPORT (APR-2024 TO JUN-2024)

|                           |                                                                     |                            |                                      |                                           |                                     |                         |                          |                                                    |                                                            |                           |                         |                         |                         |  |
|---------------------------|---------------------------------------------------------------------|----------------------------|--------------------------------------|-------------------------------------------|-------------------------------------|-------------------------|--------------------------|----------------------------------------------------|------------------------------------------------------------|---------------------------|-------------------------|-------------------------|-------------------------|--|
| 1. Name of Industry       | : M/s Hindalco Industries Limited, Hirakud Power, Sambalpur, Odisha |                            |                                      |                                           |                                     |                         |                          |                                                    |                                                            |                           |                         |                         |                         |  |
| 2. Sampling Location      | : Monitoring Station No.- AAQMS-7 : Hindalco Club                   |                            |                                      |                                           |                                     |                         |                          |                                                    |                                                            |                           |                         |                         |                         |  |
| 3. Monitoring Instruments | : RDS(APM 460 BL), FPS(APM 550) Envirotech, CO Monitor, VOC Sampler |                            |                                      |                                           |                                     |                         |                          |                                                    |                                                            |                           |                         |                         |                         |  |
| 4. Sample collected by    | : VCSPL representative                                              |                            |                                      |                                           |                                     |                         |                          |                                                    |                                                            |                           |                         |                         |                         |  |
| Date                      | PARAMETERS                                                          |                            |                                      |                                           |                                     |                         |                          |                                                    |                                                            |                           |                         |                         |                         |  |
|                           | PM10 (µg/m <sup>3</sup> )                                           | PM2.5 (µg/m <sup>3</sup> ) | SO <sub>2</sub> (µg/m <sup>3</sup> ) | NO <sub>x</sub> (µg/m <sup>3</sup> )      | O <sub>3</sub> (µg/m <sup>3</sup> ) | CO (ng/m <sup>3</sup> ) | NIB (µg/m <sup>3</sup> ) | C <sub>6</sub> H <sub>6</sub> (µg/m <sup>3</sup> ) | BaP (ng/m <sup>3</sup> )                                   | Ni (ng/m <sup>3</sup> )   | Pb (µg/m <sup>3</sup> ) | As (ng/m <sup>3</sup> ) | F (µg/m <sup>3</sup> )  |  |
| 01.04.2024                | 55.4                                                                | 28.1                       | 10.9                                 | 18.6                                      | <4.0                                | <0.1                    | <20.0                    | <4                                                 | <0.5                                                       | <2.5                      | <0.02                   | <1                      | <0.01                   |  |
| 04.04.2024                | 59.6                                                                | 29.9                       | 11.1                                 | 17.9                                      | <4.0                                | <0.1                    | <20.0                    | <4                                                 | <0.5                                                       | <2.5                      | <0.02                   | <1                      | <0.01                   |  |
| 08.04.2024                | 61.3                                                                | 31.2                       | 11.5                                 | 17.2                                      | <4.0                                | <0.1                    | <20.0                    | <4                                                 | <0.5                                                       | <2.5                      | <0.02                   | <1                      | <0.01                   |  |
| 11.04.2024                | 60.8                                                                | 30.6                       | 9.6                                  | 16.5                                      | <4.0                                | <0.1                    | <20.0                    | <4                                                 | <0.5                                                       | <2.5                      | <0.02                   | <1                      | <0.01                   |  |
| 15.04.2024                | 62.5                                                                | 31.8                       | 9.8                                  | 18.8                                      | <4.0                                | <0.1                    | <20.0                    | <4                                                 | <0.5                                                       | <2.5                      | <0.02                   | <1                      | <0.01                   |  |
| 18.04.2024                | 66.1                                                                | 33.4                       | 10.5                                 | 19.8                                      | <4.0                                | <0.1                    | <20.0                    | <4                                                 | <0.5                                                       | <2.5                      | <0.02                   | <1                      | <0.01                   |  |
| 22.04.2024                | 57.9                                                                | 29.1                       | 11.2                                 | 20.3                                      | <4.0                                | <0.1                    | <20.0                    | <4                                                 | <0.5                                                       | <2.5                      | <0.02                   | <1                      | <0.01                   |  |
| 25.04.2024                | 55.6                                                                | 27.8                       | 12.1                                 | 20.1                                      | <4.0                                | <0.1                    | <20.0                    | <4                                                 | <0.5                                                       | <2.5                      | <0.02                   | <1                      | <0.01                   |  |
| 02.05.2024                | 58.1                                                                | 29.9                       | 10.6                                 | 18.9                                      | <4.0                                | <0.1                    | <20.0                    | <4                                                 | <0.5                                                       | <2.5                      | <0.02                   | <1                      | <0.01                   |  |
| 06.05.2024                | 50.5                                                                | 25.6                       | 10.2                                 | 20.6                                      | <4.0                                | <0.1                    | <20.0                    | <4                                                 | <0.5                                                       | <2.5                      | <0.02                   | <1                      | <0.01                   |  |
| 09.05.2024                | 52.3                                                                | 26.3                       | 9.1                                  | 21.1                                      | <4.0                                | <0.1                    | <20.0                    | <4                                                 | <0.5                                                       | <2.5                      | <0.02                   | <1                      | <0.01                   |  |
| 13.05.2024                | 51.6                                                                | 25.8                       | 9.8                                  | 19.5                                      | <4.0                                | <0.1                    | <20.0                    | <4                                                 | <0.5                                                       | <2.5                      | <0.02                   | <1                      | <0.01                   |  |
| 16.05.2024                | 54.9                                                                | 27.5                       | 8.9                                  | 18.9                                      | <4.0                                | <0.1                    | <20.0                    | <4                                                 | <0.5                                                       | <2.5                      | <0.02                   | <1                      | <0.01                   |  |
| 20.05.2024                | 55.8                                                                | 28.2                       | 12.3                                 | 21.3                                      | <4.0                                | <0.1                    | <20.0                    | <4                                                 | <0.5                                                       | <2.5                      | <0.02                   | <1                      | <0.01                   |  |
| 23.05.2024                | 56.3                                                                | 28.8                       | 14.2                                 | 21.2                                      | <4.0                                | <0.1                    | <20.0                    | <4                                                 | <0.5                                                       | <2.5                      | <0.02                   | <1                      | <0.01                   |  |
| 27.05.2024                | 51.3                                                                | 25.7                       | 11.4                                 | 19.8                                      | <4.0                                | <0.1                    | <20.0                    | <4                                                 | <0.5                                                       | <2.5                      | <0.02                   | <1                      | <0.01                   |  |
| 03.06.2024                | 60.1                                                                | 30.3                       | 12.3                                 | 20.6                                      | <4.0                                | <0.1                    | <20.0                    | <4                                                 | <0.5                                                       | <2.5                      | <0.02                   | <1                      | <0.01                   |  |
| 06.06.2024                | 58.9                                                                | 29.8                       | 12.5                                 | 18.6                                      | <4.0                                | <0.1                    | <20.0                    | <4                                                 | <0.5                                                       | <2.5                      | <0.02                   | <1                      | <0.01                   |  |
| 10.06.2024                | 61.1                                                                | 30.8                       | 11.9                                 | 17.9                                      | <4.0                                | <0.1                    | <20.0                    | <4                                                 | <0.5                                                       | <2.5                      | <0.02                   | <1                      | <0.01                   |  |
| 13.06.2024                | 59.2                                                                | 30.1                       | 10.7                                 | 18.5                                      | <4.0                                | <0.1                    | <20.0                    | <4                                                 | <0.5                                                       | <2.5                      | <0.02                   | <1                      | <0.01                   |  |
| 17.06.2024                | 54.6                                                                | 27.7                       | 13.1                                 | 19.1                                      | <4.0                                | <0.1                    | <20.0                    | <4                                                 | <0.5                                                       | <2.5                      | <0.02                   | <1                      | <0.01                   |  |
| 20.06.2024                | 57.8                                                                | 28.9                       | 12.8                                 | 19.9                                      | <4.0                                | <0.1                    | <20.0                    | <4                                                 | <0.5                                                       | <2.5                      | <0.02                   | <1                      | <0.01                   |  |
| 24.06.2024                | 50.3                                                                | 25.5                       | 12.1                                 | 20.2                                      | <4.0                                | <0.1                    | <20.0                    | <4                                                 | <0.5                                                       | <2.5                      | <0.02                   | <1                      | <0.01                   |  |
| 27.06.2024                | 51.5                                                                | 26.1                       | 11.5                                 | 17.5                                      | <4.0                                | <0.1                    | <20.0                    | <4                                                 | <0.5                                                       | <2.5                      | <0.02                   | <1                      | <0.01                   |  |
| NAAQ Standard             | 100                                                                 | 60                         | 80                                   | 80                                        | 100                                 | 4                       | 400                      | 05                                                 | 01                                                         | 20                        | 1.0                     | 06                      | --                      |  |
| Average                   | 56.8                                                                | 28.7                       | 11.3                                 | 19.3                                      | <4.0                                | <0.1                    | <20.0                    | <4                                                 | <0.5                                                       | <2.5                      | <0.02                   | <1                      | <0.01                   |  |
| Testing method            | Gravimetric                                                         | Gravimetric                | Improved West and Geake method       | Modified Jacob & Hochheiser (Na-Arsenite) | Chemical Method                     | NDIR Spectroscopy       | Indophenol blue method   | Absorption & Desorption followed by GC analysis    | Solvent extraction followed by Gas Chromatography analysis | AAS method after sampling |                         |                         | Zirconium SPADNS Method |  |

BDL Values: SO<sub>2</sub>< 4 µg/m<sup>3</sup>, NO<sub>x</sub>< 9 µg/m<sup>3</sup>, O<sub>3</sub>< 4 µg/m<sup>3</sup>, Ni<0.01 ng/m<sup>3</sup>, As<0.001 ng/m<sup>3</sup>, C<sub>6</sub>H<sub>6</sub><0.001 µg/m<sup>3</sup>, BaP<0.002 ng/m<sup>3</sup>, Pb<0.001 µg/m<sup>3</sup>, F<0.01 µg/m<sup>3</sup> CO<0.1 mg/m<sup>3</sup>





# Visiontek Consultancy Services Pvt. Ltd.

(Committed For Better Environment)

Certified for : ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 (OH&S), ISO/IEC 17025:2017

Accredited by : NABET-A Grade, MOEF & CC/CPCB & SPCB-A Grade

Laboratory Services

Environment Lab  
Food Lab  
Material Lab  
Soil Lab  
Mineral Lab  
&  
Microbiology Lab

- Infrastructure Engineering
- Water Resource Management
- Environmental & Social Study

- Surface & Sub-Surface Investigation
- Quality Control & Project Management
- Renewable Energy

- Agricultural Development
- Information Technology
- Public Health Engineering

- Mine Planning & Design
- Mineral/Sub-Soil Exploration
- Waste Management Services


Ref: VCSPL/24-25/TR - 06256

Date: 05.07.2024

## AMBIENT AIR QUALITY MONITORING REPORT (APR-2024 TO JUN-2024)

| 1. Name of Industry       |                           | M/s Hindalco Industries Limited, Hirakud Power, Sambalpur, Odisha |                                |                                           |                         |                         |                          |                                                 |                                                            |                           |                         |                         |                         |  |
|---------------------------|---------------------------|-------------------------------------------------------------------|--------------------------------|-------------------------------------------|-------------------------|-------------------------|--------------------------|-------------------------------------------------|------------------------------------------------------------|---------------------------|-------------------------|-------------------------|-------------------------|--|
| 2. Sampling Location      |                           | Monitoring Station No.- AAQMS-8 : Jyoti Vihar University          |                                |                                           |                         |                         |                          |                                                 |                                                            |                           |                         |                         |                         |  |
| 3. Monitoring Instruments |                           | RDS(APM 460 BL), FPS(APM 550) Envirotech, CO Monitor, VOC Sampler |                                |                                           |                         |                         |                          |                                                 |                                                            |                           |                         |                         |                         |  |
| 4. Sample collected by    |                           | VCSPL representative                                              |                                |                                           |                         |                         |                          |                                                 |                                                            |                           |                         |                         |                         |  |
| Date                      | PARAMETERS                |                                                                   |                                |                                           |                         |                         |                          |                                                 |                                                            |                           |                         |                         |                         |  |
|                           | PM10 (µg/m <sup>3</sup> ) | PM2.5 (µg/m <sup>3</sup> )                                        | SO2 (µg/m <sup>3</sup> )       | NOx (µg/m <sup>3</sup> )                  | O3 (µg/m <sup>3</sup> ) | CO (mg/m <sup>3</sup> ) | NH3 (µg/m <sup>3</sup> ) | CrH6 (µg/m <sup>3</sup> )                       | BaP (ng/m <sup>3</sup> )                                   | Ni (ng/m <sup>3</sup> )   | Pb (µg/m <sup>3</sup> ) | As (µg/m <sup>3</sup> ) | F (µg/m <sup>3</sup> )  |  |
| 01.04.2024                | 60.8                      | 30.6                                                              | 16.8                           | 26.3                                      | <4                      | <0.1                    | <20.0                    | <4                                              | <0.5                                                       | <2.5                      | <0.02                   | <1                      | <0.01                   |  |
| 04.04.2024                | 67.8                      | 33.8                                                              | 18.1                           | 25.5                                      | <4                      | <0.1                    | <20.0                    | <4                                              | <0.5                                                       | <2.5                      | <0.02                   | <1                      | <0.01                   |  |
| 08.04.2024                | 61.3                      | 31.1                                                              | 15.7                           | 21.9                                      | <4                      | <0.1                    | <20.0                    | <4                                              | <0.5                                                       | <2.5                      | <0.02                   | <1                      | <0.01                   |  |
| 11.04.2024                | 58.2                      | 29.6                                                              | 17.5                           | 22.3                                      | <4                      | <0.1                    | <20.0                    | <4                                              | <0.5                                                       | <2.5                      | <0.02                   | <1                      | <0.01                   |  |
| 15.04.2024                | 66.4                      | 33.6                                                              | 14.8                           | 25.4                                      | <4                      | <0.1                    | <20.0                    | <4                                              | <0.5                                                       | <2.5                      | <0.02                   | <1                      | <0.01                   |  |
| 18.04.2024                | 59.2                      | 30.2                                                              | 15.6                           | 24.7                                      | <4                      | <0.1                    | <20.0                    | <4                                              | <0.5                                                       | <2.5                      | <0.02                   | <1                      | <0.01                   |  |
| 22.04.2024                | 63.1                      | 32.2                                                              | 18.2                           | 26.8                                      | <4                      | <0.1                    | <20.0                    | <4                                              | <0.5                                                       | <2.5                      | <0.02                   | <1                      | <0.01                   |  |
| 25.04.2024                | 66.5                      | 33.8                                                              | 18.1                           | 27.9                                      | <4                      | <0.1                    | <20.0                    | <4                                              | <0.5                                                       | <2.5                      | <0.02                   | <1                      | <0.01                   |  |
| 02.05.2024                | 60.8                      | 30.6                                                              | 19.6                           | 23.3                                      | <4                      | <0.1                    | <20.0                    | <4                                              | <0.5                                                       | <2.5                      | <0.02                   | <1                      | <0.01                   |  |
| 06.05.2024                | 68.9                      | 34.5                                                              | 16.3                           | 25.8                                      | <4                      | <0.1                    | <20.0                    | <4                                              | <0.5                                                       | <2.5                      | <0.02                   | <1                      | <0.01                   |  |
| 09.05.2024                | 70.2                      | 35.6                                                              | 15.4                           | 26.9                                      | <4                      | <0.1                    | <20.0                    | <4                                              | <0.5                                                       | <2.5                      | <0.02                   | <1                      | <0.01                   |  |
| 13.05.2024                | 67.5                      | 34.1                                                              | 13.8                           | 28.2                                      | <4                      | <0.1                    | <20.0                    | <4                                              | <0.5                                                       | <2.5                      | <0.02                   | <1                      | <0.01                   |  |
| 16.05.2024                | 69.1                      | 35.2                                                              | 15.9                           | 24.4                                      | <4                      | <0.1                    | <20.0                    | <4                                              | <0.5                                                       | <2.5                      | <0.02                   | <1                      | <0.01                   |  |
| 20.05.2024                | 71.1                      | 36.6                                                              | 16.7                           | 28.1                                      | <4                      | <0.1                    | <20.0                    | <4                                              | <0.5                                                       | <2.5                      | <0.02                   | <1                      | <0.01                   |  |
| 23.05.2024                | 70.6                      | 35.6                                                              | 17.4                           | 28.9                                      | <4                      | <0.1                    | <20.0                    | <4                                              | <0.5                                                       | <2.5                      | <0.02                   | <1                      | <0.01                   |  |
| 27.05.2024                | 63.8                      | 32.1                                                              | 16.6                           | 26.3                                      | <4                      | <0.1                    | <20.0                    | <4                                              | <0.5                                                       | <2.5                      | <0.02                   | <1                      | <0.01                   |  |
| 03.06.2024                | 66.2                      | 33.8                                                              | 15.2                           | 27.9                                      | <4                      | <0.1                    | <20.0                    | <4                                              | <0.5                                                       | <2.5                      | <0.02                   | <1                      | <0.01                   |  |
| 06.06.2024                | 67.8                      | 34.1                                                              | 15.8                           | 25.5                                      | <4                      | <0.1                    | <20.0                    | <4                                              | <0.5                                                       | <2.5                      | <0.02                   | <1                      | <0.01                   |  |
| 10.06.2024                | 69.2                      | 34.9                                                              | 13.9                           | 29.1                                      | <4                      | <0.1                    | <20.0                    | <4                                              | <0.5                                                       | <2.5                      | <0.02                   | <1                      | <0.01                   |  |
| 13.06.2024                | 60.6                      | 30.8                                                              | 14.4                           | 24.4                                      | <4                      | <0.1                    | <20.0                    | <4                                              | <0.5                                                       | <2.5                      | <0.02                   | <1                      | <0.01                   |  |
| 17.06.2024                | 62.4                      | 32.6                                                              | 13.1                           | 25.6                                      | <4                      | <0.1                    | <20.0                    | <4                                              | <0.5                                                       | <2.5                      | <0.02                   | <1                      | <0.01                   |  |
| 20.06.2024                | 61.9                      | 31.7                                                              | 14.8                           | 23.3                                      | <4                      | <0.1                    | <20.0                    | <4                                              | <0.5                                                       | <2.5                      | <0.02                   | <1                      | <0.01                   |  |
| 24.06.2024                | 63.3                      | 32.2                                                              | 15.6                           | 26.1                                      | <4                      | <0.1                    | <20.0                    | <4                                              | <0.5                                                       | <2.5                      | <0.02                   | <1                      | <0.01                   |  |
| 27.06.2024                | 60.6                      | 30.5                                                              | 16.2                           | 28.2                                      | <4                      | <0.1                    | <20.0                    | <4                                              | <0.5                                                       | <2.5                      | <0.02                   | <1                      | <0.01                   |  |
| NAAQ Standard             | 100                       | 60                                                                | 80                             | 80                                        | 100                     | 4                       | 400                      | 05                                              | 01                                                         | 20                        | 1.0                     | 06                      | --                      |  |
| Average                   | 64.9                      | 32.9                                                              | 16.1                           | 26.0                                      | <4                      | <0.1                    | <20.0                    | <4                                              | <0.5                                                       | <2.5                      | <0.02                   | <1                      | <0.01                   |  |
| Testing method            | Gravimetric               | Gravimetric                                                       | Improved West and Gaeke method | Modified Jacob & Hochheiser (Na-Arsenite) | Chemical Method         | NDIR Spectroscopy       | Indo phenol blue method  | Absorption & Desorption followed by GC analysis | Solvent extraction followed by Gas Chromatography analysis | AAS method after sampling |                         |                         | Zirconium SPADNS Method |  |

BDL Values: SO<sub>2</sub><4 µg/m<sup>3</sup>, NO<sub>x</sub><9 µg/m<sup>3</sup>, O<sub>3</sub><4 µg/m<sup>3</sup>, Ni<0.01 ng/m<sup>3</sup>, As<0.001 ng/m<sup>3</sup>, Cr<sub>6</sub><0.001 µg/m<sup>3</sup>, BaP<0.002 ng/m<sup>3</sup>, Pb<0.001 µg/m<sup>3</sup>, F<0.01 µg/m<sup>3</sup>, CO<0.1 mg/m<sup>3</sup>





# Visiontek Consultancy Services Pvt. Ltd.

(Committed For Better Environment)

Certified for : ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 (OH&S), ISO/IEC 17025:2017

Accredited by : NABET-A Grade, MOEF & CC/CPCB & SPCB-A Grade

Laboratory Services  
Environment Lab  
Food Lab  
Material Lab  
Soil Lab  
Mineral Lab  
&  
Microbiology Lab

- Infrastructure Engineering
- Water Resource Management
- Environmental & Social Study

- Surface & Sub-Surface Investigation
- Quality Control & Project Management
- Renewable Energy

- Agricultural Development
- Information Technology
- Public Health Engineering

- Mine Planning & Design
- Mineral/Sub-Soil Exploration
- Waste Management Services

Ref: VCSPL/24-25/TR- 06257


Date: 05.07.2024

## GROUND WATER QUALITY ANALYSIS REPORT MAY-2024

|                        |   |                                                                                        |
|------------------------|---|----------------------------------------------------------------------------------------|
| 1. Name of Industry    | : | M/s Hindalco Industries Limited, Hirkud Power, Sambalpur, Odisha                       |
| 2. Sampling location   | : | GW-1: Budhakanta Village; GW-2: Hindalco Colony;<br>GW-3: Burla Town; GW-4: Alind Area |
| 3. Date of sampling    | : | 07.05.2024                                                                             |
| 4. Date of analysis    | : | 08.05.2024 TO 14.05.2024                                                               |
| 5. Sample collected by | : | VCSPL Representative                                                                   |

| Sl. No. | Parameter                                                | Testing Methods   | Unit       | Standard as per IS-10500:2012 Amended on 2015 & 2018 |                   | Analysis Result |           |           |           |
|---------|----------------------------------------------------------|-------------------|------------|------------------------------------------------------|-------------------|-----------------|-----------|-----------|-----------|
|         |                                                          |                   |            | Acceptable Limit                                     | Permissible Limit | GW-1            | GW-2      | GW-3      | GW-4      |
| 1       | pH Value at 25°C                                         | APHA 4500H+ B     | --         | 6.5-8.5                                              | No Relaxation     | 7.08            | 7.26      | 7.13      | 7.21      |
| 2       | Colour                                                   | APHA 2120 B, C    | Hazen      | 5                                                    | 15                | CL              | CL        | CL        | CL        |
| 3       | Taste                                                    | APHA 2160 C       | --         | Agreeable                                            | Agreeable         | Agreeable       | Agreeable | Agreeable | Agreeable |
| 4       | Odour                                                    | APHA 2150 B       | --         | Agreeable                                            | Agreeable         | Agreeable       | Agreeable | Agreeable | Agreeable |
| 5       | Turbidity                                                | APHA 2130 B       | NTU        | 1                                                    | 5                 | 1.8             | <1.0      | <1.0      | 2.0       |
| 6       | Total Dissolved Solids                                   | APHA 2540 C       | mg/l       | 500                                                  | 2000              | 327             | 196       | 218       | 199       |
| 7       | Total Hardness (as CaCO <sub>3</sub> )                   | APHA 2340 C       | mg/l       | 200                                                  | 600               | 175             | 141       | 163       | 135       |
| 8       | Total Alkalinity                                         | APHA 2320 B       | mg/l       | 200                                                  | 600               | 85              | 65        | 50        | 75        |
| 9       | Calcium (as Ca)                                          | APHA 3500Ca B     | mg/l       | 75                                                   | 200               | 40.4            | 28.9      | 26.4      | 34.7      |
| 10      | Magnesium (as Mg)                                        | APHA 3500Mg B     | mg/l       | 30                                                   | 100               | 18.0            | 16.7      | 23.6      | 11.8      |
| 11      | Residual, free Chlorine                                  | APHA 4500Cl, B    | mg/l       | 0.2                                                  | 1                 | BDL             | BDL       | BDL       | BDL       |
| 12      | Boron (as B)                                             | APHA 4500B, D     | mg/l       | 2.4                                                  | No Relaxation     | <0.1            | <0.1      | <0.1      | <0.1      |
| 13      | Chloride (as Cl)                                         | APHA 4500Cl- B    | mg/l       | 250                                                  | 1000              | 22.5            | 35.0      | 25.0      | 30.0      |
| 14      | Sulphate (as SO <sub>4</sub> )                           | APHA 4500 SO42- E | mg/l       | 200                                                  | 400               | 12.3            | 9.6       | 7.5       | 8.8       |
| 15      | Fluoride (as F)                                          | APHA 4500F- C     | mg/l       | 1.0                                                  | 1.5               | 0.71            | 0.30      | 0.28      | 0.42      |
| 16      | Nitrate (as NO <sub>3</sub> )                            | APHA 4500 NO3- E  | mg/l       | 45                                                   | No Relaxation     | 4.3             | 3.9       | 2.2       | 3.0       |
| 17      | Phenolic Compounds (as C <sub>6</sub> H <sub>5</sub> OH) | APHA 5530 B,D     | mg/l       | 0.001                                                | 0.002             | <0.001          | <0.001    | <0.001    | <0.001    |
| 18      | Cyanide (as CN)                                          | APHA 4500 CN- C,D | mg/l       | 0.05                                                 | No Relaxation     | <0.01           | <0.01     | <0.01     | <0.01     |
| 19      | Anionic Detergents (as MBAS)                             | APHA 5540 C       | mg/l       | 0.2                                                  | 1.0               | <0.2            | <0.2      | <0.2      | <0.2      |
| 20      | Cadmium (as Cd)                                          | APHA 3111 B,C     | mg/l       | 0.003                                                | No Relaxation     | <0.01           | <0.01     | <0.01     | <0.01     |
| 21      | Arsenic (as As)                                          | APHA 3114 B       | mg/l       | 0.01                                                 | No Relaxation     | <0.004          | <0.004    | <0.004    | <0.004    |
| 22      | Copper (as Cu)                                           | APHA 3113 B,C     | mg/l       | 0.05                                                 | 1.5               | <0.02           | <0.02     | <0.02     | <0.02     |
| 23      | Lead (as Pb)                                             | APHA 3111 B,C     | mg/l       | 0.01                                                 | No Relaxation     | <0.02           | <0.02     | <0.02     | <0.02     |
| 24      | Manganese (as Mn)                                        | APHA 3500Mn B     | mg/l       | 0.1                                                  | 0.3               | <0.03           | <0.03     | <0.03     | <0.03     |
| 25      | Iron (as Fe)                                             | APHA 3500Fe, B    | mg/l       | 1                                                    | No Relaxation     | 0.66            | 0.28      | 0.34      | 0.39      |
| 26      | Chromium (as Cr+6)                                       | APHA 3500Cr B     | mg/l       | --                                                   | --                | <0.01           | <0.01     | <0.01     | <0.01     |
| 27      | Selenium (as Se)                                         | APHA 3114 B       | mg/l       | 0.01                                                 | No Relaxation     | <0.001          | <0.001    | <0.001    | <0.001    |
| 28      | Zinc (as Zn)                                             | APHA 3111 B,C     | mg/l       | 5                                                    | 15                | <0.01           | <0.01     | <0.01     | <0.01     |
| 29      | Aluminium (as Al)                                        | APHA 3500Al B     | mg/l       | 0.03                                                 | 0.2               | <0.1            | <0.1      | <0.1      | <0.1      |
| 30      | Mercury (as Hg)                                          | APHA 3500 Hg      | mg/l       | 0.001                                                | No Relaxation     | <0.004          | <0.004    | <0.004    | <0.004    |
| 31      | Mineral Oil                                              | APHA 5220 B       | mg/l       | 0.5                                                  | No Relaxation     | <0.001          | <0.001    | <0.001    | <0.001    |
| 32      | Pesticides                                               | APHA 6630 B,C     | mg/l       | Absent                                               | --                | Absent          | Absent    | Absent    | Absent    |
| 33      | E.Coli                                                   | APHA 9221-F       | MPN/100 ml | Shall not be detectable in any 100 ml sample         | --                | Absent          | Absent    | Absent    | Absent    |
| 34      | Poly Aromatic Hydrocarbon as PAH                         | APHA 6440 B       | mg/l       | 0.0001                                               | No relaxation     | <0.002          | <0.002    | <0.002    | <0.002    |

Note: CL: Colorless, AL: Agreeable, ND: Not Detected





# Visiontek Consultancy Services Pvt. Ltd.

(Committed For Better Environment)

Certified for : ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 (OH&S), ISO/IEC 17025:2017

Accredited by : NABET-A Grade, MOEF & CC/CPCB & SPCB-A Grade

**Laboratory Services**  
 Environment Lab  
 Food Lab  
 Material Lab  
 Soil Lab  
 Mineral Lab  
 &  
 Microbiology Lab

- Infrastructure Engineering
- Water Resource Management
- Environmental & Social Study

- Surface & Sub-Surface Investigation
- Quality Control & Project Management
- Renewable Energy

- Agricultural Development
- Information Technology
- Public Health Engineering

- Mine Planning & Design
- Mineral/Sub-Soil Exploration
- Waste Management Services

Ref: VCSPL/24-25/TR- 06258

Date: 05.07.2024

## GROUND WATER QUALITY ANALYSIS REPORT MAY-2024

|                        |   |                                                                                                          |
|------------------------|---|----------------------------------------------------------------------------------------------------------|
| 1. Name of Industry    | : | M/s Hindalco Industries Limited, Hirakud Power, Sambalpur, Odisha                                        |
| 2. Sampling location   | : | GW-5: Nuajamuda Village; GW-6: Near Sludge disposal Area; GW-7: Garmunda Village; GW-8: Larbanga Village |
| 3. Date of sampling    | : | 07.05.2024                                                                                               |
| 4. Date of analysis    | : | 08.05.2024 TO 14.05.2024                                                                                 |
| 5. Sample collected by | : | VCSPL Representative                                                                                     |

| Sl. No. | Parameter                                                | Testing Methods   | Unit       | Standard as per IS -10500:2012 Amended on 2015 & 2018 |                   | Analysis Result |           |           |           |
|---------|----------------------------------------------------------|-------------------|------------|-------------------------------------------------------|-------------------|-----------------|-----------|-----------|-----------|
|         |                                                          |                   |            | Acceptable Limit                                      | Permissible Limit | GW-5            | GW-6      | GW-7      | GW-8      |
| 1       | pH Value at 25°C                                         | APHA 4500H+ B     | --         | 6.5-8.5                                               | No Relaxation     | 7.24            | 6.85      | 7.09      | 7.23      |
| 2       | Colour                                                   | APHA 2120 B, C    | Hazen      | 5                                                     | 15                | CL              | CL        | CL        | CL        |
| 3       | Taste                                                    | APHA 2160 C       | --         | Agreeable                                             | Agreeable         | Agreeable       | Agreeable | Agreeable | Agreeable |
| 4       | Odour                                                    | APHA 2150 B       | --         | Agreeable                                             | Agreeable         | Agreeable       | Agreeable | Agreeable | Agreeable |
| 5       | Turbidity                                                | APHA 2130 B       | NTU        | 1                                                     | 5                 | 1.2             | 2.0       | <1.0      | 1.4       |
| 6       | Total Dissolved Solids                                   | APHA 2540 C       | mg/l       | 500                                                   | 2000              | 208             | 331       | 196       | 172       |
| 7       | Total Hardness (as CaCO <sub>3</sub> )                   | APHA 2340 C       | mg/l       | 200                                                   | 600               | 118             | 201       | 117       | 91        |
| 8       | Total Alkalinity                                         | APHA 2320 B       | mg/l       | 200                                                   | 600               | 90              | 75        | 80        | 95        |
| 9       | Calcium (as Ca)                                          | APHA 3500Ca B     | mg/l       | 75                                                    | 200               | 31.5            | 42.8      | 25.5      | 33.1      |
| 10      | Magnesium (as Mg)                                        | APHA 3500Mg B     | mg/l       | 30                                                    | 100               | 9.6             | 22.9      | 13.0      | 2.0       |
| 11      | Residual, free Chlorine                                  | APHA 4500Cl, B    | mg/l       | 0.2                                                   | 1                 | BDL             | BDL       | BDL       | BDL       |
| 12      | Boron (as B)                                             | APHA 4500B, B     | mg/l       | 2.4                                                   | No Relaxation     | <0.1            | <0.1      | <0.1      | <0.1      |
| 13      | Chloride (as Cl)                                         | APHA 4500Cl- B    | mg/l       | 250                                                   | 1000              | 21.0            | 27.5      | 20.0      | 25.0      |
| 14      | Sulphate (as SO <sub>4</sub> )                           | APHA 4500 SO42- E | mg/l       | 200                                                   | 400               | 5.3             | 6.0       | 6.1       | 4.4       |
| 15      | Fluoride (as F)                                          | APHA 4500F- C     | mg/l       | 1.0                                                   | 1.5               | 0.32            | 0.39      | 0.25      | 0.46      |
| 16      | Nitrate (as NO <sub>3</sub> )                            | APHA 4500 NO3- E  | mg/l       | 45                                                    | No Relaxation     | 2.62            | 3.0       | 4.2       | 2.8       |
| 17      | Phenolic Compounds (as C <sub>6</sub> H <sub>5</sub> OH) | APHA 5530 B,D     | mg/l       | 0.001                                                 | 0.002             | <0.001          | <0.001    | <0.001    | <0.001    |
| 18      | Cyanide (as CN)                                          | APHA 4500 CN- C,D | mg/l       | 0.05                                                  | No Relaxation     | <0.01           | <0.01     | <0.01     | <0.01     |
| 19      | Anionic Detergents (as MBAS)                             | APHA 5540 C       | mg/l       | 0.2                                                   | 1.0               | <0.2            | <0.2      | <0.2      | <0.2      |
| 20      | Cadmium (as Cd)                                          | APHA 3111 B,C     | mg/l       | 0.003                                                 | No Relaxation     | <0.01           | <0.01     | <0.01     | <0.01     |
| 21      | Arsenic (as As)                                          | APHA 3114 B       | mg/l       | 0.01                                                  | No Relaxation     | <0.004          | <0.004    | <0.004    | <0.004    |
| 22      | Copper (as Cu)                                           | APHA 3111 B,C     | mg/l       | 0.05                                                  | 1.5               | <0.02           | <0.02     | <0.02     | <0.02     |
| 23      | Lead (as Pb)                                             | APHA 3111 B,C     | mg/l       | 0.01                                                  | No Relaxation     | <0.02           | <0.02     | <0.02     | <0.02     |
| 24      | Manganese (as Mn)                                        | APHA 3500Mn B     | mg/l       | 0.1                                                   | 0.3               | <0.03           | <0.03     | <0.03     | <0.03     |
| 25      | Iron (as Fe)                                             | APHA 3500Fe, B    | mg/l       | 1                                                     | No Relaxation     | 0.23            | 0.32      | 0.20      | 0.22      |
| 26      | Chromium (as Cr+6)                                       | APHA 3500Cr B     | mg/l       | --                                                    | --                | <0.01           | <0.01     | <0.01     | <0.01     |
| 27      | Selenium (as Se)                                         | APHA 3114 B       | mg/l       | 0.01                                                  | No Relaxation     | <0.001          | <0.001    | <0.001    | <0.001    |
| 28      | Zinc (as Zn)                                             | APHA 3111 B,C     | mg/l       | 5                                                     | 15                | <0.01           | <0.01     | <0.01     | <0.01     |
| 29      | Aluminium as( Al)                                        | APHA 3500Al B     | mg/l       | 0.03                                                  | 0.2               | <0.1            | <0.1      | <0.1      | <0.1      |
| 30      | Mercury (as Hg)                                          | APHA 3500 Hg      | mg/l       | 0.001                                                 | No Relaxation     | <0.004          | <0.004    | <0.004    | <0.004    |
| 31      | Mineral Oil                                              | APHA 5220 B       | mg/l       | 0.5                                                   | No Relaxation     | <0.001          | <0.001    | <0.001    | <0.001    |
| 32      | Pesticides                                               | APHA 6630 B,C     | mg/l       | Absent                                                | --                | Absent          | Absent    | Absent    | Absent    |
| 33      | E.Coli                                                   | APHA 9221-F       | MPN/100 ml | Shall not be detectable in any 100 ml sample          | --                | Absent          | Absent    | Absent    | Absent    |
| 34      | Poly Aromatic Hydrocarbon as PAH                         | APHA 6440 B       | mg/l       | 0.0001                                                | No relaxation     | <0.002          | <0.002    | <0.002    | <0.002    |

Note: CL: Colorless, AL: Agreeable, ND: Not Detected.







# Visiontek Consultancy Services Pvt. Ltd.

(Committed For Better Environment)

Certified for : ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 (OH&S), ISO/IEC 17025:2017

Accredited by : NABET-A Grade, MOEF & CC/CPCB & SPCB-A Grade

Laboratory Services  
Environment Lab  
Food Lab  
Material Lab  
Soil Lab  
Mineral Lab  
&  
Microbiology Lab

- Infrastructure Engineering
- Water Resource Management
- Environmental & Social Study

- Surface & Sub-Surface Investigation
- Quality Control & Project Management
- Renewable Energy

- Agricultural Development
- Information Technology
- Public Health Engineering

- Mine Planning & Design
- Mineral/Sub-Soil Exploration
- Waste Management Services

Ref: VCSPL/24-25/TR- 06259


Date: 05.07.2024

## SURFACE WATER QUALITY ANALYSIS REPORT MAY-2024

|                        |                                                                                                                    |
|------------------------|--------------------------------------------------------------------------------------------------------------------|
| 1. Name of Industry    | M/s Hindalco Industries Limited, Hirakud Power, Sambalpur, Odisha                                                  |
| 2. Sampling location   | SW-1: Hirakud Reservoir; SW-2: Khatjor nala upstream, SW-3: Kharjor nala downstream, SW-4: Mahanadi river upstream |
| 3. Date of sampling    | 07.05.2024                                                                                                         |
| 4. Date of analysis    | 08.05.2024 TO 14.05.2024                                                                                           |
| 5. Sample collected by | VCSPL Representative                                                                                               |

| Sl. No | Parameter                       | Testing Methods               | Unit       | Standards as per IS-2296:1992 Class -'C' | Analysis Results |        |        |        |
|--------|---------------------------------|-------------------------------|------------|------------------------------------------|------------------|--------|--------|--------|
|        |                                 |                               |            |                                          | SW-1             | SW-2   | SW-3   | SW-4   |
| 1      |                                 | APHA 4500H* B                 | --         | 6.0-9.0                                  | 7.29             | 7.40   | 7.63   | 7.18   |
| 2      | Temperature                     | APHA 2550 B                   | °C         | --                                       | 26.1             | 25.8   | 26.9   | 26.8   |
| 3      | Electrical Conductivity         | APHA 2510 C                   | µS/cm      | --                                       | 310              | 326    | 248    | 389    |
| 4      | Turbidity                       | APHA 2130 B                   | NTU        | --                                       | 2.5              | 6.0    | 7.5    | 6.3    |
| 5      | Total Dissolved Solids          | APHA 2540 C                   | mg/l       | 1500                                     | 160              | 165    | 227    | 198    |
| 6      | Total Suspended Solids          | APHA 2540 D                   | mg/l       | --                                       | 58               | 47     | 68     | 71     |
| 7      | Total Hardness (as CaCO3)       | APHA 2340 C                   | mg/l       | --                                       | 108              | 142    | 201    | 132    |
| 8      | Total Alkalinity                | APHA 2320 B                   | mg/l       | --                                       | 45               | 65     | 90     | 50     |
| 9      | Calcium (as Ca)                 | APHA 3500Ca B                 | mg/l       | --                                       | 29.7             | 35.3   | 41.6   | 36.8   |
| 10     | Magnesium (as Mg)               | APHA 3500Mg B                 | mg/l       | --                                       | 8.2              | 13.1   | 23.6   | 9.7    |
| 11     | Oil & Grease                    | APHA 5520 B                   | mg/l       | --                                       | ND               | ND     | ND     | ND     |
| 12     | DO                              | APHA 4500 O-C                 | mg/l       | 4 (min)                                  | 5.1              | 4.8    | 5.3    | 4.6    |
| 13     | BOD(3)days at 27°C              | APHA 5210 B                   | mg/l       | 3                                        | 1.2              | 1.5    | 1.4    | 1.4    |
| 14     | Chemical Oxygen Demand as (COD) | APHA 5220 C                   | mg/l       | --                                       | 3.8              | 4.7    | 4.0    | 3.8    |
| 15     | Chloride (as Cl)                | APHA 4500Cl B                 | mg/l       | 600                                      | 20               | 37.5   | 50     | 40     |
| 16     | Sulphate (as SO4)               | APHA 4500 SO4 <sup>2-</sup> E | mg/l       | 400                                      | 19.5             | 20.6   | 25.8   | 32.7   |
| 17     | Fluoride (as F)                 | APHA 4500F C                  | mg/l       | 1.5                                      | 0.22             | 0.35   | 0.28   | 0.39   |
| 18     | Nitrate (as NO3)                | APHA 4500 NO3 E               | mg/l       | 50                                       | 1.53             | 1.28   | 1.31   | 1.46   |
| 19     | Arsenic (as As)                 | APHA 3114 B                   | mg/l       | 0.2                                      | <0.004           | <0.004 | <0.004 | <0.004 |
| 20     | Copper (as Cu)                  | APHA 3111 B,C                 | mg/l       | 1.5                                      | <0.02            | <0.02  | <0.02  | <0.02  |
| 21     | Lead (as Pb)                    | APHA 3111 B,C                 | mg/l       | 0.1                                      | <0.02            | <0.02  | <0.02  | <0.02  |
| 22     | Manganese (as Mn)               | APHA 3500Mn B                 | mg/l       | --                                       | <0.03            | <0.03  | <0.03  | <0.03  |
| 23     | Iron (as Fe)                    | APHA 3500Fe, B                | mg/l       | 0.5                                      | 0.31             | 0.28   | 0.40   | 0.33   |
| 24     | Nickel                          | APHA 3111 B                   | mg/l       | --                                       | <0.01            | <0.01  | <0.01  | <0.01  |
| 25     | Chromium (as Cr)                | APHA 3111 B                   | mg/l       | --                                       | <0.05            | <0.05  | <0.05  | <0.05  |
| 26     | Zinc (as Zn)                    | APHA 3111 B,C                 | mg/l       | 15                                       | <0.01            | <0.01  | <0.01  | <0.01  |
| 27     | Mercury (as Hg)                 | APHA 3500 Hg                  | mg/l       | --                                       | <0.004           | <0.004 | <0.004 | <0.004 |
| 28     | Total Coliforms                 | APHA9221-B                    | MPN/100 ml | 5000                                     | 120              | 220    | 330    | 220    |

Note: CL: Colourless, AL: Agreeable, U/O: Unobjectionable, ND: Not detected.





# Visiontek Consultancy Services Pvt. Ltd.

(Committed For Better Environment)

Certified for : ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 (OH&S), ISO/IEC 17025:2017

Accredited by : NABET-A Grade, MOEF & CC/CPCB & SPCB-A Grade

- Infrastructure Engineering
- Water Resource Management
- Environmental & Social Study

- Surface & Sub-Surface Investigation
- Quality Control & Project Management
- Renewable Energy

- Agricultural Development
- Information Technology
- Public Health Engineering

- Mine Planning & Design
- Mineral/Sub-Soil Exploration
- Waste Management Services

Laboratory Services  
 Environment Lab  
 Food Lab  
 Material Lab  
 Soil Lab  
 Mineral Lab  
 &  
 Microbiology Lab

Ref: VCSPL/24-25/TR- 06260

Date: 05.07.2024

## SURFACE WATER QUALITY ANALYSIS REPORT MAY-2024

|                        |   |                                                                                                                                                       |
|------------------------|---|-------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1. Name of Industry    | : | M/s Hindalco Industries Limited, Hirkud Power, Sambalpur, Odisha                                                                                      |
| 2. Sampling location   | : | SW-5: Mahanadi river downstream; SW-6: Tarasinghpara Drain<br>SW-7: Drain near work manager's bungalow,<br>SW-8: Sambalpur distributary near ash pond |
| 3. Date of sampling    | : | 07.05.2024                                                                                                                                            |
| 4. Date of analysis    | : | 08.05.2024 TO 14.05.2024                                                                                                                              |
| 5. Sample collected by | : | VCSPL Representative                                                                                                                                  |

| Sl. No | Parameter                              | Testing Methods                           | Unit       | Standards as per IS-2296:1992 Class -'C' | Analysis Results |        |        |        |
|--------|----------------------------------------|-------------------------------------------|------------|------------------------------------------|------------------|--------|--------|--------|
|        |                                        |                                           |            |                                          | SW-5             | SW-6   | SW-7   | SW-8   |
| 1      | pH at 25°C                             | APHA 4500H <sup>+</sup> B                 | --         | 6.0-9.0                                  | 7.12             | 6.90   | 6.83   | 7.11   |
| 2      | Temperature                            | APHA 2550 B                               | °C         | --                                       | 26.0             | 25.8   | 27.3   | 26.4   |
| 3      | Electrical Conductivity                | APHA 2510 C                               | µS/cm      | --                                       | 391              | 418    | 446    | 396    |
| 4      | Turbidity                              | APHA 2130 B                               | NTU        | --                                       | 2.1              | 5.6    | 8.2    | 4.7    |
| 5      | Total Dissolved Solids                 | APHA 2540 C                               | mg/l       | 1500                                     | 213              | 220    | 235    | 208    |
| 6      | Total Suspended Solids                 | APHA 2540 D                               | mg/l       | --                                       | 62               | 71     | 85     | 92     |
| 7      | Total Hardness (as CaCO <sub>3</sub> ) | APHA 2340 C                               | mg/l       | --                                       | 139              | 161    | 192    | 210    |
| 8      | Total Alkalinity                       | APHA 2320 B                               | mg/l       | --                                       | 55               | 35     | 50     | 60     |
| 9      | Calcium (as Ca)                        | APHA 3500Ca B                             | mg/l       | --                                       | 34.2             | 32.0   | 36.7   | 35.5   |
| 10     | Magnesium (as Mg)                      | APHA 3500Mg B                             | mg/l       | --                                       | 13.0             | 19.7   | 24.4   | 29.5   |
| 11     | Oil & Grease                           | APHA 5520 B                               | mg/l       | --                                       | ND               | ND     | ND     | ND     |
| 12     | DO                                     | APHA 4500 O-C                             | mg/l       | 4 (min)                                  | 5.0              | 4.4    | 4.7    | 4.6    |
| 13     | BOD(3)days at 27°C                     | APHA 5210 B                               | mg/l       | 3                                        | 1.4              | 1.2    | 1.8    | 1.4    |
| 14     | Chemical Oxygen Demand (COD)           | APHA 5220 C                               | mg/l       | --                                       | 4.0              | 3.6    | 5.2    | 4.4    |
| 15     | Chloride (as Cl)                       | APHA 4500Cl- B                            | mg/l       | 600                                      | 37.5             | 40.0   | 55.0   | 37.5   |
| 16     | Sulphate (as SO <sub>4</sub> )         | APHA 4500 SO <sub>4</sub> <sup>2-</sup> E | mg/l       | 400                                      | 32.6             | 20.9   | 26.3   | 33.8   |
| 17     | Fluoride (as F)                        | APHA 4500F <sup>-</sup> C                 | mg/l       | 1.5                                      | 0.39             | 0.45   | 0.41   | 0.70   |
| 18     | Nitrate (as NO <sub>3</sub> )          | APHA 4500 NO <sub>3</sub> <sup>-</sup> E  | mg/l       | 50                                       | 1.35             | 1.40   | 1.63   | 1.59   |
| 19     | Arsenic (as As)                        | APHA 3114 B                               | mg/l       | 0.2                                      | <0.004           | <0.004 | <0.004 | <0.004 |
| 20     | Copper (as Cu)                         | APHA 3111 B,C                             | mg/l       | 1.5                                      | <0.02            | <0.02  | <0.02  | <0.02  |
| 21     | Lead (as Pb)                           | APHA 3111 B,C                             | mg/l       | 0.1                                      | <0.02            | <0.02  | <0.02  | <0.02  |
| 22     | Manganese (as Mn)                      | APHA 3500Mn B                             | mg/l       | --                                       | <0.03            | <0.03  | <0.03  | <0.03  |
| 23     | Iron (as Fe)                           | APHA 3500Fe, B                            | mg/l       | 0.5                                      | 0.37             | 0.30   | 0.42   | 0.46   |
| 24     | Nickel                                 | APHA 3111 B                               | mg/l       | --                                       | <0.01            | <0.01  | <0.01  | <0.01  |
| 25     | Chromium (as Cr)                       | APHA 3111 B                               | mg/l       | --                                       | <0.05            | <0.05  | <0.05  | <0.05  |
| 26     | Zinc (as Zn)                           | APHA 3111 B,C                             | mg/l       | 15                                       | <0.01            | <0.01  | <0.01  | <0.01  |
| 27     | Mercury (as Hg)                        | APHA 3500 Hg                              | mg/l       | --                                       | <0.004           | <0.004 | <0.004 | <0.004 |
| 28     | Total Coliforms                        | APHA9221-B                                | MPN/100 ml | 5000                                     | 260              | 360    | 310    | 320    |

Note: CL: Colourless, AL: Agreeable, U/O: Unobjectionable, ND: Not detected.





# Visiontek Consultancy Services Pvt. Ltd.

(Committed For Better Environment)

Certified for : ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 (OH&S), ISO/IEC 17025:2017

Accredited by : NABET-A Grade, MOEF & CC/CPCB & SPCB-A Grade

Laboratory Services  
 Environment Lab  
 Food Lab  
 Material Lab  
 Soil Lab  
 Mineral Lab  
 &  
 Microbiology Lab

- Infrastructure Engineering
- Water Resource Management
- Environmental & Social Study

- Surface & Sub-Surface Investigation
- Quality Control & Project Management
- Renewable Energy

- Agricultural Development
- Information Technology
- Public Health Engineering

- Mine Planning & Design
- Mineral/Sub-Soil Exploration
- Waste Management Services

Ref: VCSPL/24-25/TR- 06257


Date: 05.07.2024

## GROUND WATER QUALITY ANALYSIS REPORT MAY-2024

|                        |   |                                                                                     |
|------------------------|---|-------------------------------------------------------------------------------------|
| 1. Name of Industry    | : | M/s Hindalco Industries Limited, Hirkud Power, Sambalpur, Odisha                    |
| 2. Sampling location   | : | GW-1: Budhakanta Village; GW-2: Hindalco Colony; GW-3: Burla Town; GW-4: Alind Area |
| 3. Date of sampling    | : | 07.05.2024                                                                          |
| 4. Date of analysis    | : | 08.05.2024 TO 14.05.2024                                                            |
| 5. Sample collected by | : | VCSPL Representative                                                                |

| Sl. No. | Parameter                                                | Testing Methods   | Unit       | Standard as per IS -10500:2012 Amended on 2015 & 2018 |                   | Analysis Result |           |           |           |
|---------|----------------------------------------------------------|-------------------|------------|-------------------------------------------------------|-------------------|-----------------|-----------|-----------|-----------|
|         |                                                          |                   |            | Acceptable Limit                                      | Permissible Limit | GW-1            | GW-2      | GW-3      | GW-4      |
| 1       | pH Value at 25°C                                         | APHA 4500H+ B     | --         | 6.5-8.5                                               | No Relaxation     | 7.08            | 7.26      | 7.13      | 7.21      |
| 2       | Colour                                                   | APHA 2120 B, C    | Hazen      | 5                                                     | 15                | CL              | CL        | CL        | CL        |
| 3       | Taste                                                    | APHA 2160 C       | --         | Agreeable                                             | Agreeable         | Agreeable       | Agreeable | Agreeable | Agreeable |
| 4       | Odour                                                    | APHA 2150 B       | --         | Agreeable                                             | Agreeable         | Agreeable       | Agreeable | Agreeable | Agreeable |
| 5       | Turbidity                                                | APHA 2130 B       | NTU        | 1                                                     | 5                 | 1.8             | <1.0      | <1.0      | 2.0       |
| 6       | Total Dissolved Solids                                   | APHA 2540 C       | mg/l       | 500                                                   | 2000              | 327             | 196       | 218       | 199       |
| 7       | Total Hardness (as CaCO <sub>3</sub> )                   | APHA 2340 C       | mg/l       | 200                                                   | 600               | 175             | 141       | 163       | 135       |
| 8       | Total Alkalinity                                         | APHA 2320 B       | mg/l       | 200                                                   | 600               | 85              | 65        | 50        | 75        |
| 9       | Calcium (as Ca)                                          | APHA 3500Ca B     | mg/l       | 75                                                    | 200               | 40.4            | 28.9      | 26.4      | 34.7      |
| 10      | Magnesium (as Mg)                                        | APHA 3500Mg B     | mg/l       | 30                                                    | 100               | 18.0            | 16.7      | 23.6      | 11.8      |
| 11      | Residual, Free Chlorine                                  | APHA 4500Cl, B    | mg/l       | 0.2                                                   | 1                 | BDL             | BDL       | BDL       | BDL       |
| 12      | Boron (as B)                                             | APHA 4500B, D     | mg/l       | 2.4                                                   | No Relaxation     | <0.1            | <0.1      | <0.1      | <0.1      |
| 13      | Chloride (as Cl)                                         | APHA 4500Cl- B    | mg/l       | 250                                                   | 1000              | 22.5            | 35.0      | 25.0      | 30.0      |
| 14      | Sulphate (as SO <sub>4</sub> )                           | APHA 4500 SO42- E | mg/l       | 200                                                   | 400               | 12.3            | 9.6       | 7.5       | 8.8       |
| 15      | Fluoride (as F)                                          | APHA 4500F- C     | mg/l       | 1.0                                                   | 1.5               | 0.71            | 0.30      | 0.28      | 0.42      |
| 16      | Nitrate (as NO <sub>3</sub> )                            | APHA 4500 NO3- E  | mg/l       | 45                                                    | No Relaxation     | 4.3             | 3.9       | 2.2       | 3.0       |
| 17      | Phenolic Compounds (as C <sub>6</sub> H <sub>5</sub> OH) | APHA 5530 B,D     | mg/l       | 0.001                                                 | 0.002             | <0.001          | <0.001    | <0.001    | <0.001    |
| 18      | Cyanide (as CN)                                          | APHA 4500 CN- C,D | mg/l       | 0.05                                                  | No Relaxation     | <0.01           | <0.01     | <0.01     | <0.01     |
| 19      | Anionic Detergents (as MBAS)                             | APHA 5540 C       | mg/l       | 0.2                                                   | 1.0               | <0.2            | <0.2      | <0.2      | <0.2      |
| 20      | Cadmium (as Cd)                                          | APHA 3111 B,C     | mg/l       | 0.003                                                 | No Relaxation     | <0.01           | <0.01     | <0.01     | <0.01     |
| 21      | Arsenic (as As)                                          | APHA 3114 B       | mg/l       | 0.01                                                  | No Relaxation     | <0.004          | <0.004    | <0.004    | <0.004    |
| 22      | Copper (as Cu)                                           | APHA 3111 B,C     | mg/l       | 0.05                                                  | 1.5               | <0.02           | <0.02     | <0.02     | <0.02     |
| 23      | Lead (as Pb)                                             | APHA 3111 B,C     | mg/l       | 0.01                                                  | No Relaxation     | <0.02           | <0.02     | <0.02     | <0.02     |
| 24      | Manganese (as Mn)                                        | APHA 3500Mn B     | mg/l       | 0.1                                                   | 0.3               | <0.03           | <0.03     | <0.03     | <0.03     |
| 25      | Iron (as Fe)                                             | APHA 3500Fe, B    | mg/l       | 1                                                     | No Relaxation     | 0.66            | 0.28      | 0.34      | 0.39      |
| 26      | Chromium (as Cr+6)                                       | APHA 3500Cr B     | mg/l       | --                                                    | --                | <0.01           | <0.01     | <0.01     | <0.01     |
| 27      | Selenium (as Se)                                         | APHA 3114 B       | mg/l       | 0.01                                                  | No Relaxation     | <0.001          | <0.001    | <0.001    | <0.001    |
| 28      | Zinc (as Zn)                                             | APHA 3111 B,C     | mg/l       | 5                                                     | 15                | <0.01           | <0.01     | <0.01     | <0.01     |
| 29      | Aluminium as( Al)                                        | APHA 3500Al B     | mg/l       | 0.03                                                  | 0.2               | <0.1            | <0.1      | <0.1      | <0.1      |
| 30      | Mercury (as Hg)                                          | APHA 3500 Hg      | mg/l       | 0.001                                                 | No Relaxation     | <0.004          | <0.004    | <0.004    | <0.004    |
| 31      | Mineral Oil                                              | APHA 3220 B       | mg/l       | 0.5                                                   | No Relaxation     | <0.001          | <0.001    | <0.001    | <0.001    |
| 32      | Pesticides                                               | APHA 6630 B,C     | mg/l       | Absent                                                | --                | Absent          | Absent    | Absent    | Absent    |
| 33      | E.Coli                                                   | APHA 9221-F       | MPN/100 ml | Shall not be detectable in any 100 ml sample          | --                | Absent          | Absent    | Absent    | Absent    |
| 34      | Poly Aromatic Hydrocarbon as PAH                         | APHA 6440 B       | mg/l       | 0.0001                                                | No relaxation     | <0.002          | <0.002    | <0.002    | <0.002    |

Note: CL: Colorless, AL: Agreeable, ND: Not Detected





# Visiontek Consultancy Services Pvt. Ltd.

(Committed For Better Environment)

Certified for : ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 (OH&S), ISO/IEC 17025:2017

Accredited by : NABET-A Grade, MOEF & CC/CPCB & SPCB-A Grade

Laboratory Services

Environment Lab  
Food Lab  
Material Lab  
Soil Lab  
Mineral Lab  
&  
Microbiology Lab

• Infrastructure Engineering  
• Water Resource Management  
• Environmental & Social Study

• Surface & Sub-Surface Investigation  
• Quality Control & Project Management  
• Renewable Energy

• Agricultural Development  
• Information Technology  
• Public Health Engineering

• Mine Planning & Design  
• Mineral/Sub-Soil Exploration  
• Waste Management Services

Ref: VCSPL/24-25/TR- 06258

Date: 05.07.2024

## GROUND WATER QUALITY ANALYSIS REPORT MAY-2024

|                        |   |                                                                                                          |
|------------------------|---|----------------------------------------------------------------------------------------------------------|
| 1. Name of Industry    | : | M/s Hindalco Industries Limited, Hirakud Power, Sambalpur, Odisha                                        |
| 2. Sampling location   | : | GW-5: Nuajamuda Village, GW-6: Near Sludge disposal Area, GW-7: Garmunda Village, GW-8: Larbanga Village |
| 3. Date of sampling    | : | 07.05.2024                                                                                               |
| 4. Date of analysis    | : | 08.05.2024 TO 14.05.2024                                                                                 |
| 5. Sample collected by | : | VCSPL Representative                                                                                     |

| Sl. No. | Parameter                                   | Testing Methods    | Unit       | Standard as per IS-10500:2012 Amended on 2015 & 2018 |                   | Analysis Result |           |           |           |
|---------|---------------------------------------------|--------------------|------------|------------------------------------------------------|-------------------|-----------------|-----------|-----------|-----------|
|         |                                             |                    |            | Acceptable Limit                                     | Permissible Limit | GW-5            | GW-6      | GW-7      | GW-8      |
| 1       | pH Value at 25°C                            | APHA 4500H+ B      | --         | 6.5-8.5                                              | No Relaxation     | 7.24            | 6.85      | 7.09      | 7.23      |
| 2       | Colour                                      | APHA 2120 B, C     | Hazen      | 5                                                    | 15                | CL              | CL        | CL        | CL        |
| 3       | Taste                                       | APHA 2160 C        | --         | Agreeable                                            | Agreeable         | Agreeable       | Agreeable | Agreeable | Agreeable |
| 4       | Odour                                       | APHA 2150 B        | --         | Agreeable                                            | Agreeable         | Agreeable       | Agreeable | Agreeable | Agreeable |
| 5       | Turbidity                                   | APHA 2130 B        | NTU        | 1                                                    | 5                 | 1.2             | 2.0       | <1.0      | 1.4       |
| 6       | Total Dissolved Solids                      | APHA 2540 C        | mg/l       | 500                                                  | 2000              | 208             | 331       | 196       | 172       |
| 7       | Total Hardness (as CaCO <sub>3</sub> )      | APHA 2540 C        | mg/l       | 200                                                  | 600               | 118             | 201       | 117       | 91        |
| 8       | Total Alkalinity                            | APHA 2320 B        | mg/l       | 200                                                  | 600               | 90              | 75        | 80        | 95        |
| 9       | Calcium (as Ca)                             | APHA 3500Ca B      | mg/l       | 75                                                   | 200               | 31.5            | 42.8      | 25.5      | 33.1      |
| 10      | Magnesium (as Mg)                           | APHA 3500Mg B      | mg/l       | 30                                                   | 100               | 9.6             | 22.9      | 13.0      | 2.0       |
| 11      | Residual, free Chlorine                     | APHA 4500Cl, B     | mg/l       | 0.2                                                  | 1                 | BDL             | BDL       | BDL       | BDL       |
| 12      | Boron (as B)                                | APHA 4500B, B      | mg/l       | 2.4                                                  | No Relaxation     | <0.1            | <0.1      | <0.1      | <0.1      |
| 13      | Chloride (as Cl)                            | APHA 4500Cl- B     | mg/l       | 250                                                  | 1000              | 21.0            | 27.5      | 20.0      | 25.0      |
| 14      | Sulphate (as SO <sub>4</sub> )              | APHA 4500 SO42- E  | mg/l       | 200                                                  | 400               | 5.3             | 6.0       | 6.1       | 4.4       |
| 15      | Fluoride (as F)                             | APHA 4500F- C      | mg/l       | 1.0                                                  | 1.5               | 0.32            | 0.39      | 0.25      | 0.46      |
| 16      | Nitrate (as NO <sub>3</sub> )               | APHA 4500 NO3- E   | mg/l       | 45                                                   | No Relaxation     | 2.62            | 3.0       | 4.2       | 2.8       |
| 17      | Phenolic Compounds (as CaH <sub>5</sub> OH) | APHA 5530 B,D      | mg/l       | 0.001                                                | 0.002             | <0.001          | <0.001    | <0.001    | <0.001    |
| 18      | Cyanide (as CN)                             | APHA 4500 CN- C, D | mg/l       | 0.05                                                 | No Relaxation     | <0.01           | <0.01     | <0.01     | <0.01     |
| 19      | Anionic Detergents (as MBAS)                | APHA 5540 C        | mg/l       | 0.2                                                  | 1.0               | <0.2            | <0.2      | <0.2      | <0.2      |
| 20      | Cadmium (as Cd)                             | APHA 3111 B,C      | ng/l       | 0.003                                                | No Relaxation     | <0.01           | <0.01     | <0.01     | <0.01     |
| 21      | Arsenic (as As)                             | APHA 3114 B        | ng/l       | 0.01                                                 | No Relaxation     | <0.004          | <0.004    | <0.004    | <0.004    |
| 22      | Copper (as Cu)                              | APHA 3111 B,C      | ng/l       | 0.05                                                 | 1.5               | <0.02           | <0.02     | <0.02     | <0.02     |
| 23      | Lead (as Pb)                                | APHA 3111 B,C      | ng/l       | 0.01                                                 | No Relaxation     | <0.02           | <0.02     | <0.02     | <0.02     |
| 24      | Manganese (as Mn)                           | APHA 3500Mn B      | mg/l       | 0.1                                                  | 0.3               | <0.03           | <0.03     | <0.03     | <0.03     |
| 25      | Iron (as Fe)                                | APHA 3500Fe, B     | mg/l       | 1                                                    | No Relaxation     | 0.23            | 0.32      | 0.20      | 0.22      |
| 26      | Chromium (as Cr+6)                          | APHA 3500Cr B      | mg/l       | --                                                   | --                | <0.01           | <0.01     | <0.01     | <0.01     |
| 27      | Selenium (as Se)                            | APHA 3114 B        | ng/l       | 0.01                                                 | No Relaxation     | <0.001          | <0.001    | <0.001    | <0.001    |
| 28      | Zinc (as Zn)                                | APHA 3111 B,C      | mg/l       | 5                                                    | 15                | <0.01           | <0.01     | <0.01     | <0.01     |
| 29      | Aluminium (as Al)                           | APHA 3500Al B      | mg/l       | 0.03                                                 | 0.1               | <0.1            | <0.1      | <0.1      | <0.1      |
| 30      | Mercury (as Hg)                             | APHA 3500 Hg       | mg/l       | 0.001                                                | No Relaxation     | <0.004          | <0.004    | <0.004    | <0.004    |
| 31      | Mineral Oil                                 | APHA 5220 B        | mg/l       | 0.5                                                  | No Relaxation     | <0.001          | <0.001    | <0.001    | <0.001    |
| 32      | Pesticides                                  | APHA 6630 B,C      | mg/l       | Absent                                               | --                | Absent          | Absent    | Absent    | Absent    |
| 33      | E.Coli                                      | APHA 9221-F        | MPN/100 ml | Shall not be detectable in any 100 ml sample         | --                | Absent          | Absent    | Absent    | Absent    |
| 34      | Poly Aromatic Hydrocarbon (as PAH)          | APHA 6440 B        | mg/l       | 0.0001                                               | No relaxation     | <0.002          | <0.002    | <0.002    | <0.002    |

Note: CL: Colorless, AL: Agreeable, ND: Not Detected.





# Visiontek Consultancy Services Pvt. Ltd.

(Committed For Better Environment)

Certified for : ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 (OH&S), ISO/IEC 17025:2017

Accredited by : NABET-A Grade, MOEF & CC/CPCB & SPCB-A Grade

- Infrastructure Engineering
- Water Resource Management
- Environmental & Social Study

- Surface & Sub-Surface Investigation
- Quality Control & Project Management
- Renewable Energy

- Agricultural Development
- Information Technology
- Public Health Engineering

- Mine Planning & Design
- Mineral/Sub-Soil Exploration
- Waste Management Services

Laboratory Services  
 Environment Lab  
 Food Lab  
 Material Lab  
 Soil Lab  
 Mineral Lab  
 &  
 Microbiology Lab

Ref: VCSPL/24-25/TR- 06259


Date: 05.07.2024

## SURFACE WATER QUALITY ANALYSIS REPORT MAY-2024

|                        |                                                                                                                    |
|------------------------|--------------------------------------------------------------------------------------------------------------------|
| 1. Name of Industry    | M/s Hindalco Industries Limited, Hirakud Power, Sambalpur, Odisha                                                  |
| 2. Sampling location   | SW-1: Hirakud Reservoir; SW-2: Kharjor nala upstream, SW-3: Kharjor nala downstream, SW-4: Mahanadi river upstream |
| 3. Date of sampling    | 07.05.2024                                                                                                         |
| 4. Date of analysis    | 08.05.2024 TO 14.05.2024                                                                                           |
| 5. Sample collected by | VCSPL Representative                                                                                               |

| Sl. No | Parameter                       | Testing Methods               | Unit       | Standards as per IS-2296:1992 Class -'C' | Analysis Results |        |        |        |
|--------|---------------------------------|-------------------------------|------------|------------------------------------------|------------------|--------|--------|--------|
|        |                                 |                               |            |                                          | SW-1             | SW-2   | SW-3   | SW-4   |
| 1      |                                 | APHA 4500H* B                 | --         | 6.0-9.0                                  | 7.29             | 7.40   | 7.63   | 7.18   |
| 2      | Temperature                     | APHA 2550 B                   | °C         | --                                       | 26.1             | 25.8   | 26.9   | 26.8   |
| 3      | Electrical Conductivity         | APHA 2510 C                   | µS/cm      | --                                       | 310              | 326    | 248    | 389    |
| 4      | Turbidity                       | APHA 2130 B                   | NTU        | --                                       | 2.5              | 6.0    | 7.5    | 6.3    |
| 5      | Total Dissolved Solids          | APHA 2540 C                   | mg/l       | 1500                                     | 160              | 165    | 227    | 198    |
| 6      | Total Suspended Solids          | APHA 2540 D                   | mg/l       | --                                       | 58               | 47     | 68     | 71     |
| 7      | Total Hardness (as CaCO3)       | APHA 2340 C                   | mg/l       | --                                       | 108              | 142    | 201    | 132    |
| 8      | Total Alkalinity                | APHA 2320 B                   | mg/l       | --                                       | 45               | 65     | 90     | 50     |
| 9      | Calcium (as Ca)                 | APHA 3500Ca B                 | mg/l       | --                                       | 29.7             | 35.3   | 41.6   | 36.8   |
| 10     | Magnesium (as Mg)               | APHA 3500Mg B                 | mg/l       | --                                       | 8.2              | 13.1   | 23.6   | 9.7    |
| 11     | Oil & Grease                    | APHA 5520 B                   | mg/l       | --                                       | ND               | ND     | ND     | ND     |
| 12     | DO                              | APHA 4500 O-C                 | mg/l       | 4 (min)                                  | 5.1              | 4.8    | 5.3    | 4.6    |
| 13     | BOD(3)days at 270c              | APHA 5210 B                   | mg/l       | 3                                        | 1.2              | 1.5    | 1.4    | 1.4    |
| 14     | Chemical Oxygen Demand as (COD) | APHA 5220 C                   | mg/l       | --                                       | 3.8              | 4.7    | 4.0    | 3.8    |
| 15     | Chloride (as Cl)                | APHA 4500Cl B                 | mg/l       | 600                                      | 20               | 37.5   | 50     | 40     |
| 16     | Sulphate (as SO4)               | APHA 4500 SO4 <sup>2-</sup> E | mg/l       | 400                                      | 19.5             | 20.6   | 25.8   | 32.7   |
| 17     | Fluoride (as F)                 | APHA 4500F C                  | mg/l       | 1.5                                      | 0.22             | 0.35   | 0.28   | 0.39   |
| 18     | Nitrate (as NO3)                | APHA 4500 NO3 <sup>-</sup> E  | mg/l       | 50                                       | 1.53             | 1.28   | 1.31   | 1.46   |
| 19     | Arsenic (as As)                 | APHA 3114 B                   | mg/l       | 0.2                                      | <0.004           | <0.004 | <0.004 | <0.004 |
| 20     | Copper (as Cu)                  | APHA 3111 B,C                 | mg/l       | 1.5                                      | <0.02            | <0.02  | <0.02  | <0.02  |
| 21     | Lead (as Pb)                    | APHA 3111 B,C                 | mg/l       | 0.1                                      | <0.02            | <0.02  | <0.02  | <0.02  |
| 22     | Manganese (as Mn)               | APHA 3500Mn B                 | mg/l       | --                                       | <0.03            | <0.03  | <0.03  | <0.03  |
| 23     | Iron (as Fe)                    | APHA 3500Fe, B                | mg/l       | 0.5                                      | 0.31             | 0.28   | 0.40   | 0.33   |
| 24     | Nickel                          | APHA 3111 B                   | mg/l       | --                                       | <0.01            | <0.01  | <0.01  | <0.01  |
| 25     | Chromium (as Cr)                | APHA 3111 B                   | mg/l       | --                                       | <0.05            | <0.05  | <0.05  | <0.05  |
| 26     | Zinc (as Zn)                    | APHA 3111 B,C                 | mg/l       | 15                                       | <0.01            | <0.01  | <0.01  | <0.01  |
| 27     | Mercury (as Hg)                 | APHA 3500 Hg                  | mg/l       | --                                       | <0.004           | <0.004 | <0.004 | <0.004 |
| 28     | Total Coliforms                 | APHA9221-B                    | MPN/100 ml | 5000                                     | 120              | 220    | 330    | 220    |

Note: CL: Colourless, AL: Agreeable, U/O: Unobjectionable, ND: Not detected.





# Visiontek Consultancy Services Pvt. Ltd.

(Committed For Better Environment)

Certified for : ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 (OH&S), ISO/IEC 17025:2017

Accredited by : NABET-A Grade, MOEF & CC/CPCB & SPCB-A Grade

Laboratory Services  
Environment Lab  
Food Lab  
Material Lab  
Soil Lab  
Mineral Lab  
&  
Microbiology Lab

• Infrastructure Engineering  
• Water Resource Management  
• Environmental & Social Study

• Surface & Sub-Surface Investigation  
• Quality Control & Project Management  
• Renewable Energy

• Agricultural Development  
• Information Technology  
• Public Health Engineering

• Mine Planning & Design  
• Mineral/Sub-Soil Exploration  
• Waste Management Services

Ref: VCSPL/24-25/TR- 06260

Date: 05.07.2024

## SURFACE WATER QUALITY ANALYSIS REPORT MAY-2024

|                        |   |                                                                                                                                                       |
|------------------------|---|-------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1. Name of Industry    | : | M/s Hindalco Industries Limited, Hirakud Power, Sambalpur, Odisha                                                                                     |
| 2. Sampling location   | : | SW-5: Mahanadi river downstream; SW-6: Tarasinghpara Drain<br>SW-7: Drain near work manager's bungalow,<br>SW-8: Sambalpur distributary near ash pond |
| 3. Date of sampling    | : | 07.05.2024                                                                                                                                            |
| 4. Date of analysis    | : | 08.05.2024 TO 14.05.2024                                                                                                                              |
| 5. Sample collected by | : | VCSPL Representative                                                                                                                                  |

| Sl. No | Parameter                              | Testing Methods                           | Unit       | Standards as per IS-2296:1992 Class -'C' | Analysis Results |        |        |        |
|--------|----------------------------------------|-------------------------------------------|------------|------------------------------------------|------------------|--------|--------|--------|
|        |                                        |                                           |            |                                          | SW-5             | SW-6   | SW-7   | SW-8   |
| 1      | pH at 250C                             | APHA 4500H <sup>+</sup> B                 | --         | 6.0-9.0                                  | 7.12             | 6.90   | 6.83   | 7.11   |
| 2      | Temperature                            | APHA 2550 B                               | °C         | --                                       | 26.0             | 25.8   | 27.3   | 26.4   |
| 3      | Electrical Conductivity                | APHA 2510 C                               | µS/cm      | --                                       | 391              | 418    | 446    | 396    |
| 4      | Turbidity                              | APHA 2130 B                               | NTU        | --                                       | 2.1              | 5.6    | 8.2    | 4.7    |
| 5      | Total Dissolved Solids                 | APHA 2540 C                               | mg/l       | 1500                                     | 213              | 220    | 235    | 208    |
| 6      | Total Suspended Solids                 | APHA 2540 D                               | mg/l       | --                                       | 62               | 71     | 85     | 92     |
| 7      | Total Hardness (as CaCO <sub>3</sub> ) | APHA 2340 C                               | mg/l       | --                                       | 139              | 161    | 192    | 210    |
| 8      | Total Alkalinity                       | APHA 2320 B                               | mg/l       | --                                       | 55               | 35     | 50     | 60     |
| 9      | Calcium (as Ca)                        | APHA 3500Ca B                             | mg/l       | --                                       | 34.2             | 32.0   | 36.7   | 35.5   |
| 10     | Magnesium (as Mg)                      | APHA 3500Mg B                             | mg/l       | --                                       | 13.0             | 19.7   | 24.4   | 29.5   |
| 11     | Oil & Grease                           | APHA 5520 B                               | mg/l       | --                                       | ND               | ND     | ND     | ND     |
| 12     | DO                                     | APHA 4500 O-C                             | mg/l       | 4 (min)                                  | 5.0              | 4.4    | 4.7    | 4.6    |
| 13     | BOD(3)days at 270c                     | APHA 5210 B                               | mg/l       | 3                                        | 1.4              | 1.2    | 1.8    | 1.4    |
| 14     | Chemical Oxygen Demand as (COD)        | APHA 5220 C                               | mg/l       | --                                       | 4.0              | 3.6    | 5.2    | 4.4    |
| 15     | Chloride (as Cl)                       | APHA 4500Cl <sup>-</sup> B                | mg/l       | 600                                      | 37.5             | 40.0   | 55.0   | 37.5   |
| 16     | Sulphate (as SO <sub>4</sub> )         | APHA 4500 SO <sub>4</sub> <sup>2-</sup> E | mg/l       | 400                                      | 32.6             | 20.9   | 26.3   | 33.8   |
| 17     | Fluoride (as F)                        | APHA 4500F <sup>-</sup> C                 | mg/l       | 1.5                                      | 0.39             | 0.45   | 0.41   | 0.70   |
| 18     | Nitrate (as NO <sub>3</sub> )          | APHA 4500 NO <sub>3</sub> <sup>-</sup> E  | mg/l       | 50                                       | 1.35             | 1.40   | 1.63   | 1.59   |
| 19     | Arsenic (as As)                        | APHA 3114 B                               | mg/l       | 0.2                                      | <0.004           | <0.004 | <0.004 | <0.004 |
| 20     | Copper (as Cu)                         | APHA 3111 B,C                             | mg/l       | 1.5                                      | <0.02            | <0.02  | <0.02  | <0.02  |
| 21     | Lead (as Pb)                           | APHA 3111 B,C                             | mg/l       | 0.1                                      | <0.02            | <0.02  | <0.02  | <0.02  |
| 22     | Manganese (as Mn)                      | APHA 3500Mn B                             | mg/l       | --                                       | <0.03            | <0.03  | <0.03  | <0.03  |
| 23     | Iron (as Fe)                           | APHA 3500Fe, B                            | mg/l       | 0.5                                      | 0.37             | 0.30   | 0.42   | 0.46   |
| 24     | Nickel                                 | APHA 3111 B                               | mg/l       | --                                       | <0.01            | <0.01  | <0.01  | <0.01  |
| 25     | Chromium (as Cr)                       | APHA 3111 B                               | mg/l       | --                                       | <0.05            | <0.05  | <0.05  | <0.05  |
| 26     | Zinc (as Zn)                           | APHA 3111 B,C                             | mg/l       | 15                                       | <0.01            | <0.01  | <0.01  | <0.01  |
| 27     | Mercury (as Hg)                        | APHA 3500 Hg                              | mg/l       | --                                       | <0.004           | <0.004 | <0.004 | <0.004 |
| 28     | Total Coliforms                        | APHA 9221-B                               | MPN/100 ml | 5000                                     | 260              | 360    | 310    | 320    |

Note: CL: Colourless, AL: Agreeable, U/O: Unobjectionable, ND: Not detected.





# Visiontek Consultancy Services Pvt. Ltd.

(Committed For Better Environment)

Certified for : ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 (OH&S), ISO/IEC 17025:2017

Accredited by : NABET-A Grade, MOEF & CC/CPCB & SPCB-A Grade

- Infrastructure Engineering
- Water Resource Management
- Environmental & Social Study

- Surface & Sub-Surface Investigation
- Quality Control & Project Management
- Renewable Energy

- Agricultural Development
- Information Technology
- Public Health Engineering

- Mine Planning & Design
- Mineral/Sub-Soil Exploration
- Waste Management Services

Laboratory Services  
Environment Lab  
Food Lab  
Material Lab  
Soil Lab  
Mineral Lab  
&  
Microbiology Lab

Ref: VCSPL/24-25/TR-06263

Date: 05.07.2024

## FORAGE FLUORIDE ANALYSIS REPORT MAY-2024

|   |                     |   |                                                                   |
|---|---------------------|---|-------------------------------------------------------------------|
| 1 | Name of Industry    | : | M/s Hindalco Industries Limited, Hirakud Power, Sambalpur, Odisha |
| 2 | Date of Sampling    | : | 09.05.2024 & 10.05.2024                                           |
| 3 | Date of Analysis    | : | 11.05.2024 TO 16.05.2024                                          |
| 4 | Name of the Sample  | : | Vegetation Sample                                                 |
| 5 | Sample Collected By | : | VCSPL Representative                                              |

| Date of Sampling | Name of the Location | Type of Species | Scientific Name            | Method of Analysis | Result (PPM) |
|------------------|----------------------|-----------------|----------------------------|--------------------|--------------|
| 09.05.2024       | Nuajamudi            | Duba Ghasa      | <i>Cynodon dactylon</i>    | AOAC 975.04        | 5.5          |
| 09.05.2024       | IDC Area             | Karanj Tree     | <i>Pongame oil tree</i>    | AOAC 975.04        | 4.1          |
| 09.05.2024       | Gandhinagar          | Pokasunga       | <i>Ageratum Conyzoides</i> | AOAC 975.04        | 3.9          |
| 09.05.2024       | Nauagujatal          | Pokasunga       | <i>Ageratum Conyzoides</i> | AOAC 975.04        | 4.6          |
| 09.05.2024       | Dengimacha           | Duba Ghasa      | <i>Cynodon dactylon</i>    | AOAC 975.04        | 4.3          |
| 10.05.2024       | Larpark(RITI)        | Pedi-Pedika     | <i>Abutilon indicum</i>    | AOAC 975.04        | 2.9          |
| 10.05.2024       | Silipathar           | Pedi-Pedika     | <i>Abutilon indicum</i>    | AOAC 975.04        | 2.2          |
| 10.05.2024       | Natadhi              | Duba Ghasa      | <i>Cynodon dactylon</i>    | AOAC 975.04        | 4.3          |
| 10.05.2024       | Biharipada           | Duba Ghasa      | <i>Cynodon dactylon</i>    | AOAC 975.04        | 1.8          |
| 10.05.2024       | Sahajbhal            | Karanj Tree     | <i>Pongame oil tree</i>    | AOAC 975.04        | 2.0          |





**Annexure-III**

**FUGITIVE EMISSION: Total Fluoride: Unit: Kg/MT. Al.**

**Standard: 0.4 kg/MT. Al.**

| <b>Location of sampling</b> | <b>Apr'24</b> | <b>May'24</b> | <b>June'24</b> | <b>July'24</b> | <b>Aug'24</b> | <b>Sept'24</b> |
|-----------------------------|---------------|---------------|----------------|----------------|---------------|----------------|
| 85 KA Line (avg.)           | 0.31          | 0.29          | 0.30           | 0.31           | 0.31          | 0.32           |
| 235 KA Line (avg.)          | 0.30          | 0.33          | 0.32           | 0.30           | 0.31          | 0.32           |





Annexure-IV

1. ETP & STP TREATED WATER ANALYSIS REPORT:

(a) The treated water quality after treatment in the Effluent Treatment Plant (ETP outlet) was monitored. The values were as follows: (by NABL approved External Lab)

(i) ETP 250 KLD outlet Water quality

| Sl. No. | Parameter           | Unit | Limit   | Apr'24 | May'24 | June'24 | July'24 | Aug'24 | Sept'24 |
|---------|---------------------|------|---------|--------|--------|---------|---------|--------|---------|
| 1       | pH                  | -    | 6.5-9.0 | 7.34   | 7.99   | 7.18    | 7.05    | 6.62   | 7.45    |
| 2       | TSS                 | mg/L | 100     | BDL    | BDL    | 8.0     | BDL     | BDL    | 1.6     |
| 3       | TDS                 | mg/L | 2100    | 22.0   | 84.0   | 55.0    | 23.0    | 14.0   | 84.2    |
| 4       | Fluoride            | mg/L | 2.0     | 0.30   | 0.30   | 0.57    | 0.86    | 0.46   | 0.56    |
| 5       | OIL & GREASE        | mg/L | 10.0    | BDL    | BDL    | BDL     | BDL     | BDL    | BDL     |
| 6       | BOD                 | mg/L | 30      | BDL    | 4.5    | BDL     | 4.2     | 4.6    | BDL     |
| 7       | COD                 | mg/L | 250.0   | BDL    | 22.0   | BDL     | BDL     | 19.0   | 5.0     |
| 8       | Chromium hexavalent | mg/L | 0.1     | BDL    | BDL    | BDL     | BDL     | BDL    | BDL     |
| 9       | Cyanide             | mg/L | 0.2     | BDL    | BDL    | BDL     | BDL     | BDL    | BDL     |
| 10      | Free ammonia        | mg/L | 5.0     | BDL    | BDL    | BDL     | BDL     | BDL    | BDL     |
| 11      | Total Nitrogen      | mg/L | 100.0   | BDL    | 0.45   | BDL     | BDL     | BDL    | BDL     |
| 12      | Total Chromium      | mg/L | 2.0     | BDL    | BDL    | BDL     | BDL     | BDL    | BDL     |

(ii) ETP 350 KLD

| Sl. No. | Parameter           | Unit | Limit   | Apr'24 | May'24 | June'24 | July'24 | Aug'24 | Sept'24 |
|---------|---------------------|------|---------|--------|--------|---------|---------|--------|---------|
| 1       | pH                  | -    | 6.5-9.0 | 6.53   | 7.14   | 7.79    | 6.88    | 6.59   | 7.23    |
| 2       | TSS                 | mg/L | 100     | BDL    | BDL    | BDL     | BDL     | BDL    | BDL     |
| 3       | TDS                 | mg/L | 2100    | 13.0   | 20.0   | 44.0    | 14.0    | 14.0   | 47.8    |
| 4       | Fluoride            | mg/L | 2.0     | BDL    | 0.24   | 0.23    | 0.20    | 0.85   | 0.71    |
| 5       | OIL & GREASE        | mg/L | 10.0    | BDL    | BDL    | BDL     | BDL     | BDL    | BDL     |
| 6       | BOD                 | mg/L | 30      | BDL    | 2.8    | BDL     | 2.9     | 3.0    | BDL     |
| 7       | COD                 | mg/L | 250     | BDL    | BDL    | BDL     | BDL     | 14.0   | 7.0     |
| 8       | Chromium hexavalent | mg/L | 0.1     | BDL    | BDL    | BDL     | BDL     | BDL    | BDL     |
| 9       | Cyanide             | mg/L | 0.2     | BDL    | BDL    | BDL     | BDL     | BDL    | BDL     |
| 10      | Free ammonia        | mg/L | 5.0     | BDL    | BDL    | BDL     | BDL     | BDL    | BDL     |
| 11      | Total Nitrogen      | mg/L | 100     | 0.96   | 0.87   | 0.94    | 0.89    | 0.74   | 0.88    |



|    |                |      |     |     |     |     |     |     |     |
|----|----------------|------|-----|-----|-----|-----|-----|-----|-----|
| 12 | Total Chromium | mg/L | 2.0 | BDL | BDL | BDL | BDL | BDL | BDL |
|----|----------------|------|-----|-----|-----|-----|-----|-----|-----|

(iii) **ETP (80 Pot Area) 50 KLD**

| Sl. No. | Parameter           | Unit | Limit   | Apr'24 | May'24 | June'24 | July'24 | Aug'24 | Sept'24 |
|---------|---------------------|------|---------|--------|--------|---------|---------|--------|---------|
| 1       | pH                  | -    | 6.5-9.0 | 6.66   | 7.56   | 8.26    | 7.56    | 8.20   | 7.33    |
| 2       | TSS                 | mg/L | 100     | BDL    | BDL    | BDL     | BDL     | BDL    | BDL     |
| 3       | TDS                 | mg/L | 2100    | 35.0   | 33.0   | 23.0    | 24.0    | 30.0   | 14.1    |
| 4       | Fluoride            | mg/L | 2.0     | 0.31   | 0.35   | 0.15    | 0.19    | BDL    | 0.29    |
| 5       | OIL & GREASE        | mg/L | 10.0    | BDL    | BDL    | BDL     | BDL     | BDL    | BDL     |
| 6       | BOD                 | mg/L | 30      | BDL    | 3.3    | BDL     | 3.8     | 2.8    | 2.5     |
| 7       | COD                 | mg/L | 250     | BDL    | 22.0   | BDL     | BDL     | 13.0   | 12.0    |
| 8       | Chromium hexavalent | mg/L | 0.1     | BDL    | BDL    | BDL     | BDL     | BDL    | BDL     |
| 9       | Cyanide             | mg/L | 0.2     | BDL    | BDL    | BDL     | BDL     | BDL    | BDL     |
| 10      | Free ammonia        | mg/L | 5.0     | BDL    | BDL    | BDL     | BDL     | BDL    | BDL     |
| 11      | Total Nitrogen      | mg/L |         | 1.01   | 0.89   | 0.79    | 0.87    | 0.80   | 0.87    |
| 12      | Total Chromium      | mg/L |         | BDL    | BDL    | BDL     | BDL     | BDL    | BDL     |

(b) Domestic effluent after treatment in Sewage Treatment Plant (STP Outlet) was monitored. The values were as follows:

(iv) **Plant STP (CPP side) 500 KLD**

| Sl. No. | Parameter           | Unit         | Limit      | Apr'24 | May'24 | June'24 | July'24 | Aug'24 | Sept'24 |
|---------|---------------------|--------------|------------|--------|--------|---------|---------|--------|---------|
| 1       | pH                  | -            | 6.5-9.0    | 6.69   | 6.88   | 7.53    | 6.74    | 6.67   | 6.80    |
| 2       | TSS                 | mg/L         | 100.0      | 23.4   | 13.0   | BDL     | BDL     | 9.1    | 5.2     |
| 3       | BOD                 | mg/L         | 30         | 24.6   | 9.3    | 3.4     | 7.0     | 3.6    | 2.8     |
| 4       | Fecal Coliform (FC) | MPN / 100 ml | 1000 (max) | 120.0  | 158.0  | 110.0   | 170.0   | 190.0  | 160.0   |

(v) **Plant STP (CPP side) 300 KLD**

| Sl. No. | Parameter | Unit | Limit   | Apr'24 | May'24 | June'24 | July'24 | Aug'24 | Sept'24 |
|---------|-----------|------|---------|--------|--------|---------|---------|--------|---------|
| 1       | pH        | -    | 6.5-9.0 | 7.36   | 7.32   | 6.93    | 7.01    | 6.95   | 7.16    |
| 2       | TSS       | mg/L | 100.0   | 85.4   | 94.0   | 14.0    | 22.0    | 28.4   | 9.4     |
| 3       | BOD       | mg/L | 30      | 17.0   | 26.0   | 2.9     | 5.1     | 3.4    | BDL     |



|   |                     |              |            |     |       |       |       |       |       |
|---|---------------------|--------------|------------|-----|-------|-------|-------|-------|-------|
| 4 | Fecal Coliform (FC) | MPN / 100 ml | 1000 (max) | 410 | 380.0 | 370.0 | 410.0 | 430.0 | 410.0 |
|---|---------------------|--------------|------------|-----|-------|-------|-------|-------|-------|

(vi) **Plant STP (80 Pot area) 100 KLD**

| Sl. No. | Parameter           | Unit         | Limit      | Apr'24 | May'24 | June'24 | July'24 | Aug'24 | Sept'24 |
|---------|---------------------|--------------|------------|--------|--------|---------|---------|--------|---------|
| 1       | pH                  | -            | 6.5-9.0    | 7.72   | 7.97   | 7.26    | 7.15    | 7.82   | 7.82    |
| 2       | TSS                 | mg/L         | 100.0      | BDL    | 8.8    | 31.0    | 4.1     | 22.0   | 1.4     |
| 3       | BOD                 | mg/L         | 30         | 15.0   | 6.4    | 4.8     | 4.4     | 5.1    | BDL     |
| 4       | Fecal Coliform (FC) | MPN / 100 ml | 1000 (max) | 290.0  | 280.0  | 420.0   | 330.0   | 310.0  | 390.0   |

(vii) **Colony STP (Main Colony) 400 KLD**

| Sl. No. | Parameter           | Unit         | Limit      | Apr'24 | May'24 | June'24 | July'24 | Aug'24 | Sept'24 |
|---------|---------------------|--------------|------------|--------|--------|---------|---------|--------|---------|
| 1       | pH                  | -            | 6.5-9.0    | 7.35   | 7.79   | 7.88    | 6.95    | 7.35   | 7.60    |
| 2       | TSS                 | mg/L         | 100.0      | BDL    | 8.1    | BDL     | 6.2     | 3.6    | 13.3    |
| 3       | BOD                 | mg/L         | 30         | 23.0   | 8.1    | BDL     | 4.6     | 3.2    | BDL     |
| 4       | Fecal Coliform (FC) | MPN / 100 ml | 1000 (max) | 290.0  | 296.0  | 220.0   | 280.0   | 290.0  | 270.0   |



**TREATED EFFLUENT (CMB) WATER ANALYSIS REPORT**  
**[(April 2024 - September 2024)]**

| Sl. No | PARAMETERS                                              | Apr'24                                           | May'24                                           | June'24                                          | July'24                                          | Aug'24                                           | Sept'24                                          |
|--------|---------------------------------------------------------|--------------------------------------------------|--------------------------------------------------|--------------------------------------------------|--------------------------------------------------|--------------------------------------------------|--------------------------------------------------|
| 1      | Color & Odour                                           | Colorless & Odorless                             | Colorless & Odorless                             | Colorless & Odorless                             | Colorless & Odorless                             | Colorless & Odorless                             | Colorless & Odorless                             |
| 2      | pH at 25°C                                              | 7.17                                             | 7.14                                             | 7.10                                             | 7.06                                             | 7.10                                             | 7.12                                             |
| 3      | Turbidity                                               | 3.9                                              | 3.6                                              | 4.2                                              | 6.3                                              | 7.1                                              | 7.08                                             |
| 4      | Total Suspended Solids (as TSS)                         | 65.0                                             | 62.0                                             | 60.0                                             | 71.0                                             | 74.0                                             | 69.0                                             |
| 5      | Total Dissolved Solids (as TDS)                         | 516                                              | 511                                              | 529                                              | 546                                              | 553                                              | 541                                              |
| 6      | Oil & Grease (as O & G)                                 | 4.0                                              | 4.2                                              | 5.0                                              | 5.8                                              | 6.0                                              | 6.2                                              |
| 7      | Total Residual Chloride                                 | BDL(0.02)                                        | BDL(0.02)                                        | BDL(0.02)                                        | BDL(0.02)                                        | BDL(0.02)                                        | BDL(0.02)                                        |
| 8      | Ammonical Nitrogen (as NH <sub>3</sub> -N)              | 1.8                                              | 1.5                                              | 1.68                                             | 1.75                                             | 1.68                                             | 1.7                                              |
| 9      | Total Kjeldahl Nitrogen (as N)                          | 5.3                                              | 5.0                                              | 5.6                                              | 5.0                                              | 5.5                                              | 5.2                                              |
| 10     | Free Ammonia (as NH <sub>3</sub> )                      | <0.1                                             | <0.1                                             | <0.1                                             | <0.1                                             | <0.1                                             | <0.1                                             |
| 11     | Biochemical Oxygen Demand as BOD(3days at 27° C)        | 6.8                                              | 6.4                                              | 6.9                                              | 6.9                                              | 6.6                                              | 6.9                                              |
| 12     | Chemical Oxygen Demand (as COD)                         | 22.0                                             | 20.0                                             | 22.0                                             | 21.0                                             | 20.0                                             | 24.0                                             |
| 13     | Arsenic (as As)                                         | BDL(0.003)                                       | BDL(0.003)                                       | BDL(0.003)                                       | BDL(0.003)                                       | BDL(0.003)                                       | BDL(0.003)                                       |
| 14     | Mercury (as Hg)                                         | BDL(0.001)                                       | BDL(0.001)                                       | BDL(0.001)                                       | BDL(0.001)                                       | BDL(0.001)                                       | BDL(0.001)                                       |
| 15     | Lead (as Pb)                                            | BDL(0.0007)                                      | BDL(0.0007)                                      | BDL(0.0007)                                      | BDL(0.0007)                                      | BDL(0.0007)                                      | BDL(0.0007)                                      |
| 16     | Cadmium (as Cd)                                         | BDL(0.0003)                                      | BDL(0.0003)                                      | BDL(0.0003)                                      | BDL(0.0003)                                      | BDL(0.0003)                                      | BDL(0.0003)                                      |
| 17     | Hexavalent Chromium (as Cr <sup>+6</sup> )              | BDL(0.02)                                        | BDL(0.02)                                        | BDL(0.02)                                        | BDL(0.02)                                        | BDL(0.02)                                        | BDL(0.02)                                        |
| 18     | Total Chromium (as Cr)                                  | BDL(0.011)                                       | BDL(0.011)                                       | BDL(0.011)                                       | BDL(0.011)                                       | BDL(0.011)                                       | BDL(0.011)                                       |
| 19     | Copper (as Cu)                                          | BDL(0.006)                                       | BDL(0.006)                                       | BDL(0.006)                                       | BDL(0.006)                                       | BDL(0.006)                                       | BDL(0.006)                                       |
| 20     | Zinc (as Zn)                                            | BDL(0.008)                                       | BDL(0.008)                                       | BDL(0.008)                                       | BDL(0.008)                                       | BDL(0.008)                                       | BDL(0.008)                                       |
| 21     | Selenium (as Se)                                        | BDL(0.0002)                                      | BDL(0.0002)                                      | BDL(0.0002)                                      | BDL(0.0002)                                      | BDL(0.0002)                                      | BDL(0.0002)                                      |
| 22     | Nickel (as Ni)                                          | BDL(0.005)                                       | BDL(0.005)                                       | BDL(0.005)                                       | BDL(0.005)                                       | BDL(0.005)                                       | BDL(0.005)                                       |
| 23     | Cyanide ( as CN)                                        | BDL(0.01)                                        | BDL(0.01)                                        | BDL(0.01)                                        | BDL(0.01)                                        | BDL(0.01)                                        | BDL(0.01)                                        |
| 24     | Fluoride (as F)                                         | 0.69                                             | 0.64                                             | 0.69                                             | 0.74                                             | 0.75                                             | 0.72                                             |
| 25     | Dissolved phosphate ( as P)                             | 1.23                                             | 1.2                                              | 1.50                                             | 1.9                                              | 1.6                                              | 1.50                                             |
| 26     | Sulphide (as S)                                         | BDL(0.03)                                        | BDL(0.03)                                        | BDL(0.03)                                        | BDL(0.03)                                        | BDL(0.03)                                        | BDL(0.03)                                        |
| 27     | Phenolic Compound (as C <sub>6</sub> H <sub>5</sub> OH) | BDL(0.02)                                        | BDL(0.02)                                        | BDL(0.02)                                        | BDL(0.02)                                        | BDL(0.02)                                        | BDL(0.02)                                        |
| 28     | Manganese (as Mn)                                       | BDL(0.004)                                       | BDL(0.004)                                       | BDL(0.004)                                       | BDL(0.004)                                       | BDL(0.004)                                       | BDL(0.004)                                       |
| 29     | Iron (as Fe)                                            | 0.78                                             | 0.73                                             | 0.70                                             | 0.78                                             | 0.76                                             | 0.71                                             |
| 30     | Vanadium (as V)                                         | BDL(0.005)                                       | BDL(0.005)                                       | BDL(0.005)                                       | BDL(0.005)                                       | BDL(0.005)                                       | BDL(0.005)                                       |
| 31     | Nitrate Nitrogen (as NO <sub>3</sub> -N)                | 2.35                                             | 2.27                                             | 2.18                                             | 2.35                                             | 2.29                                             | 2.18                                             |
| 32     | Bio- assay Test                                         | All fishes survive after 96 hrs in 100% effluent | All fishes survive after 96 hrs in 100% effluent | All fishes survive after 96 hrs in 100% effluent | All fishes survive after 96 hrs in 100% effluent | All fishes survive after 96 hrs in 100% effluent | All fishes survive after 96 hrs in 100% effluent |



**Annexure - V**

**STATUS OF UTILISATION OF FLY ASH AND BOTTOM ASH**

**(April 2024 - September 2024)**

| <b>Sl. No</b> | <b>Description</b>                                                     | <b>Quantity(MT)</b> |
|---------------|------------------------------------------------------------------------|---------------------|
| 1             | Quantity of fly ash generated (MT)                                     | 486868.47           |
| 2             | Quantity of bottom ash generated (MT)                                  | 54096.50            |
|               | <b>Total ash generated (MT)</b>                                        | 540964.97           |
| 3             | Supply to Brick Manufacturing Units (MT)                               | 370162.23           |
| 4             | Supply to Cement Plants (MT)                                           | 9873.11             |
| 5             | Low Lying Filling (MT)                                                 | 82675.89            |
| 6             | Utilization in Construction of Roads/Road and Fly over embankment (MT) | 78256.59            |
| 7             | <b>Total Ash Utilized (MT)</b>                                         | 540967.82           |
| 8             | % of total ash utilization                                             | <b>100.0</b>        |



**Annexure –VI**

**PLANTATION DETAILS**

| YEAR            | NO. OF SAPLINGS PLANTED | AREA COVERED (ACRE) | SPECIES PLANTED                                                                                                                                                                                              |
|-----------------|-------------------------|---------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Up to 2006 – 07 | 419865                  | 250.12              |                                                                                                                                                                                                              |
| 2007 – 08       | 33,000                  | 12.0                | Chakunda, Gambhari, Sisam, Krushna Chuda, Radha Chuda, Jammun & Neam                                                                                                                                         |
| 2008 – 09       | 25,200                  | 16.0                | Chakunda, Gambhari, Sisam, Krushna Chuda, Radha Chuda, Jammun & Neam                                                                                                                                         |
| 2009 – 10       | 31,000                  | 10.0                | Chakunda, Gambhari, Sisam, Krushna Chuda, Radha Chuda, Jammun & Neam                                                                                                                                         |
| 2010 – 11       | 30,000                  | 10.0                | Chakunda, Gambhari, Sisam, Krushna Chuda, Radha Chuda, Jammun & Neam                                                                                                                                         |
| 2011 – 12       | 25,200                  | 10.0                | Chakunda, Gambhari, Sisam, Krushna Chuda, Radha Chuda, Jammun & Neam                                                                                                                                         |
| 2012 – 13       | 25000                   | 10.0                | Neam, Karanja, Sisam, Krushna Chuda, Radha Chuda, Cassia Fistula, Alstonia & Kadamba                                                                                                                         |
| 2013 – 14       | 30000                   | 13.0                | Neem, Karanja, Sisam, Cassia Fistula, Alstonia, Kadamba, Mango, Jamun etc                                                                                                                                    |
| 2014 – 15       | 12000                   | 6.0                 | Neem, Karanja, Sisam, Cassia Fistula, Alstonia, Kadamba, Mango, Jamun etc                                                                                                                                    |
| 2015 – 16       | 10000                   | 5.0                 | Bamboo, Sisoo, Karanja, Alstonia, Chhatiana, Mango, Jamun etc                                                                                                                                                |
| 2016 – 17       | 21175                   | 10.6                | Bamboo, Ficus, Alstonia, Champa, Plumeria Alva etc                                                                                                                                                           |
| 2017 – 18       | 13500                   | 6.75                | Krushnachuda, Radhachuda, Acssia, Ficus, Jamun, Arjun, Ashok etc                                                                                                                                             |
| 2018 - 19       | 10500                   | 5.25                | Bamboo, Sisam, Cassia Fistula, Alstonia, Kadamba, Mango, Jamun                                                                                                                                               |
| 2019 - 20       | 8400                    | 4.2                 | Alstonia, Champa Bamboo, Sisam, Alstonia, Kadamba, Mango, Jamun                                                                                                                                              |
| 2020 - 21       | 1058                    | 0.5                 | Arjun, Radhachuda, Krushnachuda, Jamun, Ficus, Debdaru, Baula                                                                                                                                                |
| 2021-22         | 1550                    | 0.75                | Baula, Arjun, Jamun, Debadaru, Krushnachuda, jamun, mango,                                                                                                                                                   |
| 2022-23         | 500                     | 5 Acre              | Mango, Drumstick, Papaya, Jackfruit, Brinjal, Chilly, Cauliflower, cabbage, Cucumber, Pumpkin, Spinach, Beans, Bottle Guard.                                                                                 |
| 2023-24         | 10,000                  | 10 Acre             | Arjun, Kadam, Mango, Guava, Jamun, Jackfruit, Ne em, Pipal, Custadapple, Kintho, Indian Bele, Sishu, Kajubadam, Lagerstromia, Karanj, Gulabisiris, Bad am, Mehegani, Saal, Sunari, Tetel, Kathabadam, As hok |



| YEAR         | NO. OF SAPLINGS PLANTED | AREA COVERED (ACRE) | SPECIES PLANTED                      |
|--------------|-------------------------|---------------------|--------------------------------------|
| 2024-25      | 50                      | 0.02 Acre           | Mango, Arjun, Jamun, Cassia Fistula. |
| <b>Total</b> | <b>707498</b>           | <b>380.19*</b>      |                                      |

\* Including replenished and outside factory areas as part of CSR initiatives



# Visiontek Consultancy Services Pvt. Ltd.

(Committed For Better Environment)

Certified for : ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 (OH&S), ISO/IEC 17025:2017

Accredited by : NABET-A Grade, MOEF & CC/CPCB & SPCB-A Grade

Laboratory Services  
Environment Lab  
Food Lab  
Material Lab  
Soil Lab  
Mineral Lab  
&  
Microbiology Lab

- Infrastructure Engineering
- Water Resource Management
- Environmental & Social Study

- Surface & Sub-Surface Investigation
- Quality Control & Project Management
- Renewable Energy

- Agricultural Development
- Information Technology
- Public Health Engineering

- Mine Planning & Design
- Mineral/Sub-Soil Exploration
- Waste Management Services

Ref: VCSPL/24-25/TR-06249


Date: 05.07.2024

## AMBIENT AIR QUALITY MONITORING REPORT (APR-2024 TO JUN-2024)

|                           |   |                                                                   |
|---------------------------|---|-------------------------------------------------------------------|
| 1. Name of Industry       | : | M/s Hindalco Industries Limited, Hirakud Power, Sambalpur, Odisha |
| 2. Sampling Location      | : | Monitoring Station No.- AAQMS-1 : Plant Site                      |
| 3. Monitoring Instruments | : | RDS(APM 460 BL), FPS(APM 550) Envirotech, CO Monitor, VOC Sampler |
| 4. Sample collected by    | : | VCSPL representative                                              |

| Date           | PARAMETERS                               |                                           |                                         |                                           |                                        |                            |                                         |                                                       |                                                            |                            |                            |                            |                           |
|----------------|------------------------------------------|-------------------------------------------|-----------------------------------------|-------------------------------------------|----------------------------------------|----------------------------|-----------------------------------------|-------------------------------------------------------|------------------------------------------------------------|----------------------------|----------------------------|----------------------------|---------------------------|
|                | PM <sub>10</sub><br>(µg/m <sup>3</sup> ) | PM <sub>2.5</sub><br>(µg/m <sup>3</sup> ) | SO <sub>2</sub><br>(µg/m <sup>3</sup> ) | NO <sub>2</sub><br>(µg/m <sup>3</sup> )   | O <sub>3</sub><br>(µg/m <sup>3</sup> ) | CO<br>(mg/m <sup>3</sup> ) | NH <sub>3</sub><br>(µg/m <sup>3</sup> ) | C <sub>6</sub> H <sub>6</sub><br>(µg/m <sup>3</sup> ) | BaP<br>(ng/m <sup>3</sup> )                                | Ni<br>(ng/m <sup>3</sup> ) | Pb<br>(µg/m <sup>3</sup> ) | As<br>(ng/m <sup>3</sup> ) | F<br>(µg/m <sup>3</sup> ) |
| 01.04.2024     | 70.4                                     | 35.6                                      | 18.5                                    | 23.8                                      | 7.2                                    | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |
| 04.04.2024     | 69.8                                     | 35.1                                      | 17.9                                    | 25.4                                      | 7.5                                    | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |
| 08.04.2024     | 72.3                                     | 36.8                                      | 17.6                                    | 22.9                                      | 6.7                                    | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |
| 11.04.2024     | 65.6                                     | 33.1                                      | 17.1                                    | 24.9                                      | 6.9                                    | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |
| 15.04.2024     | 69.8                                     | 35.2                                      | 18.7                                    | 23.8                                      | 6.3                                    | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |
| 18.04.2024     | 60.4                                     | 30.8                                      | 19.3                                    | 24.5                                      | 7.1                                    | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |
| 22.04.2024     | 66.3                                     | 33.4                                      | 18.8                                    | 25.9                                      | 7.8                                    | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |
| 25.04.2024     | 68.9                                     | 34.5                                      | 18.2                                    | 26.6                                      | 7.5                                    | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |
| 02.05.2024     | 72.2                                     | 36.6                                      | 16.3                                    | 22.1                                      | 7.9                                    | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |
| 06.05.2024     | 70.6                                     | 35.9                                      | 17.5                                    | 24.3                                      | 6.7                                    | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |
| 09.05.2024     | 63.8                                     | 32.2                                      | 18.6                                    | 22.3                                      | 6.9                                    | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |
| 13.05.2024     | 61.4                                     | 31.8                                      | 18.8                                    | 23.5                                      | 6.3                                    | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |
| 16.05.2024     | 59.5                                     | 30.9                                      | 19.3                                    | 23.2                                      | 7.2                                    | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |
| 20.05.2024     | 66.7                                     | 33.4                                      | 19.5                                    | 24.1                                      | 7.1                                    | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |
| 23.05.2024     | 68.3                                     | 34.6                                      | 18.9                                    | 24.5                                      | 6.5                                    | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |
| 27.05.2024     | 69.2                                     | 34.9                                      | 19.1                                    | 22                                        | 6.9                                    | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |
| 03.06.2024     | 71.6                                     | 36.1                                      | 17.6                                    | 21.8                                      | 7.8                                    | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |
| 06.06.2024     | 70.7                                     | 35.5                                      | 16.3                                    | 24.9                                      | 7.2                                    | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |
| 10.06.2024     | 66.7                                     | 33.8                                      | 16.5                                    | 22.7                                      | 6.7                                    | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |
| 13.06.2024     | 65.9                                     | 33.1                                      | 18.6                                    | 24.5                                      | 6.5                                    | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |
| 17.06.2024     | 72.1                                     | 36.4                                      | 19.2                                    | 25.3                                      | 6.6                                    | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |
| 20.06.2024     | 67.3                                     | 34.2                                      | 19.9                                    | 25.1                                      | 7.1                                    | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |
| 24.06.2024     | 69.9                                     | 35.1                                      | 18.2                                    | 24.9                                      | 7.5                                    | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |
| 27.06.2024     | 68.5                                     | 34.4                                      | 20.8                                    | 25.1                                      | 7.2                                    | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |
| NAAQ Standard  | 100                                      | 60                                        | 80                                      | 80                                        | 100                                    | 4                          | 400                                     | 05                                                    | 01                                                         | 20                         | 1.0                        | 06                         | --                        |
| Average        | 67.8                                     | 34.3                                      | 18.4                                    | 24.1                                      | 7.0                                    | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |
| Testing method | Gravimetric                              | Gravimetric                               | Improved West and Geake method          | Modified Jacob & Hochheiser (Na-Arsenite) | Chemical Method                        | NDIR Spectroscopy          | Indo phenol blue method                 | Absorption & Desorption followed by GC analysis       | Solvent extraction followed by Gas Chromatography analysis | AAS method after sampling  |                            |                            | Zirconium SPADNS Method   |

BDL Values: SO<sub>2</sub>< 4 µg/m<sup>3</sup>, NO<sub>2</sub>< 9 µg/m<sup>3</sup>, O<sub>3</sub>< 4 µg/m<sup>3</sup>, Ni<0.01 ng/m<sup>3</sup>, As<0.001 ng/m<sup>3</sup>, C<sub>6</sub>H<sub>6</sub><0.001 µg/m<sup>3</sup>, BaP<0.002 ng/m<sup>3</sup>, Pb<0.001 µg/m<sup>3</sup>, F<0.01 µg/m<sup>3</sup>, CO<0.1 mg/m<sup>3</sup>







# Visiontek Consultancy Services Pvt. Ltd.

(Committed For Better Environment)

Certified for : ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 (OH&S), ISO/IEC 17025:2017

Accredited by : NABET-A Grade, MOEF & CC/CPCB & SPCB-A Grade

Laboratory Services  
 Environment Lab  
 Food Lab  
 Material Lab  
 Soil Lab  
 Mineral Lab  
 &  
 Microbiology Lab

- Infrastructure Engineering
- Water Resource Management
- Environmental & Social Study

- Surface & Sub-Surface Investigation
- Quality Control & Project Management
- Renewable Energy

- Agricultural Development
- Information Technology
- Public Health Engineering

- Mine Planning & Design
- Mineral/Sub-Soil Exploration
- Waste Management Services

Ref: VCSPL/24-25/TR -06250

Date: 05.07.2024

## AMBIENT AIR QUALITY MONITORING REPORT (APR-2024 TO JUN-2024)

| 1. Name of Industry       | M/s Hindalco Industries Limited, Hirakud Power, Sambalpur, Odisha |                                           |                                         |                                           |                                        |                            |                                         |                                                 |                                                            |                            |                            |                            |                           |  |
|---------------------------|-------------------------------------------------------------------|-------------------------------------------|-----------------------------------------|-------------------------------------------|----------------------------------------|----------------------------|-----------------------------------------|-------------------------------------------------|------------------------------------------------------------|----------------------------|----------------------------|----------------------------|---------------------------|--|
| 2. Sampling Location      | Monitoring Station No.- AAQMS-2: Alind Colony                     |                                           |                                         |                                           |                                        |                            |                                         |                                                 |                                                            |                            |                            |                            |                           |  |
| 3. Monitoring Instruments | RDS(APM 460 BL), FPS(APM 550) Envirotech, CO Monitor, VOC Sampler |                                           |                                         |                                           |                                        |                            |                                         |                                                 |                                                            |                            |                            |                            |                           |  |
| 4. Sample collected by    | VCSPL representative                                              |                                           |                                         |                                           |                                        |                            |                                         |                                                 |                                                            |                            |                            |                            |                           |  |
| Date                      | PARAMETERS                                                        |                                           |                                         |                                           |                                        |                            |                                         |                                                 |                                                            |                            |                            |                            |                           |  |
|                           | PM <sub>10</sub><br>(µg/m <sup>3</sup> )                          | PM <sub>2.5</sub><br>(µg/m <sup>3</sup> ) | SO <sub>2</sub><br>(µg/m <sup>3</sup> ) | NO <sub>x</sub><br>(µg/m <sup>3</sup> )   | O <sub>3</sub><br>(µg/m <sup>3</sup> ) | CO<br>(mg/m <sup>3</sup> ) | NH <sub>3</sub><br>(µg/m <sup>3</sup> ) | CaH <sub>2</sub><br>(µg/m <sup>3</sup> )        | BaP<br>(ng/m <sup>3</sup> )                                | Ni<br>(ng/m <sup>3</sup> ) | Pb<br>(µg/m <sup>3</sup> ) | As<br>(ng/m <sup>3</sup> ) | F<br>(µg/m <sup>3</sup> ) |  |
| 01.04.2024                | 56.9                                                              | 28.8                                      | 13.5                                    | 20.9                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                              | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 04.04.2024                | 58.4                                                              | 29.7                                      | 14.8                                    | 21.6                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                              | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 08.04.2024                | 60.3                                                              | 30.5                                      | 14.2                                    | 18.7                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                              | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 11.04.2024                | 61.8                                                              | 31.1                                      | 13.6                                    | 19.3                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                              | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 15.04.2024                | 55.4                                                              | 27.9                                      | 13.9                                    | 19.8                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                              | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 18.04.2024                | 52.9                                                              | 26.8                                      | 12.5                                    | 20.2                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                              | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 22.04.2024                | 62.7                                                              | 31.8                                      | 11.7                                    | 18.1                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                              | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 25.04.2024                | 60.8                                                              | 30.6                                      | 14.7                                    | 17.9                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                              | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 02.05.2024                | 61.3                                                              | 30.9                                      | 14.5                                    | 20.6                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                              | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 06.05.2024                | 56.6                                                              | 28.8                                      | 14.3                                    | 21.1                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                              | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 09.05.2024                | 59.2                                                              | 30.1                                      | 10.5                                    | 20.2                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                              | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 13.05.2024                | 50.4                                                              | 30.4                                      | 13.9                                    | 20.5                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                              | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 16.05.2024                | 61.3                                                              | 31.5                                      | 13.2                                    | 19.1                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                              | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 20.05.2024                | 62.5                                                              | 31.9                                      | 12.8                                    | 19.8                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                              | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 23.05.2024                | 50.6                                                              | 26.1                                      | 13.2                                    | 20.3                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                              | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 27.05.2024                | 55.1                                                              | 27.8                                      | 12.8                                    | 19.5                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                              | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 03.06.2024                | 54.8                                                              | 27.5                                      | 14.1                                    | 20.6                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                              | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 06.06.2024                | 59.3                                                              | 29.9                                      | 13.6                                    | 20.2                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                              | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 10.06.2024                | 61.3                                                              | 30.8                                      | 12.9                                    | 21.7                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                              | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 13.06.2024                | 60.6                                                              | 30.5                                      | 11.9                                    | 21.2                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                              | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 17.06.2024                | 65.1                                                              | 33.1                                      | 12.6                                    | 20.8                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                              | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 20.06.2024                | 60.6                                                              | 30.5                                      | 10.9                                    | 20.5                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                              | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 24.06.2024                | 56.4                                                              | 28.8                                      | 11.9                                    | 21.3                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                              | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 27.06.2024                | 55.2                                                              | 27.9                                      | 12.3                                    | 20.9                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                              | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| NAAQ Standard             | 100                                                               | 60                                        | 80                                      | 80                                        | 100                                    | 4                          | 400                                     | 85                                              | 01                                                         | 20                         | 1.0                        | 06                         | -                         |  |
| Average                   | 58.3                                                              | 29.7                                      | 13.1                                    | 20.2                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                              | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| Testing method            | Gravimetric                                                       | Gravimetric                               | Improve d West and Gaeke method         | Modified Jacob & Hochheiser (Na-Arsenite) | Chemical Method                        | NDIR Spectroscopy          | Indo phenol blue method                 | Absorption & Desorption followed by GC analysis | Solvent extraction followed by Gas Chromatography analysis | AAS method after sampling  |                            |                            | Zirconium SPADNS Method   |  |

BDL Values: SO<sub>2</sub><4 µg/m<sup>3</sup>, NO<sub>x</sub><9 µg/m<sup>3</sup>, O<sub>3</sub><4 µg/m<sup>3</sup>, Ni<0.01 ng/m<sup>3</sup>, As<0.001 ng/m<sup>3</sup>, CaH<sub>2</sub><0.001 µg/m<sup>3</sup>, BaP<0.002 ng/m<sup>3</sup>, Pb<0.001 µg/m<sup>3</sup>, F<0.01µg/m<sup>3</sup>CO<0.1 mg/m<sup>3</sup>





# Visiontek Consultancy Services Pvt. Ltd.

(Committed For Better Environment)

Certified for : ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 (OH&S), ISO/IEC 17025:2017

Accredited by : NABET-A Grade, MOEF & CC/CPCB & SPCB-A Grade

Laboratory Services  
Environment Lab  
Food Lab  
Material Lab  
Soil Lab  
Mineral Lab  
&  
Microbiology Lab

- Infrastructure Engineering
- Water Resource Management
- Environmental & Social Study

- Surface & Sub-Surface Investigation
- Quality Control & Project Management
- Renewable Energy

- Agricultural Development
- Information Technology
- Public Health Engineering

- Mine Planning & Design
- Mineral/Sub-Soil Exploration
- Waste Management Services


Ref: VCSPL/24-25/TR - 06251

Date: 05.07.2024

## AMBIENT AIR QUALITY MONITORING REPORT (APR-2024 TO JUN-2024)

| 1. Name of Industry       |                                          | M/s Hindalco Industries Limited, Hirakud Power, Sambalpur, Odisha |                                         |                                           |                                        |                            |                                         |                                                       |                                                            |                            |                            |                            |                           |  |
|---------------------------|------------------------------------------|-------------------------------------------------------------------|-----------------------------------------|-------------------------------------------|----------------------------------------|----------------------------|-----------------------------------------|-------------------------------------------------------|------------------------------------------------------------|----------------------------|----------------------------|----------------------------|---------------------------|--|
| 2. Sampling Location      |                                          | Monitoring Station No.- AAQMS-3 : Budakanta Village               |                                         |                                           |                                        |                            |                                         |                                                       |                                                            |                            |                            |                            |                           |  |
| 3. Monitoring Instruments |                                          | RDS(APM 460 BL), FPS(APM 550) Envirotech, CO Monitor, VOC Sampler |                                         |                                           |                                        |                            |                                         |                                                       |                                                            |                            |                            |                            |                           |  |
| 4. Sample collected by    |                                          | VCSPL representative                                              |                                         |                                           |                                        |                            |                                         |                                                       |                                                            |                            |                            |                            |                           |  |
| Date                      | PARAMETERS                               |                                                                   |                                         |                                           |                                        |                            |                                         |                                                       |                                                            |                            |                            |                            |                           |  |
|                           | PM <sub>10</sub><br>(µg/m <sup>3</sup> ) | PM <sub>2.5</sub><br>(µg/m <sup>3</sup> )                         | SO <sub>2</sub><br>(µg/m <sup>3</sup> ) | NO <sub>x</sub><br>(µg/m <sup>3</sup> )   | O <sub>3</sub><br>(µg/m <sup>3</sup> ) | CO<br>(mg/m <sup>3</sup> ) | NH <sub>3</sub><br>(µg/m <sup>3</sup> ) | C <sub>6</sub> H <sub>6</sub><br>(µg/m <sup>3</sup> ) | BaP<br>(ng/m <sup>3</sup> )                                | Ni<br>(ng/m <sup>3</sup> ) | Pb<br>(µg/m <sup>3</sup> ) | As<br>(ng/m <sup>3</sup> ) | F<br>(µg/m <sup>3</sup> ) |  |
| 01.04.2024                | 55.9                                     | 28.4                                                              | 10.7                                    | 19.8                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 04.04.2024                | 56.7                                     | 28.2                                                              | 11.5                                    | 21.7                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 08.04.2024                | 50.8                                     | 25.6                                                              | 10.9                                    | 20.3                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 11.04.2024                | 52.3                                     | 26.9                                                              | 10.9                                    | 21.3                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 15.04.2024                | 59.1                                     | 30.1                                                              | 11.1                                    | 20.8                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 18.04.2024                | 60.6                                     | 30.4                                                              | 11.6                                    | 20.2                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 22.04.2024                | 55.6                                     | 27.9                                                              | 10.9                                    | 19.6                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 25.04.2024                | 52.8                                     | 26.8                                                              | 10.6                                    | 18.3                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 02.05.2024                | 53.9                                     | 27.7                                                              | 12.3                                    | 18.9                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 06.05.2024                | 58.6                                     | 29.9                                                              | 12.9                                    | 21.8                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 09.05.2024                | 56.6                                     | 28.4                                                              | 13.1                                    | 22.6                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 13.05.2024                | 60.2                                     | 30.3                                                              | 12.6                                    | 22.3                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 16.05.2024                | 61.1                                     | 30.9                                                              | 10.8                                    | 20.9                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 20.05.2024                | 57.9                                     | 29.1                                                              | 11.9                                    | 21.5                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 23.05.2024                | 55.4                                     | 27.8                                                              | 12.3                                    | 19.9                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 27.05.2024                | 58.8                                     | 29.9                                                              | 13.1                                    | 21.7                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 03.06.2024                | 59.7                                     | 30.3                                                              | 12.6                                    | 22.8                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 06.06.2024                | 53.5                                     | 27.7                                                              | 10.8                                    | 22.1                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 10.06.2024                | 56.2                                     | 28.3                                                              | 11.1                                    | 20.6                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 13.06.2024                | 58.1                                     | 29.9                                                              | 9.9                                     | 21.9                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 17.06.2024                | 59.5                                     | 30.1                                                              | 10.2                                    | 21.8                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 20.06.2024                | 50.2                                     | 25.6                                                              | 9.8                                     | 22.8                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 24.06.2024                | 56.6                                     | 28.7                                                              | 10.6                                    | 20.9                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 27.06.2024                | 58.9                                     | 29.7                                                              | 11.1                                    | 21.7                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| NAAQ Standard             | 100                                      | 60                                                                | 80                                      | 80                                        | 100                                    | <0.1                       | 400                                     | 05                                                    | 01                                                         | 20                         | 1.0                        | 06                         | --                        |  |
| Average                   | 56.6                                     | 28.7                                                              | 11.4                                    | 21.1                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| Testing method            | Gravimetric                              | Gravimetric                                                       | Improved West and Gaeke method          | Modified Jacob & Hochheiser (Na-Arsenite) | Chemical Method                        | NDIR Spectroscopy          | Indo phenol blue method                 | Absorption & Desorption followed by GC analysis       | Solvent extraction followed by Gas Chromatography analysis | AAS method after sampling  |                            |                            | Zirconium SPADNS Method   |  |

BDL Values: SO<sub>2</sub>< 4 µg/m<sup>3</sup>, NO<sub>x</sub>< 9 µg/m<sup>3</sup>, O<sub>3</sub>< 4 µg/m<sup>3</sup>, Ni<0.01 ng/m<sup>3</sup>, As< 0.001 ng/m<sup>3</sup>, C<sub>6</sub>H<sub>6</sub><0.001 µg/m<sup>3</sup>, BaP<0.002 ng/m<sup>3</sup>, Pb<0.001 µg/m<sup>3</sup>, F<0.01 ng/m<sup>3</sup>, CO<0.1 mg/m<sup>3</sup>





# Visiontek Consultancy Services Pvt. Ltd.

(Committed For Better Environment)

Certified for : ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 (OH&S), ISO/IEC 17025:2017

Accredited by : NABET-A Grade, MOEF & CC/CPCB & SPCB-A Grade

Laboratory Services  
 Environment Lab  
 Food Lab  
 Material Lab  
 Soil Lab  
 Mineral Lab  
 &  
 Microbiology Lab

- Infrastructure Engineering
- Water Resource Management
- Environmental & Social Study

- Surface & Sub-Surface Investigation
- Quality Control & Project Management
- Renewable Energy

- Agricultural Development
- Information Technology
- Public Health Engineering

- Mine Planning & Design
- Mineral/Sub-Soil Exploration
- Waste Management Services


Ref: VCSPL/24-25/TR -06252

Date: 05.07.2024

## AMBIENT AIR QUALITY MONITORING REPORT (APR-2024 TO JUN-2024)

| 1. Name of Industry       | : M/s Hindalco Industries Limited, Hirakud Power, Sambalpur, Odisha |                                           |                                         |                                           |                                        |                            |                                         |                                                       |                                                            |                            |                            |                            |                           |  |
|---------------------------|---------------------------------------------------------------------|-------------------------------------------|-----------------------------------------|-------------------------------------------|----------------------------------------|----------------------------|-----------------------------------------|-------------------------------------------------------|------------------------------------------------------------|----------------------------|----------------------------|----------------------------|---------------------------|--|
| 2. Sampling Location      | : Monitoring Station No.- AAQMS-4 : Garmunda Village                |                                           |                                         |                                           |                                        |                            |                                         |                                                       |                                                            |                            |                            |                            |                           |  |
| 3. Monitoring Instruments | : RDS(APM 460 BL), FPS(APM 550) Envirotech, CO Monitor, VOC Sampler |                                           |                                         |                                           |                                        |                            |                                         |                                                       |                                                            |                            |                            |                            |                           |  |
| 4. Sample collected by    | : VCSPL representative                                              |                                           |                                         |                                           |                                        |                            |                                         |                                                       |                                                            |                            |                            |                            |                           |  |
| Date                      | PARAMETERS                                                          |                                           |                                         |                                           |                                        |                            |                                         |                                                       |                                                            |                            |                            |                            |                           |  |
|                           | PM <sub>10</sub><br>(µg/m <sup>3</sup> )                            | PM <sub>2.5</sub><br>(µg/m <sup>3</sup> ) | SO <sub>2</sub><br>(µg/m <sup>3</sup> ) | NO <sub>x</sub><br>(µg/m <sup>3</sup> )   | O <sub>3</sub><br>(µg/m <sup>3</sup> ) | CO<br>(µg/m <sup>3</sup> ) | NH <sub>3</sub><br>(µg/m <sup>3</sup> ) | C <sub>6</sub> H <sub>6</sub><br>(µg/m <sup>3</sup> ) | BaP<br>(ng/m <sup>3</sup> )                                | Ni<br>(ng/m <sup>3</sup> ) | Pb<br>(µg/m <sup>3</sup> ) | As<br>(ng/m <sup>3</sup> ) | F<br>(µg/m <sup>3</sup> ) |  |
| 01.04.2024                | 62.8                                                                | 31.6                                      | 16.6                                    | 21.1                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 04.04.2024                | 60.7                                                                | 30.9                                      | 14.8                                    | 21.7                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 08.04.2024                | 55.4                                                                | 27.8                                      | 14.2                                    | 20.3                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 11.04.2024                | 61.7                                                                | 30.8                                      | 16.9                                    | 22.2                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 15.04.2024                | 60.9                                                                | 30.5                                      | 15.2                                    | 22.1                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 18.04.2024                | 56.3                                                                | 28.8                                      | 15.3                                    | 19.8                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 22.04.2024                | 58.9                                                                | 29.7                                      | 16.1                                    | 19.9                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 25.04.2024                | 60.4                                                                | 30.5                                      | 16.8                                    | 20.6                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 02.05.2024                | 59.5                                                                | 30.1                                      | 14.8                                    | 21.1                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 06.05.2024                | 53.8                                                                | 27.2                                      | 13.9                                    | 21.5                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 09.05.2024                | 56.7                                                                | 28.5                                      | 15.4                                    | 20.8                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 13.05.2024                | 55.2                                                                | 27.9                                      | 15.9                                    | 22.1                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 16.05.2024                | 61.1                                                                | 30.8                                      | 15.6                                    | 22.6                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 20.05.2024                | 60.9                                                                | 30.5                                      | 16.2                                    | 20.9                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 23.05.2024                | 56.7                                                                | 28.6                                      | 14.1                                    | 21.3                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 27.05.2024                | 59.2                                                                | 29.9                                      | 13.7                                    | 20.9                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 03.06.2024                | 58.6                                                                | 29.5                                      | 13.2                                    | 20.2                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 06.06.2024                | 62.3                                                                | 31.4                                      | 14.5                                    | 21.8                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 10.06.2024                | 60.1                                                                | 30.5                                      | 15.1                                    | 22.2                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 13.06.2024                | 59.9                                                                | 30.1                                      | 14.8                                    | 23.1                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 17.06.2024                | 56.3                                                                | 28.8                                      | 15.8                                    | 22.7                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 20.06.2024                | 54.8                                                                | 27.9                                      | 15.2                                    | 20.9                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 24.06.2024                | 58.1                                                                | 29.3                                      | 16.3                                    | 21.1                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 27.06.2024                | 59.2                                                                | 29.7                                      | 15.9                                    | 22.5                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| NAAQ Standard             | 100                                                                 | 60                                        | 80                                      | 80                                        | 100                                    | 4                          | 400                                     | 05                                                    | 01                                                         | 20                         | 1.0                        | 06                         | -                         |  |
| Average                   | 58.7                                                                | 29.6                                      | 15.3                                    | 21.4                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| Testing method            | Gravimetric                                                         | Gravimetric                               | Improved West and Gaeke method          | Modified Jacob & Hochheiser (Na-Arsenite) | Chemical Method                        | NDIR Spectroscopy          | Indo phenol blue method                 | Absorption & Desorption followed by GC analysis       | Solvent extraction followed by Gas Chromatography analysis | AAS method after sampling  |                            |                            | Zirconium SPAIN S Method  |  |

BDL Values: SO<sub>2</sub>< 4 µg/m<sup>3</sup>, NO<sub>x</sub>< 9 µg/m<sup>3</sup>, O<sub>3</sub><4 µg/m<sup>3</sup>, Ni<0.01 ng/m<sup>3</sup>, As< 0.001 ng/m<sup>3</sup>, C<sub>6</sub>H<sub>6</sub><0.001 µg/m<sup>3</sup>, BaP<0.002 ng/m<sup>3</sup>, Pb<0.001 µg/m<sup>3</sup>, F<0.01 µg/m<sup>3</sup>, CO<0.1 mg/m<sup>3</sup>





# Visiontek Consultancy Services Pvt. Ltd.

(Committed For Better Environment)

Certified for : ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 (OH&S), ISO/IEC 17025:2017

Accredited by : NABET-A Grade, MOEF & CC/CPCB & SPCB-A Grade

Laboratory Services  
Environment Lab  
Food Lab  
Material Lab  
Soil Lab  
Mineral Lab  
&  
Microbiology Lab

- Infrastructure Engineering
- Water Resource Management
- Environmental & Social Study

- Surface & Sub-Surface Investigation
- Quality Control & Project Management
- Renewable Energy

- Agricultural Development
- Information Technology
- Public Health Engineering

- Mine Planning & Design
- Mineral/Sub-Soil Exploration
- Waste Management Services

Ref: VCSPL/24-25/TR -06253

Date: 05.07.2024

## AMBIENT AIR QUALITY MONITORING REPORT (APR-2024 TO JUN-2024)

| 1. Name of Industry       | M/s Hindalco Industries Limited, Hirakud Power, Sambalpur, Odisha |                                           |                                         |                                           |                                        |                            |                                         |                                                       |                                                            |                            |                            |                            |                           |
|---------------------------|-------------------------------------------------------------------|-------------------------------------------|-----------------------------------------|-------------------------------------------|----------------------------------------|----------------------------|-----------------------------------------|-------------------------------------------------------|------------------------------------------------------------|----------------------------|----------------------------|----------------------------|---------------------------|
| 2. Sampling Location      | Monitoring Station No.- AAQMS-5 : Burla Town                      |                                           |                                         |                                           |                                        |                            |                                         |                                                       |                                                            |                            |                            |                            |                           |
| 3. Monitoring Instruments | RDS(APM 460 BL), FPS(APM 550) Envirotech, CO Monitor, VOC Sampler |                                           |                                         |                                           |                                        |                            |                                         |                                                       |                                                            |                            |                            |                            |                           |
| 4. Sample collected by    | VCSPL representative                                              |                                           |                                         |                                           |                                        |                            |                                         |                                                       |                                                            |                            |                            |                            |                           |
| Date                      | PARAMETERS                                                        |                                           |                                         |                                           |                                        |                            |                                         |                                                       |                                                            |                            |                            |                            |                           |
|                           | PM <sub>10</sub><br>(µg/m <sup>3</sup> )                          | PM <sub>2.5</sub><br>(µg/m <sup>3</sup> ) | SO <sub>2</sub><br>(µg/m <sup>3</sup> ) | NO <sub>x</sub><br>(µg/m <sup>3</sup> )   | O <sub>3</sub><br>(µg/m <sup>3</sup> ) | CO<br>(mg/m <sup>3</sup> ) | NH <sub>3</sub><br>(µg/m <sup>3</sup> ) | C <sub>6</sub> H <sub>6</sub><br>(µg/m <sup>3</sup> ) | BaP<br>(ng/m <sup>3</sup> )                                | Ni<br>(ng/m <sup>3</sup> ) | Pb<br>(µg/m <sup>3</sup> ) | As<br>(ng/m <sup>3</sup> ) | F<br>(µg/m <sup>3</sup> ) |
| 01.04.2024                | 68.8                                                              | 34.5                                      | 17.1                                    | 24.8                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |
| 04.04.2024                | 60.9                                                              | 30.8                                      | 18.6                                    | 26.9                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |
| 08.04.2024                | 65.3                                                              | 33.1                                      | 18.3                                    | 26.1                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |
| 11.04.2024                | 71.2                                                              | 35.9                                      | 19.8                                    | 28.3                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |
| 15.04.2024                | 70.8                                                              | 30.4                                      | 19.3                                    | 30.3                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |
| 18.04.2024                | 65.4                                                              | 32.8                                      | 17.5                                    | 28.8                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |
| 22.04.2024                | 66.7                                                              | 33.8                                      | 18.2                                    | 31.5                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |
| 25.04.2024                | 69.1                                                              | 35.1                                      | 17.1                                    | 32.6                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |
| 02.05.2024                | 68.5                                                              | 34.7                                      | 17.5                                    | 29                                        | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |
| 06.05.2024                | 71.3                                                              | 36.2                                      | 18.9                                    | 28.9                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |
| 09.05.2024                | 70.5                                                              | 35.5                                      | 19.3                                    | 35.1                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |
| 13.05.2024                | 68.7                                                              | 34.9                                      | 19.5                                    | 30.8                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |
| 16.05.2024                | 63.3                                                              | 32.1                                      | 18.9                                    | 26.3                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |
| 20.05.2024                | 60.9                                                              | 30.6                                      | 15.6                                    | 31.8                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |
| 23.05.2024                | 65.4                                                              | 32.8                                      | 17.1                                    | 32.5                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |
| 27.05.2024                | 61.8                                                              | 31.7                                      | 18.1                                    | 30.9                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |
| 03.06.2024                | 66.7                                                              | 33.9                                      | 16.8                                    | 30.3                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |
| 06.06.2024                | 70.2                                                              | 35.4                                      | 19.2                                    | 32.2                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |
| 10.06.2024                | 68.8                                                              | 34.8                                      | 18.8                                    | 30.6                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |
| 13.06.2024                | 71.3                                                              | 35.9                                      | 16.7                                    | 31.8                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |
| 17.06.2024                | 67.9                                                              | 34.4                                      | 15.3                                    | 29.7                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |
| 20.06.2024                | 65.2                                                              | 33.1                                      | 17.2                                    | 28.8                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |
| 24.06.2024                | 69.1                                                              | 34.9                                      | 16.1                                    | 29.5                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |
| 27.06.2024                | 66.3                                                              | 33.5                                      | 15.8                                    | 30.2                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |
| NAAQ Standard             | 100                                                               | 60                                        | 80                                      | 80                                        | 100                                    | 4                          | 400                                     | 05                                                    | 01                                                         | 20                         | 1.0                        | 06                         | -                         |
| Average                   | 67.3                                                              | 33.8                                      | 17.8                                    | 29.8                                      | <4.0                                   | <0.1                       | <20.0                                   | <4                                                    | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |
| Testing method            | Gravimetric                                                       | Gravimetric                               | Improved West and Gaeke method          | Modified Jacob & Hochheiser (Na-Arsenite) | Chemical Method                        | NDIR Spectroscopy          | Indo phenol blue method                 | Absorption & Desorption followed by GC analysis       | Solvent extraction followed by Gas Chromatography analysis | AAS method after sampling  |                            |                            | Zirconium SPADNS Method   |

BDL Values: SO<sub>2</sub><4 µg/m<sup>3</sup>, NO<sub>x</sub><9 µg/m<sup>3</sup>, O<sub>3</sub><4 µg/m<sup>3</sup>, Ni<0.01 ng/m<sup>3</sup>, As<0.001 ng/m<sup>3</sup>, C<sub>6</sub>H<sub>6</sub><0.001 µg/m<sup>3</sup>, BaP<0.002 ng/m<sup>3</sup>, Pb<0.001 µg/m<sup>3</sup>, F<0.01µg/m<sup>3</sup>CO<0.1 mg/m<sup>3</sup>





# Visiontek Consultancy Services Pvt. Ltd.

(Committed For Better Environment)

Certified for : ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 (OH&S), ISO/IEC 17025:2017

Accredited by : NABET-A Grade, MOEF & CC/CPCB & SPCB-A Grade

Laboratory Services  
Environment Lab  
Food Lab  
Material Lab  
Soil Lab  
Mineral Lab  
&  
Microbiology Lab

- Infrastructure Engineering
- Water Resource Management
- Environmental & Social Study

- Surface & Sub-Surface Investigation
- Quality Control & Project Management
- Renewable Energy

- Agricultural Development
- Information Technology
- Public Health Engineering

- Mine Planning & Design
- Mineral/Sub-Soil Exploration
- Waste Management Services



Ref: VCSPL/24-25/TR - 06254

Date: 05.07.2024

## AMBIENT AIR QUALITY MONITORING REPORT (APR-2024 TO JUN-2024)

| 1. Name of Industry       | : M/s Hindalco Industries Limited, Hirakud Power, Sambalpur, Odisha |                               |                                         |                                           |                                        |                            |                             |                                                 |                                                            |                            |                            |                            |                           |  |
|---------------------------|---------------------------------------------------------------------|-------------------------------|-----------------------------------------|-------------------------------------------|----------------------------------------|----------------------------|-----------------------------|-------------------------------------------------|------------------------------------------------------------|----------------------------|----------------------------|----------------------------|---------------------------|--|
| 2. Sampling Location      | : Monitoring Station No.- AAQMS-6 : Dhanipalli village              |                               |                                         |                                           |                                        |                            |                             |                                                 |                                                            |                            |                            |                            |                           |  |
| 3. Monitoring Instruments | : RDS(APM 460 BL), FPS(APM 550) Envirotech, CO Monitor, VOC Sampler |                               |                                         |                                           |                                        |                            |                             |                                                 |                                                            |                            |                            |                            |                           |  |
| 4. Sample collected by    | : VCSPL representative                                              |                               |                                         |                                           |                                        |                            |                             |                                                 |                                                            |                            |                            |                            |                           |  |
|                           | PARAMETERS                                                          |                               |                                         |                                           |                                        |                            |                             |                                                 |                                                            |                            |                            |                            |                           |  |
| Date                      | PM10<br>(µg/m <sup>3</sup> )                                        | PM2.5<br>(µg/m <sup>3</sup> ) | SO <sub>2</sub><br>(µg/m <sup>3</sup> ) | NO <sub>x</sub><br>(µg/m <sup>3</sup> )   | O <sub>3</sub><br>(µg/m <sup>3</sup> ) | CO<br>(mg/m <sup>3</sup> ) | NIB<br>(µg/m <sup>3</sup> ) | C6H6<br>(µg/m <sup>3</sup> )                    | BaP<br>(ng/m <sup>3</sup> )                                | Ni<br>(ng/m <sup>3</sup> ) | Pb<br>(µg/m <sup>3</sup> ) | As<br>(ng/m <sup>3</sup> ) | F<br>(µg/m <sup>3</sup> ) |  |
| 01.04.2024                | 61.5                                                                | 31.3                          | 18.5                                    | 25.6                                      | <4.0                                   | <0.1                       | <20.0                       | <4                                              | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 04.04.2024                | 58.9                                                                | 30.2                          | 16.9                                    | 27.9                                      | <4.0                                   | <0.1                       | <20.0                       | <4                                              | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 08.04.2024                | 55.6                                                                | 28.3                          | 17.7                                    | 22.9                                      | <4.0                                   | <0.1                       | <20.0                       | <4                                              | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 11.04.2024                | 60.3                                                                | 30.5                          | 17.9                                    | 28.6                                      | <4.0                                   | <0.1                       | <20.0                       | <4                                              | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 15.04.2024                | 54.9                                                                | 28.2                          | 16.5                                    | 26.4                                      | <4.0                                   | <0.1                       | <20.0                       | <4                                              | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 18.04.2024                | 58.1                                                                | 29.6                          | 18.2                                    | 25.3                                      | <4.0                                   | <0.1                       | <20.0                       | <4                                              | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 22.04.2024                | 52.6                                                                | 26.9                          | 15.8                                    | 27.1                                      | <4.0                                   | <0.1                       | <20.0                       | <4                                              | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 25.04.2024                | 55.9                                                                | 27.6                          | 11.1                                    | 26.7                                      | <4.0                                   | <0.1                       | <20.0                       | <4                                              | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 02.05.2024                | 57.5                                                                | 28.9                          | 16.3                                    | 24.9                                      | <4.0                                   | <0.1                       | <20.0                       | <4                                              | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 06.05.2024                | 60.3                                                                | 30.5                          | 18.8                                    | 26.3                                      | <4.0                                   | <0.1                       | <20.0                       | <4                                              | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 09.05.2024                | 62.8                                                                | 31.8                          | 15.4                                    | 25.5                                      | <4.0                                   | <0.1                       | <20.0                       | <4                                              | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 13.05.2024                | 58.9                                                                | 30.5                          | 14.9                                    | 28.2                                      | <4.0                                   | <0.1                       | <20.0                       | <4                                              | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 16.05.2024                | 57.7                                                                | 29.6                          | 16.3                                    | 27.6                                      | <4.0                                   | <0.1                       | <20.0                       | <4                                              | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 20.05.2024                | 59.5                                                                | 29.9                          | 12.3                                    | 28.9                                      | <4.0                                   | <0.1                       | <20.0                       | <4                                              | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 23.05.2024                | 51.6                                                                | 26.2                          | 12.9                                    | 26.3                                      | <4.0                                   | <0.1                       | <20.0                       | <4                                              | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 27.05.2024                | 50.4                                                                | 25.7                          | 13.3                                    | 27.2                                      | <4.0                                   | <0.1                       | <20.0                       | <4                                              | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 03.06.2024                | 52.3                                                                | 27.1                          | 14.5                                    | 28.9                                      | <4.0                                   | <0.1                       | <20.0                       | <4                                              | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 06.06.2024                | 55.2                                                                | 28.2                          | 15.1                                    | 25.2                                      | <4.0                                   | <0.1                       | <20.0                       | <4                                              | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 10.06.2024                | 58.9                                                                | 29.7                          | 16.3                                    | 21.5                                      | <4.0                                   | <0.1                       | <20.0                       | <4                                              | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 13.06.2024                | 61.1                                                                | 31.3                          | 14.4                                    | 22.3                                      | <4.0                                   | <0.1                       | <20.0                       | <4                                              | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 17.06.2024                | 60.7                                                                | 30.5                          | 15.9                                    | 24.4                                      | <4.0                                   | <0.1                       | <20.0                       | <4                                              | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 20.06.2024                | 56.3                                                                | 29.7                          | 13.8                                    | 27.7                                      | <4.0                                   | <0.1                       | <20.0                       | <4                                              | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 24.06.2024                | 58.4                                                                | 29.9                          | 15.1                                    | 24.9                                      | <4.0                                   | <0.1                       | <20.0                       | <4                                              | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| 27.06.2024                | 59.1                                                                | 30.4                          | 14.2                                    | 22.3                                      | <4.0                                   | <0.1                       | <20.0                       | <4                                              | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| NAAQ Standard             | 100                                                                 | 60                            | 80                                      | 80                                        | 100                                    | 4                          | 400                         | 05                                              | 01                                                         | 20                         | 1.0                        | 06                         | --                        |  |
| Average                   | 57.4                                                                | 29.3                          | 15.5                                    | 25.9                                      | <4.0                                   | <0.1                       | <20.0                       | <4                                              | <0.5                                                       | <2.5                       | <0.02                      | <1                         | <0.01                     |  |
| Testing method            | Gravimetric                                                         | Gravimetric                   | Improved West and Gaeke method          | Modified Jacob & Hochheiser (Na-Arsenite) | Chemical Method                        | NDIR Spectroscopy          | Indo phenol blue method     | Absorption & Desorption followed by GC analysis | Solvent extraction followed by Gas Chromatography analysis | AAS method after sampling  |                            |                            | Zirconium SPADNS Method   |  |

BDE Values: SO<sub>2</sub>< 4 µg/m<sup>3</sup>, NO<sub>x</sub>< 9 µg/m<sup>3</sup>, O<sub>3</sub>< 4 µg/m<sup>3</sup>, Ni<0.01 ng/m<sup>3</sup>, As< 0.001 ng/m<sup>3</sup>, C<sub>6</sub>H<sub>6</sub><0.001 µg/m<sup>3</sup>, BaP<0.002 ng/m<sup>3</sup>, Pb<0.001 µg/m<sup>3</sup>, F<0.01 µg/m<sup>3</sup>, CO<0.1 µg/m<sup>3</sup>





# Visiontek Consultancy Services Pvt. Ltd.

(Committed For Better Environment)

Certified for : ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 (OH&S), ISO/IEC 17025:2017

Accredited by : NABET-A Grade, MOEF & CC/CPCB & SPCB-A Grade

- Infrastructure Engineering
- Water Resource Management
- Environmental & Social Study

- Surface & Sub-Surface Investigation
- Quality Control & Project Management
- Renewable Energy

- Agricultural Development
- Information Technology
- Public Health Engineering

- Mine Planning & Design
- Mineral/Sub-Soil Exploration
- Waste Management Services

**Laboratory Services**  
 Environment Lab  
 Food Lab  
 Material Lab  
 Soil Lab  
 Mineral Lab  
 &  
 Microbiology Lab


Ref: VCSPL/24-25/TR -06255

Date: 05.07.2024

## AMBIENT AIR QUALITY MONITORING REPORT (APR-2024 TO JUN-2024)

| 1. Name of Industry       | M/s Hindalco Industries Limited, Hirakud Power, Sambalpur, Odisha |                            |                                      |                                           |                                     |                         |                          |                                                  |                                                            |                           |                         |                         |                         |  |
|---------------------------|-------------------------------------------------------------------|----------------------------|--------------------------------------|-------------------------------------------|-------------------------------------|-------------------------|--------------------------|--------------------------------------------------|------------------------------------------------------------|---------------------------|-------------------------|-------------------------|-------------------------|--|
| 2. Sampling Location      | Monitoring Station No.- AAQMS-7 : Hindalco Club                   |                            |                                      |                                           |                                     |                         |                          |                                                  |                                                            |                           |                         |                         |                         |  |
| 3. Monitoring Instruments | RDS(APM 460 BL), FPS(APM 550) Envirotech, CO Monitor, VOC Sampler |                            |                                      |                                           |                                     |                         |                          |                                                  |                                                            |                           |                         |                         |                         |  |
| 4. Sample collected by    | VCSPL representative                                              |                            |                                      |                                           |                                     |                         |                          |                                                  |                                                            |                           |                         |                         |                         |  |
|                           | PARAMETERS                                                        |                            |                                      |                                           |                                     |                         |                          |                                                  |                                                            |                           |                         |                         |                         |  |
| Date                      | PM10 (µg/m <sup>3</sup> )                                         | PM2.5 (µg/m <sup>3</sup> ) | SO <sub>2</sub> (µg/m <sup>3</sup> ) | NO <sub>x</sub> (µg/m <sup>3</sup> )      | O <sub>3</sub> (µg/m <sup>3</sup> ) | CO (mg/m <sup>3</sup> ) | NIB (µg/m <sup>3</sup> ) | C6H6 (µg/m <sup>3</sup> )                        | BaP (ng/m <sup>3</sup> )                                   | Ni (ng/m <sup>3</sup> )   | Pb (µg/m <sup>3</sup> ) | As (ng/m <sup>3</sup> ) | F (µg/m <sup>3</sup> )  |  |
| 01.04.2024                | 55.4                                                              | 28.1                       | 10.9                                 | 18.6                                      | <4.0                                | <0.1                    | <20.0                    | <4                                               | <0.5                                                       | <2.5                      | <0.02                   | <1                      | <0.01                   |  |
| 04.04.2024                | 59.6                                                              | 29.9                       | 11.1                                 | 17.9                                      | <4.0                                | <0.1                    | <20.0                    | <4                                               | <0.5                                                       | <2.5                      | <0.02                   | <1                      | <0.01                   |  |
| 08.04.2024                | 61.3                                                              | 31.2                       | 11.5                                 | 17.2                                      | <4.0                                | <0.1                    | <20.0                    | <4                                               | <0.5                                                       | <2.5                      | <0.02                   | <1                      | <0.01                   |  |
| 11.04.2024                | 60.8                                                              | 30.6                       | 9.6                                  | 16.5                                      | <4.0                                | <0.1                    | <20.0                    | <4                                               | <0.5                                                       | <2.5                      | <0.02                   | <1                      | <0.01                   |  |
| 15.04.2024                | 62.5                                                              | 31.8                       | 9.8                                  | 18.8                                      | <4.0                                | <0.1                    | <20.0                    | <4                                               | <0.5                                                       | <2.5                      | <0.02                   | <1                      | <0.01                   |  |
| 18.04.2024                | 66.1                                                              | 33.4                       | 10.5                                 | 19.8                                      | <4.0                                | <0.1                    | <20.0                    | <4                                               | <0.5                                                       | <2.5                      | <0.02                   | <1                      | <0.01                   |  |
| 22.04.2024                | 57.9                                                              | 29.1                       | 11.2                                 | 20.3                                      | <4.0                                | <0.1                    | <20.0                    | <4                                               | <0.5                                                       | <2.5                      | <0.02                   | <1                      | <0.01                   |  |
| 25.04.2024                | 55.6                                                              | 27.8                       | 12.1                                 | 20.1                                      | <4.0                                | <0.1                    | <20.0                    | <4                                               | <0.5                                                       | <2.5                      | <0.02                   | <1                      | <0.01                   |  |
| 02.05.2024                | 58.1                                                              | 29.9                       | 10.6                                 | 18.9                                      | <4.0                                | <0.1                    | <20.0                    | <4                                               | <0.5                                                       | <2.5                      | <0.02                   | <1                      | <0.01                   |  |
| 06.05.2024                | 50.5                                                              | 25.6                       | 10.2                                 | 20.6                                      | <4.0                                | <0.1                    | <20.0                    | <4                                               | <0.5                                                       | <2.5                      | <0.02                   | <1                      | <0.01                   |  |
| 09.05.2024                | 52.3                                                              | 26.3                       | 9.1                                  | 21.1                                      | <4.0                                | <0.1                    | <20.0                    | <4                                               | <0.5                                                       | <2.5                      | <0.02                   | <1                      | <0.01                   |  |
| 13.05.2024                | 51.6                                                              | 25.8                       | 9.8                                  | 19.5                                      | <4.0                                | <0.1                    | <20.0                    | <4                                               | <0.5                                                       | <2.5                      | <0.02                   | <1                      | <0.01                   |  |
| 16.05.2024                | 54.9                                                              | 27.5                       | 8.9                                  | 18.9                                      | <4.0                                | <0.1                    | <20.0                    | <4                                               | <0.5                                                       | <2.5                      | <0.02                   | <1                      | <0.01                   |  |
| 20.05.2024                | 55.8                                                              | 28.2                       | 12.3                                 | 21.3                                      | <4.0                                | <0.1                    | <20.0                    | <4                                               | <0.5                                                       | <2.5                      | <0.02                   | <1                      | <0.01                   |  |
| 23.05.2024                | 56.3                                                              | 28.8                       | 14.2                                 | 21.2                                      | <4.0                                | <0.1                    | <20.0                    | <4                                               | <0.5                                                       | <2.5                      | <0.02                   | <1                      | <0.01                   |  |
| 27.05.2024                | 51.3                                                              | 25.7                       | 11.4                                 | 19.8                                      | <4.0                                | <0.1                    | <20.0                    | <4                                               | <0.5                                                       | <2.5                      | <0.02                   | <1                      | <0.01                   |  |
| 03.06.2024                | 60.1                                                              | 30.3                       | 12.3                                 | 20.6                                      | <4.0                                | <0.1                    | <20.0                    | <4                                               | <0.5                                                       | <2.5                      | <0.02                   | <1                      | <0.01                   |  |
| 06.06.2024                | 58.9                                                              | 29.8                       | 12.5                                 | 18.6                                      | <4.0                                | <0.1                    | <20.0                    | <4                                               | <0.5                                                       | <2.5                      | <0.02                   | <1                      | <0.01                   |  |
| 10.06.2024                | 61.1                                                              | 30.8                       | 11.9                                 | 17.9                                      | <4.0                                | <0.1                    | <20.0                    | <4                                               | <0.5                                                       | <2.5                      | <0.02                   | <1                      | <0.01                   |  |
| 13.06.2024                | 59.2                                                              | 30.1                       | 10.7                                 | 18.5                                      | <4.0                                | <0.1                    | <20.0                    | <4                                               | <0.5                                                       | <2.5                      | <0.02                   | <1                      | <0.01                   |  |
| 17.06.2024                | 54.6                                                              | 27.7                       | 13.1                                 | 19.1                                      | <4.0                                | <0.1                    | <20.0                    | <4                                               | <0.5                                                       | <2.5                      | <0.02                   | <1                      | <0.01                   |  |
| 20.06.2024                | 57.8                                                              | 28.9                       | 12.8                                 | 19.9                                      | <4.0                                | <0.1                    | <20.0                    | <4                                               | <0.5                                                       | <2.5                      | <0.02                   | <1                      | <0.01                   |  |
| 24.06.2024                | 50.3                                                              | 25.5                       | 12.1                                 | 20.2                                      | <4.0                                | <0.1                    | <20.0                    | <4                                               | <0.5                                                       | <2.5                      | <0.02                   | <1                      | <0.01                   |  |
| 27.06.2024                | 51.5                                                              | 26.1                       | 11.5                                 | 17.5                                      | <4.0                                | <0.1                    | <20.0                    | <4                                               | <0.5                                                       | <2.5                      | <0.02                   | <1                      | <0.01                   |  |
| NAAQ Standard             | 100                                                               | 60                         | 80                                   | 80                                        | 100                                 | 4                       | 400                      | 05                                               | 01                                                         | 20                        | 1.0                     | 06                      | -                       |  |
| Average                   | 56.8                                                              | 28.7                       | 11.3                                 | 19.3                                      | <4.0                                | <0.1                    | <20.0                    | <4                                               | <0.5                                                       | <2.5                      | <0.02                   | <1                      | <0.01                   |  |
| Testing method            | Gravimetric                                                       | Gravimetric                | Improved West and Gaeke method       | Modified Jacob & Hochheiser (Na-Arsenite) | Chemical Method                     | NDIR Spectroscopy       | Indo phenol blue method  | Absorption & Description followed by GC analysis | Solvent extraction followed by Gas Chromatography analysis | AAS method after sampling |                         |                         | Zirconium SPADNS Method |  |

BDL Values: SO<sub>2</sub><4 µg/m<sup>3</sup>, NO<sub>x</sub><9 µg/m<sup>3</sup>, O<sub>3</sub><4 µg/m<sup>3</sup>, Ni<0.01 ng/m<sup>3</sup>, As<0.001 ng/m<sup>3</sup>, C<sub>6</sub>H<sub>6</sub><0.001 µg/m<sup>3</sup>, BaP<0.002 ng/m<sup>3</sup>, Pb<0.001 µg/m<sup>3</sup>, F<0.01 µg/m<sup>3</sup>, CO<0.1 mg/m<sup>3</sup>





# Visiontek Consultancy Services Pvt. Ltd.

(Committed For Better Environment)

Certified for : ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 (OH&S), ISO/IEC 17025:2017

Accredited by : NABET-A Grade, MOEF & CC/CPCB & SPCB-A Grade

- Infrastructure Engineering
- Water Resource Management
- Environmental & Social Study

- Surface & Sub-Surface Investigation
- Quality Control & Project Management
- Renewable Energy

- Agricultural Development
- Information Technology
- Public Health Engineering

- Mine Planning & Design
- Mineral/Sub-Soil Exploration
- Waste Management Services

Laboratory Services  
 Environment Lab  
 Food Lab  
 Material Lab  
 Soil Lab  
 Mineral Lab  
 &  
 Microbiology Lab



Ref: VCSPL/24-25/TR - 06256

Date: 05.07.2024

## AMBIENT AIR QUALITY MONITORING REPORT (APR-2024 TO JUN-2024)

| 1. Name of Industry       | : M/s Hindalco Industries Limited, Hirkud Power, Sambalpur, Odisha  |               |                                |                                           |                 |                   |                         |                                                 |                                                            |                           |            |            |                       |  |
|---------------------------|---------------------------------------------------------------------|---------------|--------------------------------|-------------------------------------------|-----------------|-------------------|-------------------------|-------------------------------------------------|------------------------------------------------------------|---------------------------|------------|------------|-----------------------|--|
| 2. Sampling Location      | : Monitoring Station No.- AAQMS-8 : Jyoti Vihar University          |               |                                |                                           |                 |                   |                         |                                                 |                                                            |                           |            |            |                       |  |
| 3. Monitoring Instruments | : RDS(APM 460 BL), FPS(APM 550) Envirotech, CO Monitor, VOC Sampler |               |                                |                                           |                 |                   |                         |                                                 |                                                            |                           |            |            |                       |  |
| 4. Sample collected by    | : VCSPL representative                                              |               |                                |                                           |                 |                   |                         |                                                 |                                                            |                           |            |            |                       |  |
|                           | PARAMETERS                                                          |               |                                |                                           |                 |                   |                         |                                                 |                                                            |                           |            |            |                       |  |
| Date                      | PM10 (µg/m³)                                                        | PM2.5 (µg/m³) | SO2 (µg/m³)                    | NOx (µg/m³)                               | O3 (µg/m³)      | CO (mg/m³)        | NEB (µg/m³)             | C6H6 (µg/m³)                                    | BaP (ng/m³)                                                | Ni (ng/m³)                | Pb (µg/m³) | As (ng/m³) | F (µg/m³)             |  |
| 01.04.2024                | 60.8                                                                | 30.6          | 16.8                           | 26.3                                      | <4              | <0.1              | <20.0                   | <4                                              | <0.5                                                       | <2.5                      | <0.02      | <1         | <0.01                 |  |
| 04.04.2024                | 67.8                                                                | 33.8          | 18.1                           | 25.5                                      | <4              | <0.1              | <20.0                   | <4                                              | <0.5                                                       | <2.5                      | <0.02      | <1         | <0.01                 |  |
| 08.04.2024                | 61.3                                                                | 31.1          | 15.7                           | 21.9                                      | <4              | <0.1              | <20.0                   | <4                                              | <0.5                                                       | <2.5                      | <0.02      | <1         | <0.01                 |  |
| 11.04.2024                | 58.2                                                                | 29.6          | 17.5                           | 22.3                                      | <4              | <0.1              | <20.0                   | <4                                              | <0.5                                                       | <2.5                      | <0.02      | <1         | <0.01                 |  |
| 15.04.2024                | 66.4                                                                | 33.6          | 14.8                           | 25.4                                      | <4              | <0.1              | <20.0                   | <4                                              | <0.5                                                       | <2.5                      | <0.02      | <1         | <0.01                 |  |
| 18.04.2024                | 59.2                                                                | 30.2          | 15.6                           | 24.7                                      | <4              | <0.1              | <20.0                   | <4                                              | <0.5                                                       | <2.5                      | <0.02      | <1         | <0.01                 |  |
| 22.04.2024                | 63.1                                                                | 32.2          | 18.2                           | 26.8                                      | <4              | <0.1              | <20.0                   | <4                                              | <0.5                                                       | <2.5                      | <0.02      | <1         | <0.01                 |  |
| 25.04.2024                | 66.5                                                                | 33.8          | 18.1                           | 27.9                                      | <4              | <0.1              | <20.0                   | <4                                              | <0.5                                                       | <2.5                      | <0.02      | <1         | <0.01                 |  |
| 02.05.2024                | 60.8                                                                | 30.6          | 19.6                           | 23.3                                      | <4              | <0.1              | <20.0                   | <4                                              | <0.5                                                       | <2.5                      | <0.02      | <1         | <0.01                 |  |
| 06.05.2024                | 68.9                                                                | 34.5          | 16.3                           | 25.8                                      | <4              | <0.1              | <20.0                   | <4                                              | <0.5                                                       | <2.5                      | <0.02      | <1         | <0.01                 |  |
| 09.05.2024                | 70.2                                                                | 35.6          | 15.4                           | 26.9                                      | <4              | <0.1              | <20.0                   | <4                                              | <0.5                                                       | <2.5                      | <0.02      | <1         | <0.01                 |  |
| 13.05.2024                | 67.5                                                                | 34.1          | 13.8                           | 28.2                                      | <4              | <0.1              | <20.0                   | <4                                              | <0.5                                                       | <2.5                      | <0.02      | <1         | <0.01                 |  |
| 16.05.2024                | 69.1                                                                | 35.2          | 15.9                           | 24.4                                      | <4              | <0.1              | <20.0                   | <4                                              | <0.5                                                       | <2.5                      | <0.02      | <1         | <0.01                 |  |
| 20.05.2024                | 71.1                                                                | 36.6          | 16.7                           | 28.1                                      | <4              | <0.1              | <20.0                   | <4                                              | <0.5                                                       | <2.5                      | <0.02      | <1         | <0.01                 |  |
| 23.05.2024                | 70.6                                                                | 35.6          | 17.4                           | 28.9                                      | <4              | <0.1              | <20.0                   | <4                                              | <0.5                                                       | <2.5                      | <0.02      | <1         | <0.01                 |  |
| 27.05.2024                | 63.8                                                                | 32.1          | 16.6                           | 26.3                                      | <4              | <0.1              | <20.0                   | <4                                              | <0.5                                                       | <2.5                      | <0.02      | <1         | <0.01                 |  |
| 03.06.2024                | 66.2                                                                | 33.8          | 15.2                           | 27.9                                      | <4              | <0.1              | <20.0                   | <4                                              | <0.5                                                       | <2.5                      | <0.02      | <1         | <0.01                 |  |
| 06.06.2024                | 67.8                                                                | 34.1          | 15.8                           | 25.5                                      | <4              | <0.1              | <20.0                   | <4                                              | <0.5                                                       | <2.5                      | <0.02      | <1         | <0.01                 |  |
| 10.06.2024                | 69.2                                                                | 34.9          | 13.9                           | 29.1                                      | <4              | <0.1              | <20.0                   | <4                                              | <0.5                                                       | <2.5                      | <0.02      | <1         | <0.01                 |  |
| 13.06.2024                | 60.6                                                                | 30.8          | 14.4                           | 24.4                                      | <4              | <0.1              | <20.0                   | <4                                              | <0.5                                                       | <2.5                      | <0.02      | <1         | <0.01                 |  |
| 17.06.2024                | 62.4                                                                | 32.6          | 13.1                           | 25.6                                      | <4              | <0.1              | <20.0                   | <4                                              | <0.5                                                       | <2.5                      | <0.02      | <1         | <0.01                 |  |
| 20.06.2024                | 61.9                                                                | 31.7          | 14.8                           | 23.3                                      | <4              | <0.1              | <20.0                   | <4                                              | <0.5                                                       | <2.5                      | <0.02      | <1         | <0.01                 |  |
| 24.06.2024                | 63.3                                                                | 32.2          | 15.6                           | 26.1                                      | <4              | <0.1              | <20.0                   | <4                                              | <0.5                                                       | <2.5                      | <0.02      | <1         | <0.01                 |  |
| 27.06.2024                | 60.6                                                                | 30.5          | 16.2                           | 28.2                                      | <4              | <0.1              | <20.0                   | <4                                              | <0.5                                                       | <2.5                      | <0.02      | <1         | <0.01                 |  |
| NAAQ Standard             | 100                                                                 | 60            | 80                             | 80                                        | 100             | 4                 | 400                     | 05                                              | 01                                                         | 20                        | 1.0        | 06         | -                     |  |
| Average                   | 64.9                                                                | 32.9          | 16.1                           | 26.0                                      | <4              | <0.1              | <20.0                   | <4                                              | <0.5                                                       | <2.5                      | <0.02      | <1         | <0.01                 |  |
| Testing method            | Gravimetric                                                         | Gravimetric   | Improved West and Geake method | Modified Jacob & Hochheiser (Na-Arsenite) | Chemical Method | NDIR Spectroscopy | Indo phenol blue method | Absorption & Desorption followed by GC analysis | Solvent extraction followed by Gas Chromatography analysis | AAS method after sampling |            |            | Zincoum SPADNS Method |  |

BDL Values: SO<sub>2</sub>< 4 µg/m<sup>3</sup>, NO<sub>x</sub>< 9 µg/m<sup>3</sup>, O<sub>3</sub>< 4 µg/m<sup>3</sup>, Ni<0.01 ng/m<sup>3</sup>, As<0.001 ng/m<sup>3</sup>, C<sub>6</sub>H<sub>6</sub><0.001 µg/m<sup>3</sup>, BaP<0.002 ng/m<sup>3</sup>, Pb<0.001 µg/m<sup>3</sup>, F<0.01 µg/m<sup>3</sup>, CO<0.1 mg/m<sup>3</sup>





# Visiontek Consultancy Services Pvt. Ltd.

(Committed For Better Environment)

Certified for : ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 (OH&S), ISO/IEC 17025:2017  
Accredited by : NABET-A Grade, MOEF & CC/CPCB & SPCB-A Grade

**Laboratory Services**  
Environment Lab  
Food Lab  
Material Lab  
Soil Lab  
Mineral Lab  
&  
Microbiology Lab

- Infrastructure Engineering
- Water Resource Management
- Environmental & Social Study

- Surface & Sub-Surface Investigation
- Quality Control & Project Management
- Renewable Energy

- Agricultural Development
- Information Technology
- Public Health Engineering

- Mine Planning & Design
- Mineral/Sub-Soil Exploration
- Waste Management Services

Ref: VCSPL/24-25/TR-06264

Date: 05.07.2024

## NOISE QUALITY MONITORING REPORT MAY-2024

1. Name of Industry : M/s Hindalco Industries Limited, Hirakud Power, Sambalpur, Odisha


2. Monitored By : VCSPL representative

Daytime Noise monitoring results (Noise Level in dB (A)MAY-2024

| TIME<br>(6.00AM to<br>9.00PM) | N1:Plant Gate<br>(02.05.2024) | N2:Alind<br>Colony<br>(06.05.2024) | N3:Jamadarpari<br>(08.05.2024) | N4:Garmunda<br>(10.05.2024) | N5:Burla<br>Town<br>(15.05.2024) | N6:Dhanapali<br>(17.05.2024) | N7:Plant<br>Township<br>(22.05.2024) | N8:Sambalpur<br>University<br>(24.05.2024) | N9:Tarasinghpara<br>(29.05.2024) | N10:Christianpada<br>(31.05.2024) |
|-------------------------------|-------------------------------|------------------------------------|--------------------------------|-----------------------------|----------------------------------|------------------------------|--------------------------------------|--------------------------------------------|----------------------------------|-----------------------------------|
| 06.00am                       | 62.7                          | 48.9                               | 43.8                           | 44.2                        | 48.2                             | 43.4                         | 45.5                                 | 44.8                                       | 40.4                             | 42.8                              |
| 07.00am                       | 63.8                          | 50.5                               | 48.7                           | 47.8                        | 56.5                             | 44.1                         | 46.7                                 | 46.9                                       | 42.6                             | 45.9                              |
| 08.00am                       | 66.9                          | 52.4                               | 50.2                           | 49.1                        | 49.4                             | 48.9                         | 49.8                                 | 43.8                                       | 43.9                             | 50.5                              |
| 09.00am                       | 70.4                          | 49.7                               | 51.3                           | 52.3                        | 53.1                             | 45.4                         | 52.3                                 | 53.1                                       | 45.8                             | 51.3                              |
| 10.00am                       | 73.7                          | 54.1                               | 49.8                           | 50.6                        | 55.8                             | 50.5                         | 50.8                                 | 50.7                                       | 50.5                             | 54.5                              |
| 11.00am                       | 72.8                          | 54.4                               | 54.2                           | 54.1                        | 58.9                             | 52.2                         | 54.1                                 | 52.2                                       | 52.9                             | 52.9                              |
| 12.00 noon                    | 74.4                          | 52.7                               | 53.7                           | 52.8                        | 62.3                             | 51.8                         | 54.4                                 | 54.1                                       | 51.7                             | 48.7                              |
| 01.00pm                       | 71.5                          | 53.5                               | 52.9                           | 51.6                        | 64.1                             | 53.7                         | 51.7                                 | 51.9                                       | 48.9                             | 53.3                              |
| 02.00pm                       | 72.0                          | 51.9                               | 54.3                           | 53.9                        | 63.3                             | 50.8                         | 49.9                                 | 54.7                                       | 53.4                             | 54.2                              |
| 03.00pm                       | 67.5                          | 54.2                               | 54.8                           | 52.5                        | 60.7                             | 54.2                         | 52.7                                 | 54.3                                       | 54.7                             | 51.6                              |
| 04.00pm                       | 69.9                          | 52.7                               | 50.6                           | 50.6                        | 61.2                             | 51.5                         | 53.1                                 | 52.9                                       | 54.2                             | 53.5                              |
| 05.00pm                       | 70.3                          | 54.8                               | 52.2                           | 51.4                        | 64.9                             | 52.6                         | 54.4                                 | 53.8                                       | 52.6                             | 52.0                              |
| 06.00pm                       | 73.8                          | 50.9                               | 51.8                           | 54.4                        | 62.3                             | 54.1                         | 54.8                                 | 54.4                                       | 51.5                             | 54.4                              |
| 07.00pm                       | 71.9                          | 51.7                               | 55.6                           | 52.6                        | 60.7                             | 50.9                         | 53.9                                 | 52.8                                       | 53.9                             | 54.9                              |
| 08.00pm                       | 68.7                          | 48.3                               | 49.3                           | 50.8                        | 58.4                             | 48.3                         | 53.3                                 | 50.9                                       | 50.3                             | 52.7                              |
| 09.00pm                       | 65.5                          | 46.3                               | 47.6                           | 47.2                        | 60.1                             | 46.2                         | 50.8                                 | 51.6                                       | 48.9                             | 53.8                              |
| Average                       | 69.85                         | 51.69                              | 51.19                          | 50.99                       | 58.74                            | 49.91                        | 51.76                                | 51.43                                      | 49.78                            | 51.69                             |
| Standard as<br>per CPCB       | 75                            | 55                                 | 55                             | 55                          | 65                               | 55                           | 55                                   | 55                                         | 55                               | 55                                |

Night time Noise monitoring results (Noise Level in dB (A)MAY-2024

| TIME<br>(10.00PM to<br>5.00AM) | N1:Plant Gate<br>(02.05.2024) | N2:Alind<br>Colony<br>(06.05.2024) | N3:Jamadarpari<br>(08.05.2024) | N4:Garmunda<br>(10.05.2024) | N5:Burla<br>Town<br>(15.05.2024) | N6:Dhanapali<br>(17.05.2024) | N7:Plant<br>Township<br>(22.05.2024) | N8:Sambalpur<br>University<br>(24.05.2024) | N9:Tarasinghpara<br>(29.05.2024) | N10:Christianpada<br>(31.05.2024) |
|--------------------------------|-------------------------------|------------------------------------|--------------------------------|-----------------------------|----------------------------------|------------------------------|--------------------------------------|--------------------------------------------|----------------------------------|-----------------------------------|
| 10.00pm                        | 44.7                          | 43.2                               | 42.6                           | 44.3                        | 54.8                             | 44.8                         | 44.6                                 | 44.7                                       | 43.5                             | 44.9                              |
| 11.00pm                        | 62.0                          | 44.5                               | 44.1                           | 42.5                        | 42.5                             | 42.6                         | 43.8                                 | 42.3                                       | 44.6                             | 43.6                              |
| 12.00 Midnight                 | 63.8                          | 40.7                               | 44.3                           | 43.6                        | 53.9                             | 41.1                         | 40.9                                 | 40.9                                       | 40.4                             | 40.8                              |
| 01.00am                        | 59.9                          | 41.1                               | 42.5                           | 44.4                        | 48.9                             | 38.7                         | 41.5                                 | 43.8                                       | 42.9                             | 41.4                              |
| 02.00am                        | 58.4                          | 42.6                               | 43.1                           | 41.5                        | 45.6                             | 42.5                         | 37.8                                 | 33.8                                       | 44.4                             | 38.8                              |
| 03.00am                        | 60.2                          | 44.8                               | 43.9                           | 38.5                        | 42.9                             | 39.8                         | 36.6                                 | 38.6                                       | 39.6                             | 42.5                              |
| 04.00am                        | 61.0                          | 43.6                               | 41.7                           | 39.6                        | 48.3                             | 40.4                         | 40.9                                 | 41.2                                       | 41.7                             | 44.7                              |
| 05.00am                        | 62.5                          | 44.7                               | 42.9                           | 41.7                        | 40.6                             | 41.7                         | 42.2                                 | 43.5                                       | 42.3                             | 41.9                              |
| Average                        | 64.79                         | 45.71                              | 45.99                          | 45.55                       | 52.60                            | 44.69                        | 45.60                                | 45.38                                      | 45.69                            | 46.62                             |
| Standard as<br>per CPCB        | 70                            | 45                                 | 45                             | 45                          | 55                               | 45                           | 45                                   | 45                                         | 45                               | 45                                |







**ANNEXURE –IX**

**CSR ACTIVITIES WITH EXPENSES OF HINDALCO SMELTER & POWER  
(April 2024 - September 2024)**

| <b>THE ADITYA BIRLA CENTRE FOR COMMUNITY INITIATIVES &amp; RURAL DEVELOPMENT</b>                            |                           |                               |
|-------------------------------------------------------------------------------------------------------------|---------------------------|-------------------------------|
| <b>Annual Corporate Social Responsibility, Plan and Achievement 2024-25 (From April'24 to September'24)</b> |                           |                               |
| <b>Project Activities</b>                                                                                   | <b>Population Reached</b> | <b>Hindalco Prog Spending</b> |
|                                                                                                             | <b>(Nos)</b>              | <b>Rs. (in lacs)</b>          |
| <b>Education</b>                                                                                            | <b>A</b>                  | <b>B</b>                      |
| <b>Preschool education</b>                                                                                  |                           |                               |
| <b>School Education Program</b>                                                                             |                           |                               |
| Scholarship (Merit and Need based assistance)                                                               | 11                        | 0.07                          |
| Quality of Education (support teachers, Improve education methods,)                                         | 500                       | 0.88                          |
| Others ( Pls specify)                                                                                       | 300                       | 0.25                          |
| <b>Total</b>                                                                                                | <b>811</b>                | <b>1.20</b>                   |
| <b>Education support programs</b>                                                                           |                           |                               |
| <b>Vocational and Technical Education</b>                                                                   |                           |                               |
| Skills based Individual training program                                                                    | 74                        | 17.06                         |
| <b>Total</b>                                                                                                | <b>74</b>                 | <b>17.06</b>                  |
| <b>School Infrastructure</b>                                                                                |                           |                               |
| Buildings and Civil structures(new)                                                                         | 220                       | 4.15                          |
| Others ( Pls specify)                                                                                       | 500                       | 21.25                         |
| <b>Total</b>                                                                                                | <b>720</b>                | <b>25.40</b>                  |
| <b>Sub Total-Education</b>                                                                                  | <b>1605</b>               | <b>43.65</b>                  |
| <b>Health</b>                                                                                               |                           |                               |
| <b>Preventive Health Care</b>                                                                               |                           |                               |
| Pulse polio immunisation                                                                                    | 296                       | 0.00                          |
| Health Check-up camps                                                                                       | 100                       | 3.95                          |
| Ambulance Mobile Dispensary Program                                                                         | 7844                      | 16.11                         |
| Others ( Pls specify) Garbage Management                                                                    | 5000                      | 3.92                          |
| <b>Total</b>                                                                                                | <b>13240</b>              | <b>23.97</b>                  |
| <b>Curative Health Care program</b>                                                                         |                           |                               |
| Specialised Health Camps                                                                                    | 265                       | 1.69                          |
| Homeopathic/Ayurvedic Camps                                                                                 | 354                       | 0.78                          |
| Tuberculosis                                                                                                | 105                       | 0.00                          |
| Company operated hospitals/dispensaries/clinic                                                              | 847                       | 0.73                          |
| Others ( Pls specify) Emergency Health Benefits                                                             | 500                       | 2.92                          |
| <b>Total</b>                                                                                                | <b>2071</b>               | <b>6.32</b>                   |
| <b>Reproductive and Child Health</b>                                                                        |                           |                               |



|                                                                                                     |              |              |
|-----------------------------------------------------------------------------------------------------|--------------|--------------|
| Support to family planning /camps                                                                   | 15           | 0.11         |
| <b>Total</b>                                                                                        | <b>15</b>    | <b>0.11</b>  |
| <b>Quality / Support Program</b>                                                                    |              |              |
| Ambulance services                                                                                  | 248          | 5.62         |
| Others ( Pls specify)                                                                               | 30           | 0.63         |
| <b>Total</b>                                                                                        | <b>278</b>   | <b>6.25</b>  |
| <b>Health Infrastructure</b>                                                                        |              |              |
| -Buildings and Civil structures(renovation and maintainance)-                                       | 500          | 0.62         |
| <b>Total</b>                                                                                        | <b>500</b>   | <b>0.62</b>  |
| <b>SubTotal-Health</b>                                                                              | <b>16104</b> | <b>37.28</b> |
| <b>Sustainable Livelihood</b>                                                                       |              |              |
| <b>Agriculture and Farm Based</b>                                                                   |              |              |
| Transfer of Technology- Demonstration plots                                                         | 200          | 0.25         |
| <b>Total</b>                                                                                        | <b>200</b>   | <b>0.25</b>  |
| <b>Animal Husbandary Based</b>                                                                      |              |              |
| <b>Non farm &amp; Skills Based Income generation Program</b>                                        |              |              |
| Capacity Building Program-Tailoring,Beauty Parlour, Mechanical...                                   | 24           | 0.00         |
| Rural Enterprise development & Income Generation Programmes                                         | 200          | 0.24         |
| Others ( Pls specify)                                                                               | 200          | 0.11         |
| <b>Total</b>                                                                                        | <b>424</b>   | <b>0.36</b>  |
| <b>Natural Resource conservation programs &amp; Non conventional Energy</b>                         |              |              |
| Water conservation and harvesting(smallstructures/ bigger structures)                               | 100          | 0.01         |
| <b>Total</b>                                                                                        | <b>100</b>   | <b>0.01</b>  |
| <b>Livelihood Infrastructure</b>                                                                    |              |              |
| <b>Sub Total-Sustainable Livelihood Infrastructure</b>                                              | <b>724</b>   | <b>0.86</b>  |
| <b>Rural Infrastructure Development other than for the purpose of Health /Education /Livelihood</b> |              | <b>10.61</b> |
| New Roads/Culverts/Bridges/Bus Stands                                                               | 500          | 2.76         |
| Community Halls                                                                                     | 200          | 0.00         |
| Other Community Assets                                                                              | 200          | 28.69        |
| Need based Community Activities                                                                     | 100          | 7.89         |
| <b>Total</b>                                                                                        | <b>1000</b>  | <b>55.47</b> |
| <b>SubTotal-Infrastructure</b>                                                                      | <b>1000</b>  | <b>55.47</b> |
| <b>Social Development Projects</b>                                                                  |              |              |
| <b>Institutional building &amp; strengthening</b>                                                   |              |              |
| <b>Support to development organizations</b>                                                         |              |              |
| Others ( Pls specify)                                                                               | 500          | 1.34         |
| <b>Total</b>                                                                                        | <b>500</b>   | <b>1.34</b>  |



|                                                          |              |               |
|----------------------------------------------------------|--------------|---------------|
| Support to rural cultural programme , Festivals & Mela's | 3000         | 12.16         |
| Support to Rural Sports program                          | 1000         | 0.95          |
| <b>Total</b>                                             | <b>4000</b>  | <b>13.23</b>  |
|                                                          |              |               |
| <b>Sub Total- Social development Projects</b>            | <b>4500</b>  | <b>15.05</b>  |
| <b>Salary and Overheads</b>                              |              |               |
| <b>Grand Total</b>                                       | <b>23933</b> | <b>152.33</b> |
| Social Development+PM Care+COVID                         | 4500         | 15            |
| PM Care+Covid                                            | 0            | 0             |



**Annexure - X**

**ENVIRONMENTAL EXPENDITURE**  
**(April 2024 - September 2024)**

|   |                                                                         |   |            |                |             |
|---|-------------------------------------------------------------------------|---|------------|----------------|-------------|
| 1 | Envt. Monitoring / Evt. Charges including Environment Management System | : | Rs.        | 80.40          | Lakh        |
| 2 | O & M of RO Plant, ETP & STP                                            | : | Rs.        | 38.40          | Lakh        |
| 3 | Hazardous Waste Disposal Cost                                           | : | Rs.        | 2634.69        | Lakh        |
| 4 | CEMS/AAQMS/WEQMS/CCTV Camera                                            | : | Rs.        | 45.77          | Lakh        |
| 5 | Fume Treatment Plant                                                    | : | Rs.        | 585.08         | Lakh        |
| 6 | Ash Handling & management                                               | : | Rs.        | 3065.22        | Lakh        |
|   | <b>TOTAL</b>                                                            | : | <b>Rs.</b> | <b>6449.56</b> | <b>Lakh</b> |