

HIL/LHD/ENV/MOEF/529

Date: 28.05.2020

To,

The Additional Principal Chief Conservator of Forest (C) Ministry of Environment, Forests and Climate Changes Regional Office (ECZ), Ranchi-834002.

Sub: Compliance Report of EC conditions for Bhusar (65.31 ha) Bauxite Mining project of M/s Hindalco Industries Limited located in Lohardaga, Jharkhand for the period October'19 to March'20.

Ref: Environmental Clearance No-J-11015/184/2011-IA.II (M) dated 17th June 2013.

Sir,

With reference to the above, we are submitting herewith the Compliance status report of EC conditions for **Bhusar (65.31 ha) Bauxite** Mining project of **M/s Hindalco Industries Limited** located in Lohardaga, Jharkhand for the period October'19 to March'20. The lease detail is as below.

Lease area (ha)	Production Capacity (MT)	Lease Period
65.31	280000	11.07.1981 to 31.03.2030

Hope you will find the same in order.

Thanking You

Yours Sincerely FOR HINDALCO INDUSTRIES LIMITED

(Basudev Gangopadhyay) GM (Geology & Environment)

Enclosure: - As Above

CC: <u>ro.ranchi-mef@gov.in</u>, <u>mef@ori.nic.in</u>, <u>mef@nic.in</u>, <u>mef.or@nic.in</u>, <u>mscb.cpcb@nic.in</u>, <u>zokolkatta.cpcb@nic.in</u>, <u>ranchijspcb@gmail.com</u>, <u>roranchi47@gmail.com</u>

Hindalco Industries Limited

Mines Division, Court Road, Lohardaga 835302, Jharkhand, India T: +91 6526 224112/224015/223113 | E: hindalco@adityabirla.com | W: www.hindalco.com Registered Office: Ahura Centre, 1st Floor, B Wing, Mahakali Caves Road, Andheri (East), Mumbai 400 093, India T: +91 22 6691 7000 | F: +91 22 6691 7001 Corporate ID No.: L27020MH1958PLC011238

Bhusar Bauxite Mines of M/s Hindalco Industries Limited Area 65.31 Ha Period: October'19 to March'20

Environmental Clearance No-J-11015/184/2011-IA.II (M) dated 17th June 2013.

SI No	Specific Condition	Compliance
(i)	All the conditions stipulated by State Pollution Control Board in their NOC shall be effectively implemented.	Implementations of stipulated conditions in NOC are fulfilled post which consent to operate has been obtained from time to time. Existing consent to operate is valid up to 30.09.2021 and implementations of conditions are being full filled with progress of mining.
(ii)	Environmental clearance is subject to obtaining clearance under the wildlife (Protection) Act, 1972 from the competent authority, as may be applicable to this project.	We understand, this is not applicable.
(iii)	The mining operations shall be restricted to above ground water table and it should not intersect groundwater table. Prior approval of the Ministry of Environment & Forests and Central Ground Water Authority shall be obtained for mining below water table.	 Shallow depth mining is being done and not intersected ground water. In future also, working zone will be restricted to above ground water table. We undertake that no mining is/was carried out below groundwater table and the same status will be maintained in future also.
(iv)	The project proponent shall ensure that no natural watercourse shall be obstructed due to any mining operations.	Agreed. No natural water course is being and will be obstructed due to mining activities.
(v)	Top soil should be stacked with proper slope at earmarked site(s) only with adequate measures and should be used for reclamation and rehabilitation of mined out areas.	Top soil is being spread over back filled area in process of reclamation. Entire top soil generated earlier has been used for reclamation and plantation purpose.
(vi)	The entire waste generated shall be backfilled and there shall be no external over burden dump left at the end of the mine life. The entire backfilled area shall be reclaimed by plantation. The back filling should be carried out in such a manner that it is restored to the normal ground level. Monitoring and management of rehabilitated areas	Over burden generated during mining operation temporarily stacked at earmarked dump site (s) only for purpose of backfilling. Backfilling is in progress. The entire area is being reclaimed by suitable plantation which is under progressive stage as of now. Monitoring and management of rehabilitated area is continuous until vegetation becomes self- sustaining. There shall be no external

	should continue until the vegetation becomes self-sustaining. Compliance status should be submitted to the Ministry of Environment as Forests and its Regional Office, Bhubaneswar on six monthly basis.	dump left at the end of mine life as applicable. However existing dump is stabilized. Compliance status is being submitted to MoEF on six monthly bases.
(vii)	Catch drains and siltation ponds of appropriate size should be constructed for the working pit, temporary OB dumps, if any and mineral dumps to arrest flow of silt and sediment. The water so collected should be utilized for watering the mine area, roads, green belt development etc. The	No run-off is generated from mining activities. However, to collect & manage rain water during monsoon, part of mined out area is used as settling tank for the runoff. Rain water stored is being used for watering the mine area, roads, green belt development and sprinkling as necessary.
	drains should be regularly desilted, particularly after monsoon, and maintained properly. Garland drain of appropriate size, gradient and length shall be constructed for both mine pit and temporary dumps and sump	Catch drains, Garland drains, of appropriate size have been constructed both around the mine pit to prevent run off of water and flow of sediments directly into the agricultural field and water bodies.
	capacity should be designed keeping 50% safety margin over and above peak sudden rainfall (based on 50 years data) and maximum discharge in the area adjoining the mine site. Sump capacity should also provide adequate retention period to allow proper settling of silt material. Sedimentation pits should be constructed at the corners of the garland drains and desilted at regular intervals.	Sump of adequate capacity is being provided and maintained as required. No Active external dump exists and old dumps are stabilized.
(viii)	Dimension of the retaining wall at the toe of temporary dumps and OB benches within the mine to check run-off and siltation should be based on the rain fall data.	Dimensions of the retaining wall of OB dumps are maintained based on average rain fall.
(ix)	Plantation shall be raised in an area of 52.50 ha including a 7.5m wide green belt in the safety zone around the mining lease by planting the native species around ML area, backfilled and reclaimed area, around water body, roads etc. in consultation with the local DFO/Agriculture Department at the	It is already in practice. Phase wise plantation of native species in consultation with forest department has been carried out within safety zone and mined out/reclaimed pits. As on date approx 44.67 Ha area is covered with plantation. Total 7662 saplings have been planted during

		· · · · · · · · · · · · · · · · · · ·
	end of life of mine. The density of the trees should be around 2500 plants per ha.	April'19 to March'20 period within the Bhusar mine lease area.
		Green belt development programme is in progress with progress of mining activities.
(x)	Regular water sprinkling should be carried out in critical areas prone to air pollution and having high levels of SPM and RSPM such as haul road, loading and unloading point and transfer points. It should be ensured that the Ambient Air Quality parameters conform to the norms prescribed by the Central Pollution Control Board in this regard.	Mobile water tankers have been provided for sprinkling of water in critical areas to suppress dust. AAQ parameters in mine monitored on regular basis is attached as Annexure-1.
(xi)	The project authority should implement suitable conservation measures to augment ground water resources in the area in consultation with the Regional	A plan has been prepared to implement suitable conservation measures to augment ground water resources in area (Bagru Plateau).
	Director, Central Ground Water Board.	The water reservoir, drainage system, sequential backfilling in mining lease area is so designed that all the rain water within lease will be collected in pond only. Required slope is being maintained for this purpose. No water is allowed to flow out of lease. Near the portion of the slopes, bund is created by boulder and morrum to arrest outflow.
		Plantation is done at susceptible portions to prevent soil erosion. The same practice will continue in future.
		It may be noted that as mentioned earlier there is no chance of intersection of ground water table during mining operation at present and in future also.

(xii)	Regular monitoring of ground water level and quality should be carried out in and around the mine lease by establishing a network of existing wells and constructing new piezometers during the mining operation. The monitoring should be carried out four times in a year i.e. January, April-May, August, November and the data thus collected may be sent regularly to Ministry of Environment and Forests, its Regional Office, Bhubaneswar; Central Ground Water Authority and Central Ground Water Board.	We are not using ground water for any mining purpose. There is no chance of intersection ground water table during mining operation at present and in future also as the total mining depth will be restricted above water table. Piezometer has been installed to regular monitor the ground water level. Water quality report is attached as Annexure-1. Now Regional office is at Ranchi.
(xiii)	The project authorities should obtain prior approval of the competent authority for drawl of groundwater if any, required for the project.	Suitable arrangement for collection of water in rain water harvesting pond is in practice. Water is drawn from rain water harvesting pond being used for sprinkling on haul roads and for raising plantation. We are not using any ground water for mining purposes. Online application for extraction of ground water has already been
		submitted to CGWA/CGWB for drinking purpose only and awaiting for approval.
(xiv)	Vehicular emissions should be kept under control and regularly monitored. Measures shall be taken for maintenance of vehicles used in mining operations and in transportation of mineral. The vehicles should be covered with a tarpaulin and shall not be overloaded.	Regular maintenance of vehicles and all measures are being undertaken to minimize vehicular emission. Bauxite is transported through ropeway from mine to Lohardaga siding.
(xv)	Blasting operation should be carried out only during the daytime. Controlled blasting should be practiced. The mitigative measures for control of ground vibrations and to arrest fly rocks and boulders should be implemented	Blasting time is fixed during lunch time i.e. 1.00 PM -2.00 PM. Controlled blasting method is in practice. Ground vibration study has been conducted by IIT, Kharagpur. All efforts are being taken to mitigate impact of blasting

(xvi)	Drills shall either be operated with dust extractors or equipped with water injection system.	Wet drilling is in practice.
(xvii)	Consent to operate should be obtained from SPCB before starting/ enhanced production from the mine.	
(xviii)	A Final Mine Closure Plan along with details of Corpus Fund should be submitted to the Ministry of Environment & Forests 5 years in advance of final mine closure for approval.	mining scheme has been approved by IBM. Final mine closure plan will be

SI No	General Condition	Compliance
(i)	No change in mining technology and scope of working should be made without prior approval of the Ministry of Environment and Forests.	Noted.
(ii)	No change in the calendar plan including excavation, quantum of mineral bauxite and waste should be made.	Calendar plan including excavation, quantum of mineral bauxite and waste is being done as per IBM approved mining scheme. Report is attached as Annexure-4.
(iii)	Four ambient air quality-monitoring stations should be established in the core zone as well as in the buffer zone for PM10, SO2 as NOx monitoring. Location of the stations should be decided based on the meteorological data, topographical features and environmentally and ecologically sensitive targets and frequency of monitoring should be undertaken in consultation with the State Pollution Control Board.	We have already established four ambient air quality monitoring stations in core zone as well as buffer zone. Monitoring is being carried out and reported to concern authorities. Report is attached as Annexure 1.

(iv)	Fugitive dust emissions from all the sources should be controlled regularly. Water spraying arrangement on haul roads, loading and unloading and at transfer points should be provided and properly maintained.	Suitable water spraying system is already available. To arrest fugitive dust proper water sprinkling is being carried out on haul roads, loading and unloading and at transfer points.
(v)	Measures should be taken for control of noise levels below 85 dBA in the work environment. Workers engaged in operations of HEMM, etc. should be provided with ear plugs / muffs.	Noise monitoring is being done regularly. Workers engaged in operation of HEMMs, etc. has also been provided with PPEs such as ear plugs and ear muffs. Monitoring of noise level is being conducted at various locations of the work zone area.
(vi)	Industrial wastewater (workshop and waste water from the mine) should be properly collected, treated so as to conform to the standards prescribed under GSR 422(E) dated 19th May 1993 and 31st December 03 or as amended from time to time. Oil and grease trap should be installed before discharge of effluents from workshop.	There is no industrial waste water generation from workshop within mine lease area. We are not discharging any waste water outside mine lease area. Oil and grease trap installed at suitable site.
(vii)	Personnel working in dusty areas should wear protective respiratory devices and they should also be provided with adequate training and information on safety and health aspects.	Workers engaged in operation of HEMMs, etc. has been provided with PPEs such as ear plugs and ear muffs. Monitoring of noise level is being conducted at various locations of work zone area. Training is being provided through group vocational training Centre on safety and health aspects.
(viii)	Occupational health surveillance programme of the workers should be undertaken periodically to observe any contractions due to exposure to dust and take corrective measures, if needed.	Being carried out.
(ix)	A separate environmental management cell with suitable qualified personnel should be set up under the control of a senior Executive, who will report directly to	Separate Environmental Management Cell (EMC) has been constituted and is functioning effectively. Copy is enclosed as Annexure-3.

	the Head of the organization.	
(x)	The funds earmarked for environmental protection measures should be kept in separate account and should not be diverted for other purposes. Year-wise expenditure should be reported to the Ministry and its Regional Office located at Bhubaneswar	Year wise expenditure is being reported to the Ministry and its Regional Office located at Ranchi. Copy is enclosed as Annexure-2.
(xi)	The Regional Office of this Ministry located at Bhubaneswar shall monitor compliance of the stipulated conditions. The Project authorities should extend full cooperation to the officer(s) of the Regional Office by furnishing requisite data/information/monitoring reports.	Agreed. Now Regional office is at Ranchi.
(xii)	The project proponent shall submit six monthly report on the status of the implementation of the stipulated environmental safeguards to the Ministry of Environment and Forests, its Regional Office, Bhubaneswar, Central Pollution Control Board and State Pollution Control Board.	Six monthly reports on status of compliance of stipulated environmental clearance conditions including results of monitored data (by e mail) are being submitted to the Ministry of Environment and Forests, its Regional office Ranchi, the respective Zonal office of Central Pollution Control Board, the State Pollution Control Board and uploaded in company's website.
(xiii)	A copy of the clearance letter will be marked to the concerned Panchayat/local NGO, if any, from whom suggestions/representation has been received while processing the proposal.	Now Regional office is at Ranchi. A copy of clearance letter has been sent to concerned Panchayat, Zila Parisad / Municipal corporation, urban local body and the local NGO.
(xiv)	The project authorities should inform to the Regional Office located at Bhubaneswar regarding date of financial closures and final approval of the project by the concerned authorities and the date of start of land development work.	It is an operational mine. Hence provisional related to financial closure is not applicable.
(xv)	State Pollution Control Board should display a copy of the clearance letter at the Regional Office, District Industry Centre and Colleator's/Tehsildar's Office for 30 days.	Displayed.

(xvi)	The project authorities should advertise at least in two local newspapers widely circulated, one of which shall be in the vernacular language of the locality concerned, within 7 days of the issue of the Clearance letter informing that the project has been accorded environmental clearance and a copy of the clearance letter is available with the State Pollution Control Board and also at web site of the Ministry of Environment and Forests at http://envfor.nic.in and a copy of the same should be forwarded to the Regional Office of this Ministry located at Bhubaneswar.	Complied. Copies of relevant paper cutting are submitted earlier.



Eco Ventures Pvt. Ltd.

Regd. Office: 2/37, Sarvapriya Vihar, Near IIT Gate, New Delhi-110016 Corporate Office: 7/8 Bhaveshwar Bhuvan, Opp Porthugese Church, Near Dindayal Upadhyay Garden, Gokhale Road (North), Dadar (West), Mumbai 400 028. Tel: +91 22 24370520 / 6672.

E: ecoventures.mumbai@gmail.com / ecoventures@eco-ventures.in

Mahabal Enviro Engineers Pvt. Ltd.

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009

BHUSAR BAUXITE MINE - ENVIRONMENTAL MONITORING REPORT

OCTOBER 2019

For Mahabal Enviro Engineers Pvt. Ltd.

2-

Vijay Pandey SENIOR EXECUTIVE





Branch Office:

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries : Bhusar

Environmental Monitoring Report

OCTOBER 2019

CONTENT

LOCATION – BHUSAR BAUXITE MINE		
	AMBIENT AIR QUALITY – CORE ZONE	
1	Near View Point 1 (Bhusar Mine Pit I)	
2	Near View Point 2 (Bhusar Mine Pit II)	
3	Near Rest Shelter	
4	Near GTS Point	
	EFFLUENT WATER ANALYSIS	
1	STP Outlet (Bagru Mines)	
	STACK EMISSION MONITORING OF DG SET (FLUE GAS)	
1	Bagru Mines Office	
	DRINKING WATER	
1	Tap Water – Near Rest Shelter	



Branch Office:

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries : Bhusar

Environmental Monitoring Report

OCTOBER 2019

Report No.: MEEPL/NOV0088/2019-20	Date: 11 th November, 2019
Sample described by customer: AMBIENT AIR QUALI	TY MONITORING
Client Name: Hindalco Industries Limited	
Client Address: Lohardaga	
Postal Code: 835203	
State: Jharkhand	
Country: India	
Sample Type: AMBIENT AIR QUALITY MONITORING	
Marks on Sample Location: Near View Point 1 (Bhusar	Mine Pit I)
Sample collected on: 04.10.2019	

LOCATION / IDENTIFICATION: Near View Point 1 (Bhusar Mine Pit I)						
Sl. No.	. No. PARAMETERS		Standard Limit	Concentration		
01.	Particulate Matter (size less than 10 μ m) PM ₁₀	µg/m³	100	57.3		
02.	Particulate Matter (size less than 2.5 μ m) PM _{2.5}	µg/m³	60	28.0		
03.	Sulphur Dioxide (SO ₂)	µg/m³	80	5.1		
04.	Nitrogen Dioxide (NO ₂)	µg/m³	80	3.7		
05.	Ammonia (NH ₃)	µg/m³	400	6.5		
06.	$Ozone(O_3)$	µg/m ³	180	7.3		
07.	Carbon Monoxide (CO)	mg/m ³	02	0.26		
08.	Lead (Pb)	µg/m ³	1.0	0.03		
09.	Nickel (Ni)	ng/m ³	20	1.2		
10.	Arsenic (As)	ng/m ³	06	1.4		
11.	Benzene (C ₆ H ₆)	µg/m³	05	0.9		
12.	Benzo (a) Pyrene	µg/m³	01	0.20		

Vijay Pandey SENIOR EXECUTIVE





At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries : Bhusar

Environmental Monitoring Report

OCTOBER 2019

Report No.: MEEPL/NOV0089/2019-20	Date: 11 th November, 2019
Sample described by customer: AMBIENT AIR QUAL	ITY MONITORING
Client Name: Hindalco Industries Limited	
Client Address: Lohardaga	
Postal Code: 835203	
State: Jharkhand	
Country: India	
Sample type: AMBIENT AIR QUALITY MONITORING	
Marks on Sample: Location: Near View Point 2 (Bhu	sar Mine Pit II)
Sample collected on: 04.10.2019	

	LOCATION / IDENTIFICATION: Near View point 2 (Bhusar Mine Pit II)					
Sl. No.	l. No. PARAMETERS U		Standard Limit	Concentration		
01.	Particulate Matter (size less than 10 μ m) PM ₁₀	µg/m³	100	52.5		
02.	Particulate Matter (size less than 2.5 μ m) PM _{2.5}	µg/m³	60	24.9		
03.	Sulphur Dioxide (SO ₂)	µg/m ³	80	3.0		
04.	Nitrogen Dioxide (NO ₂)	µg/m³	80	2.6		
05.	Ammonia (NH ₃)	µg/m³	400	6.2		
06.	$Ozone(O_3)$	µg/m ³	180	7.2		
07.	Carbon Monoxide (CO)	mg/m ³	02	0.23		
08.	Lead (Pb)	µg/m ³	1.0	0.04		
09.	Nickel (Ni)	ng/m ³	20	1.5		
10.	Arsenic (As)	ng/m ³	06	1.1		
11.	Benzene (C ₆ H ₆)	µg/m ³	05	0.8		
12.	Benzo (a) Pyrene	µg/m ³	01	0.22		

Vijay Pandey SENIOR EXECUTIVE





At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries : Bhusar

Environmental Monitoring Report

OCTOBER 2019

Report No.: MEEPL/NOV0090/2019-20	Date: 11 th November, 2019
Sample described by customer: AMBIENT AIR QUALITY	Y MONITORING
Client Name: Hindalco Industries Limited	
Client Address: Lohardaga	
Postal Code: 835203	
State: Jharkhand	
Country: India	
Sample type: AMBIENT AIR QUALITY MONITORING	
Marks on Sample: Location: Near Rest Shelter	
Sample collected on: 04.10.2019	

	LOCATION / IDENTIFICATION: Near Rest Shelter						
Sl. No.	I. No. PARAMETERS		Standard Limit	Concentration			
01.	Particulate Matter (size less than 10 μ m) PM ₁₀	µg/m³	100	44.7			
02.	Particulate Matter (size less than 2.5 μ m) PM _{2.5}	µg/m³	60	20.1			
03.	Sulphur Dioxide (SO ₂)	µg/m ³	80	2.6			
04.	Nitrogen Dioxide (NO ₂)	µg/m³	80	2.9			
05.	Ammonia (NH ₃)	µg/m³	400	4.4			
06.	$Ozone(O_3)$	µg/m³	180	5.9			
07.	Carbon Monoxide (CO)	mg/m ³	02	0.15			
08.	Lead (Pb)	µg/m ³	1.0	0.01			
09.	Nickel (Ni)	ng/m ³	20	1.6			
10.	Arsenic (As)	ng/m ³	06	0.7			
11.	Benzene (C ₆ H ₆)	μg/m ³ 05		0.8			
12.	Benzo (a) Pyrene	µg/m ³	01	0.16			

Vijay Pandey SENIOR EXECUTIVE



Branch Office:

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries : Bhusar

Environmental Monitoring Report

OCTOBER 2019

Report No.: MEEPL/NOV0091/2019-20	Date: 11 th November, 2019
Sample described by customer: AMBIENT AIR QUALITY	MONITORING
Client Name: Hindalco Industries Limited	
Client Address: Lohardaga	
Postal Code: 835203	
State: Jharkhand	
Country: India	
Sample Type: AMBIENT AIR QUALITY MONITORING	
Marks on Sample: Location: Near GTS Point	

Sample collected on: 04.10.2019

	LOCATION / IDENTIFICATION: Near GTS Point						
Sl. No.	PARAMETERS		Standard Limit	Concentration			
01.	Particulate Matter (size less than 10 μ m) PM ₁₀	µg/m ³	100	49.6			
02.	Particulate Matter (size less than 2.5 μ m) PM _{2.5}	µg/m³	60	23.1			
03.	Sulphur Dioxide (SO ₂)	µg/m ³	80	3.7			
04.	Nitrogen Dioxide (NO ₂) µg/1		80	2.0			
05.	Ammonia (NH ₃)	µg/m³	400	6.4			
06.	Ozone (O_3)	µg/m ³	180	7.0			
07.	Carbon Monoxide (CO)	mg/m ³	02	0.18			
08.	Lead (Pb)	µg/m ³	1.0	0.03			
09.	Nickel (Ni)	ng/m ³	20	1.3			
10.	Arsenic (As)	ng/m ³	06	1.0			
11.	Benzene (C ₆ H ₆)	µg/m ³	05	0.7			
12.	Benzo (a) Pyrene	µg/m ³	01	0.24			

Vijay Pandey SENIOR EXECUTIVE





At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries : Bhusar

Environmental Monitoring Report

OCTOBER 2019

Report	No.: MEEPL/NOV0092	/2019-20		Date: 1	1 th November, 2019
Sample	described by customer:	STP Outlet (Bagru Mines)	l		
Client N	ame: Hindalco Industr	ies Limited			
Client A	ddress: Lohardaga				
Postal C	ode: 835203				
State: Jh	arkhand				
Country	: India				
Sample	Type: Effluent Water				
	•	P Outlet (Bagru Mines)			
•	y: 4 liters.				
Sample	collected on: 04.10.20	19			
Sl. No.	Analysia	Method	Result	Unit	Limits
51. NO.	Analysis	APHA 22 nd Ed. 2012,		Unit	
1.	рН	4500-H+-B,4-92	7.7	mg/l	5.5-9.0
2.	Total Suspended Solids	APHA 22 nd EDN: 2012 - 2540	65	mg/l	100
3.	BOD @ 27ºC	IS 3025 (Part 44): 1993, RA2003, Amd.1	7.2	mg/l	30
4.	COD	IS 3025 (Part 58): 1993, RA2006, Amd.1	34	mg/l	250
5.	Oil & Grease	IS 3025(PART 39): 1991 RA 2003,Ed 2.1	<5.0	mg/l	10
6.	Total Dissolved Solids	APHA 22 ND EDN 2012-2540	1439	mg/l	2100
7.	Aluminium (as Al)	APHA 22 nd EDN 2012-3120B	0.9	mg/l	3
8.	Calcium (as Ca)	APHA 22 nd EDN 2012-3120B	8.5	mg/l	75
9.	Iron (as Fe)	APHA 22nd EDN 2012-3120B	1.1	mg/l	3
10.	Temperature		28.7	0C	Shall not exceed 5°C above the receiving water temperature

Vijay Pandey SENIOR EXECUTIVE





At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries : Bhusar

Environmental Monitoring Report

OCTOBER 2019

	No.: MEEPL /NOV0093/2019-20		Date: 1	1 th November, 2019
	lescribed as: FLUE GAS			
	the Industry: M/S HINDALCO INDUSTRIE			
	Mines Division, Lohardaga, Jharkhand, Pin	-835302		
	ime of Sampling: 04.10.2019			
	g Site: Bagru Mines Office			
А.	General Information about Stack			
	• Stack connected to: DG-Set (250	KVA)		
	 Emission due to Burning of H.S.D 	1		
	 Material OF construction: M.S 			
	 Shape of Stack: Circular 			
	 Whether stack is provided with p 	oermanent platform & ladder	: Yes	
	Capacity. 250 KVA			
В.	Physical characteristics of stack			
	• Height of the stack (a) from grou			
	• Diameter of the Stack at Samplin	••		
	 Height of the sampling point from 	n GL. 6.25m		
C.	Analysis/Characteristic of Stock			
	• Fuel used: H.S.D			
	• Fuel Consumption: 30 lt/hr			
D.	Analysis Report			1
Sl. No.	PARAMETERS	PROTOCOL	RESULTS	Limits as per MoEF G.S.R.448(E)
1.	Temperature of Emission (⁰ C)	IS 11255 Part: 3 1985 (Realf 2008)	292	
2.	Barometric pressure (mm of Hg)	IS 11255 Part: 3 1985 (Realf 2008)	750	
3.	Velocity of Gas (m/Sec)	IS 11255 Part: 3 1985 (Realf 2008)	7.49	
4.	Quantity of Gas flow (Nm ³ /hr)	IS 11255 Part: 3 1985 (Realf 2008)	454	
5.	Concentration of CO ₂ (% v/v)	IS 11255 Part: 3 1985 (Realf 2008)	3.1	5.0
6.	Concentration of CO (gm/kw-h)	IS 11255 Part: 3 1985 (Realf 2008)	0.82	
7.	Concentration of SO ₂ (mg/Nm3)	USEPA-6C	71.6	
8.	Concentration of NO ₂ (gm/kw-h)	USEPA-7E	1.14	9.2
9.	Concentration of Particulate Matters (gm/kw-h)	IS 11255 Part: 3 1985 (Realf 2003)	0.18	0.3
Ε.	Pollution Control Device			
	f pollution control devices attached with th	e stack: Nil		

Vijay Pandey SENIOR EXECUTIVE





At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries : Bhusar

Environmental Monitoring Report

OCTOBER 2019

Report No.: MEEPL/N0V0174/2019-20Date: 11th November, 2019Sample described by customer : DRINKING WATER-POTABILITYClient Name: Hindalco Industries LimitedClient Address: LohardagaPostal Code: 835203Postal Code: 835203State: JharkhandCountry: IndiaSample Type: DRINKING WATER-POTABILITYMarks on Sample: Location: Tap Water – Near Rest Shelter.Sample collected on:04.10.2019

Sl. No.	Parameters	Unit	Result	Acceptable Limit (IS10500:2012)	Method reference
1	Colour	Hazen	<1	5 Max	APHA 22 nd Ed. 2012, 2120-B, 2-6
2	Odour		Agreeable	Agreeable	IS 3025 (Part 7): 1983, Reaffirmed 2006
3	Taste		Agreeable	Agreeable	IS 3025 (Part 7): 1983, Reaffirmed 2006
4	Turbidity	NTU	0.2	1 Max	APHA 22 nd Ed. 2012, 2130-B, 2-13
5	рН		7.1	6.5-8.5	APHA 22 nd Ed. 2012, 4500-H+-B, 4-92
6	Free Chlorides (Residual)	mg/l	<0.5	0.2 min	APHA 22 nd Ed. 2012, 4500-CI-G, 4-69
7	Total Dissolved Solids	mg/l	177	500 max	IS 3025 (Part 16): 1984, Reaffirmed 2006
8	Monochloramines	mg/l	< 0.05		APHA 22 nd Ed. 2012, 4500-CIG, 4-69
9	Dichioramines	mg/l	< 0.05		APHA 22 nd Ed. 2012, 4500-CIG, 4-69
10	Total hardness (as CaCO3)	mg/l	39.1	200 max	APHA 22 nd Ed. 2012, 4500-CIG, 4-69
11	Alkalinirty Total (as CaCO3)	mg/l	31.5	200 max	IS 3025 (Part 237): 1986, Reaffirmed 2009
12	Chloride (as CI)	mg/l	6.1	250 max	APHA 22 nd Ed. 2012, 4500-CI-b, 4-72
13	Sulphate (as SO4)	mg/l	4.8	200 max	APHA 22 nd Ed. 2012, 4500-so4-e, 4- 190





Branch Office:

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries : Bhusar

Environmental Monitoring Report

OCTOBER 2019

Continuation Sheet MEEPL/NOV0174/2019-20

Sl.				Acceptable	
No.	Parameters	Unit	Result	Limit (IS10500:2012)	Method reference
14	Nitrate (as NO3)	mg/l	1.5	45 max	APHA 22 nd Ed. 2012, 4500-NO3-E, 4-125
15	Fluoride (as F)	mg/l	0.14	1 max	APHA 22 nd Ed. 2012, 4500-FB & D, 4-84, 4-87
16	Boron (as B)	mg/l	0.10	0.5 max	APHA 22 nd Ed. 2012, 4500-BB, 4-25
17	Calcium (as Ca)	mg/l	30	75 max	APHA 22 nd Ed. 2012, 3500-Ca-B, 3- 67
18	Magnesium (as Mg)	mg/l	1.8	30 max	APHA 22 nd Ed. 2012, 3500-Mg-B, 3- 84
19	Ammonical Nitrogen/Total Ammonia	mg/l	<0.1		APHA 22 nd Ed. 2012, 4500-NH3-F, 4-115
20	Iron (as Fe)	mg/l	0.15	0.3 max	APHA 22 nd Ed. 2012, 3111-B, 3-18
21	Manganese (as Mn)	mg/l	N.D	0.1 max	APHA 22 nd Ed. 2012, 3111-B, 3-18
22	Aluminium (as Al)	mg/l	0.01	0.03 max	APHA 22 nd Ed. 2012, 3500-Al-B, 3- 61
23	Cadmium (as Cd)	mg/l	N.D	0.003 max	APHA 22 nd Ed. 2012, 3111-B, 3-18
24	Chromium Total (as Cr)	mg/l	N.D	0.05 max	APHA 22 nd Ed. 2012, 3111-B, 3-18
25	Copper (as Cu)	mg/l	N.D	0.05 max	APHA 22 nd Ed. 2012, 3111-B, 3-18
26	Lead (as Pb)	mg/l	N.D	0.01 max	APHA 22 nd Ed. 2012, 3111-B, 3-18
27	Zinc (as Zn)	mg/l	0.02	5 max	APHA 22 nd Ed. 2012, 3111-B, 3-18
28	Arsenic (as As)	mg/l	< 0.01	0.01 max	APHA 22 nd Ed. 2012, 3114-B, 3-18
29	Selenium (as Se)	mg/l	N.D	0.001 max	APHA 22 nd Ed. 2012, 3112-B, 3-18
30	Mercury (as hg)	mg/l	N.D	0.01 max	APHA 22 nd Ed. 2012, 3114-B, 3-18
31	Nickel (as Ni)	mg/l	< 0.02	0.02 max	APHA 22 nd Ed. 2012, 3111-B, 3-18
32	Mineral Oil	mg/l	N.D	0.5 max	IS 3025 (Part 39): 1991, Reaffirmed 2003: ed. 2.1
33	Cyanide (as CN)	mg/l	N.D	0.05 max	APHA 22 nd ED. 2012, 4500-CN.C & 4-39 & 4-44
34	Anionic detergents as MBAS	mg/l	<0.1	0.2 max	APHA 22 nd ED. 2012, 5540-C.C & 5- 53
35	Phenolic compounds (as C6H5OH)	mg/l	N.D	0.001 max	APHA 22 nd ED. 2012, 5530-B & C 5- 4753
36	Polynuclear aromatic hydrocarbons (PAH)	mg/l	N.D	0.0001 max	APHA 22 nd ED. 2012, 6440, 6-93
37	Polychlorinated Biphenyls (PCBs)	mg/l	N.D	0.0005 max	USEPA Method 8082
38	Sulphide (as S)	mg/l	N.D	0.05 max	APHA 22 nd ED. 2012, 4500-S2-C 4- 175 & F 4-178





At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries : Bhusar

Environmental Monitoring Report

OCTOBER 2019

Continuation Sheet

MEEPL/NOV0174/2019-20

S.No	Parameters	Unit	Result	Acceptable Limit (IS10500:2012)	Method Reference
Micro	biological Analysis				
1.	Total Colliforms	MPN/ 100 mL	N.D	<1.1	APHA 22nd Ed. 2012, 9221–B & C, 9-66, 9-69
2.	E-Coli	MPN/ 100 mL	N.D	Absent	APHA 22nd Ed. 2012, 9221– B, C & G, 9-66, 9-69 and 9- 76
Pesti	cides Residues				
3.	p,p DDT	μg/L	N.D	1	US EPA 508-1995
4.	o,p DDT	μg/L	N.D	1	US EPA 508-1995
5.	p,p DDE	μg/L	N.D	1	US EPA 508-1995
6.	o,p DDE	μg/L	N.D	1	US EPA 508-1995
7.	p,p DDD	μg/L	N.D	1	US EPA 508-1995
8.	o,p DDD	μg/L	N.D	1	US EPA 508-1995
9.	γ-HCH (Lindane)	μg/L	< 0.01	2	US EPA 508-1995
10.	α-HCH	μg/L	< 0.01	0.02	US EPA 508-1995
11.	β-НСН	μg/L	N.D	0.03	US EPA 508-1995
12	δ - ΗCΗ	μg/L	N.D	0.03	US EPA 508-1995
13.	Butachlor	μg/L	N.D	120	US EPA 508-1995
14.	Alachlor	μg/L	N.D	20	US EPA 508-1995
15.	Atrazine	µg/L	N.D	2.1	US EPA 532-2000
16.	α Endosulfan	μg/L	N.D	0.4	US EPA 508-1995
17.	β Endosulfan	μg/L	N.D	0.4	US EPA 508-1995
18.	Endosulfan Sulphate	µg/L	N.D	0.3	US EPA 508-1995
19.	Ethion	μg/L	N.D	3	US EPA 8141A-1994
20.	Malathion	μg/L	N.D	185	US EPA 8141A -1994
21.	Methyl Parathion	μg/L	N.D	0.4	US EPA 8141A -1994
22.	Monocrotophos	μg/L	N.D	1	US EPA 8141A-1994
23.	Phorate	μg/L	N.D	2	US EPA 8141A -1994
24.	Chlorpyrifos	μg/L	N.D	26	US EPA 8141A -1994
25.	Aldrin	μg/L	N.D	0.03	US EPA 508-1995
26.	Dieldrin	μg/L	N.D	0.03	US EPA 508-1995

Conclusion: The Physical & Chemical Analysis report indicates that water is not contaminated.

Vijay Pandey SENIOR EXECUTIVE





At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:<u>mahabalranchi@gmail.com</u>

Hindalco Industries : Bagru

Environmental Monitoring Report

OCTOBER 2019

Report No.: MEEPL/NOV0084/2019-20	Date: 11 th November, 2019
Sample described by customer: AMBIENT AIR QUALI	TY MONITORING
Client Name: Hindalco Industries Limited	
Client Address: Lohardaga	
Postal Code: 835203	
State: Jharkhand	
Country: India	
Sample Type: AMBIENT AIR QUALITY MONITORING	
Marks on Sample Location: Near Daldaliya Village	
Sample collected on: 03.10.2019	

	LOCATION / IDENTIFICATION: Near Daldaliya Village				
Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration	
01.	Particulate Matter (size less than 10 μ m) PM ₁₀	µg/m ³	100	31.5	
02.	Particulate Matter (size less than 2.5 μ m) PM _{2.5}	µg/m ³	60	17.9	
03.	Sulphur Dioxide (SO ₂)	µg/m ³	80	2.5	
04.	Nitrogen Dioxide (NO ₂)	µg/m³	80	1.8	
05.	Ammonia (NH ₃)	µg/m ³	400	4.0	
06.	Ozone (O_3)	µg/m ³	180	5.5	
07.	Carbon Monoxide (CO)	mg/m ³	02	0.16	
08.	Lead (Pb)	µg/m ³	1.0	0.01	
09.	Nickel (Ni)	ng/m ³	20	1.2	
10.	Arsenic (As)	ng/m ³	06	0.9	
11.	Benzene (C ₆ H ₆)	µg/m³	05	1.0	
12.	Benzo (a) Pyrene	µg/m³	01	0.18	

Vijay Pandey SENIOR EXECUTIVE





At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262,

E-mail:mahabalranchi@gmail.com

Hindalco Industries : Bagru

Environmental Monitoring Report

OCTOBER 2019

Report No.: MEEPL/NOV0085/2019-20	Date: 11 th November, 2019
Sample described by customer: AMBIENT AIR QUAL	ITY MONITORING
Client Name: Hindalco Industries Limited	
Client Address: Lohardaga	
Postal Code: 835203	
State: Jharkhand	
Country: India	
Sample type: AMBIENT AIR QUALITY MONITORING	
Marks on Sample: Location: Aditya School Gangupa	ra
Sample collected on: 03.10.2019	

	LOCATION / IDENTIFICATION: Aditya School Gangupara			
Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration
01.	Particulate Matter (size less than 10 μ m) PM ₁₀	µg/m³	100	28.2
02.	Particulate Matter (size less than 2.5 μ m) PM _{2.5}	µg/m³	60	15.7
03.	Sulphur Dioxide (SO ₂)	µg/m ³	80	2.6
04.	Nitrogen Dioxide (NO ₂)	µg/m³	80	2.9
05.	Ammonia (NH ₃)	µg/m³	400	3.5
06.	$Ozone(O_3)$	µg/m ³	180	6.1
07.	Carbon Monoxide (CO)	mg/m ³	02	0.04
08.	Lead (Pb)	µg/m ³	1.0	0.01
09.	Nickel (Ni)	ng/m ³	20	1.1
10.	Arsenic (As)	ng/m ³	06	0.6
11.	Benzene (C ₆ H ₆)	µg/m ³	05	1.2
12.	Benzo (a) Pyrene	µg/m ³	01	0.15

Vijay Pandey SENIOR EXECUTIVE





At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries : Bagru

Environmental Monitoring Report

OCTOBER 2019

Report No.: MEEPL/NOV0086/2019-20	Date: 11 th November, 2019
Sample described by customer: AMBIENT AIR QUAL	TY MONITORING
Client Name: Hindalco Industries Limited	
Client Address: Lohardaga	
Postal Code: 835203	
State: Jharkhand	
Country: India	
Sample type: AMBIENT AIR QUALITY MONITORING	
Marks on Sample: Location: Ropeway Unloading Sta	tion
Sample collected on: 03.10.2019	

	LOCATION / IDENTIFICATION: Ropeway Unloading Station				
Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration	
01.	Particulate Matter (size less than 10 $\mu m)$ PM_{10}	µg/m³	100	55.0	
02.	Particulate Matter (size less than 2.5 μ m) PM _{2.5}	µg/m³	60	29.1	
03.	Sulphur Dioxide (SO ₂)	µg/m ³	80	3.3	
04.	Nitrogen Dioxide (NO ₂)	µg/m³	80	3.0	
05.	Ammonia (NH ₃)	µg/m³	400	5.5	
06.	0 zone (0_3)	µg/m ³	180	7.1	
07.	Carbon Monoxide (CO)	mg/m ³	02	0.18	
08.	Lead (Pb)	µg/m ³	1.0	0.02	
09.	Nickel (Ni)	ng/m ³	20	1.7	
10.	Arsenic (As)	ng/m ³	06	1.4	
11.	Benzene (C ₆ H ₆)	µg/m³	05	0.9	
12.	Benzo (a) Pyrene	µg/m ³	01	0.24	

Vijay Pandey SENIOR EXECUTIVE





At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries : Bagru

Environmental Monitoring Report

OCTOBER 2019

Report No.: MEEPL/NOV0087/2019-20	Date: 11 th November, 2019		
Sample described by customer: AMBIENT AIR QUALITY MONITORING			
Client Name: Hindalco Industries Limited			
Client Address: Lohardaga			
Postal Code: 835203			
State: Jharkhand			
Country: India			
Sample Type: AMBIENT AIR QUALITY MONITORING			
Marks on Sample: Location: Ropeway Angle Station			
Sample collected on: 03.10.2019			

LOCATION / IDENTIFICATION: Ropeway Angle Station				
Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration
01.	Particulate Matter (size less than 10 μ m) PM ₁₀	µg/m ³	100	45.2
02.	Particulate Matter (size less than 2.5 μ m) PM _{2.5}	µg/m³	60	22.9
03.	Sulphur Dioxide (SO ₂)	µg/m ³	80	3.6
04.	Nitrogen Dioxide (NO ₂)	µg/m³	80	2.2
05.	Ammonia (NH ₃)	µg/m³	400	5.0
06.	Ozone (O_3)	µg/m³	180	5.8
07.	Carbon Monoxide (CO)	mg/m ³	02	0.14
08.	Lead (Pb)	µg/m³	1.0	0.03
09.	Nickel (Ni)	ng/m ³	20	1.3
10.	Arsenic (As)	ng/m ³	06	1.8
11.	Benzene (C ₆ H ₆)	µg/m³	05	2.1
12.	Benzo (a) Pyrene	µg/m³	01	0.20

ar

Vijay Pandey SENIOR EXECUTIVE





Eco Ventures Pvt. Ltd.

Regd. Office: 2/37, Sarvapriya Vihar, Near IIT Gate, New Delhi-110016 Corporate Office: 7/8 Bhaveshwar Bhuvan, Opp Porthugese Church, Near Dindayal Upadhyay Garden, Gokhale Road (North), Dadar (West), Mumbai 400 028. Tel: +91 22 24370520 / 6672.

E: ecoventures.mumbai@gmail.com / ecoventures@eco-ventures.in

Mahabal Enviro Engineers Pvt. Ltd.

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009

BHUSAR BAUXITE MINE - ENVIRONMENTAL MONITORING REPORT

NOVEMBER 2019

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey SENIOR EXECUTIVE





Branch Office:

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries : Bhusar

Environmental Monitoring Report

NOVEMBER 2019

CONTENT

	LOCATION – BHUSAR BAUXITE MINE		
	AMBIENT AIR QUALITY – CORE ZONE		
1	Near View Point 1 (Bhusar Mine Pit I)		
2	Near View Point 2 (Bhusar Mine Pit II)		
3	Near Rest Shelter		
4	Near GTS Point		
	EFFLUENT WATER ANALYSIS		
1	STP Outlet (Bagru Mines)		
	STACK EMISSION MONITORING OF DG SET (FLUE GAS)		
1	Bagru Mines Office		
	SURFACE WATER		
1	Bhusar Bauxite Mine		



Branch Office:

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries : Bhusar

Environmental Monitoring Report

NOVEMBER 2019

Report No.: MEEPL/DEC0218/2019-20	Date: 27th December, 2019
Sample described by customer: AMBIENT AIR QUAL	ITY MONITORING
Client Name: Hindalco Industries Limited	
Client Address: Lohardaga	
Postal Code: 835203	
State: Jharkhand	
Country: India	
Sample Type: AMBIENT AIR QUALITY MONITORING	
Marks on Sample Location: Near View Point 1 (Bhusan	r Mine Pit I)
Sample collected on: 07.11.2019	

Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration
01.	Particulate Matter (size less than 10 μ m) PM ₁₀	µg/m ³	100	52.9
02.	Particulate Matter (size less than 2.5 μ m) PM _{2.5}	µg/m³	60	25.0
03.	Sulphur Dioxide (SO ₂)	µg/m ³	80	5.7
04.	Nitrogen Dioxide (NO ₂)	µg/m³	80	3.1
05.	Ammonia (NH ₃)	µg/m³	400	6.4
06.	0 zone (0_3)	µg/m ³	180	8.1
07.	Carbon Monoxide (CO)	mg/m ³	02	0.25
08.	Lead (Pb)	µg/m ³	1.0	0.03
09.	Nickel (Ni)	ng/m ³	20	1.2
10.	Arsenic (As)	ng/m ³	06	1.4
11.	Benzene (C ₆ H ₆)	µg/m³	05	0.9
12.	Benzo (a) Pyrene	µg/m ³	01	0.20

Vijay Pandey SENIOR EXECUTIVE





At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:<u>mahabalranchi@gmail.com</u>

Hindalco Industries : Bhusar

Environmental Monitoring Report

NOVEMBER 2019

Report No.: MEEPL/DEC0219/2019-20Date: 27th December, 2019Sample described by customer: AMBIENT AIR QUALITY MONITORINGClient Name: Hindalco Industries LimitedClient Address: LohardagaPostal Code: 835203State: JharkhandCountry: IndiaSample type: AMBIENT AIR QUALITY MONITORINGMarks on Sample: Location: Near View Point 2 (Bhusar Mine Pit II)Sample collected on: 07.11.2019

	LOCATION / IDENTIFICATION: Near View point 2 (Bhusar Mine Pit II)			
Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration
01.	Particulate Matter (size less than 10 μ m) PM ₁₀	µg/m³	100	60.1
02.	Particulate Matter (size less than 2.5 μ m) PM _{2.5}	µg/m ³	60	29.4
03.	Sulphur Dioxide (SO ₂)	µg/m ³	80	3.8
04.	Nitrogen Dioxide (NO ₂)	µg/m³	80	2.9
05.	Ammonia (NH ₃)	µg/m³	400	7.3
06.	Ozone (O_3)	µg/m ³	180	7.5
07.	Carbon Monoxide (CO)	mg/m ³	02	0.28
08.	Lead (Pb)	µg/m ³	1.0	0.04
09.	Nickel (Ni)	ng/m ³	20	1.5
10.	Arsenic (As)	ng/m ³	06	1.1
11.	Benzene (C ₆ H ₆)	µg/m ³	05	0.8
12.	Benzo (a) Pyrene	µg/m ³	01	0.22

Vijay Pandey SENIOR EXECUTIVE





At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries : Bhusar

Environmental Monitoring Report

NOVEMBER 2019

Report No.: MEEPL/DEC0220/2019-20	Date: 27th December, 2019
Sample described by customer: AMBIENT AIR QUAL	ITY MONITORING
Client Name: Hindalco Industries Limited	
Client Address: Lohardaga	
Postal Code: 835203	
State: Jharkhand	
Country: India	
Sample type: AMBIENT AIR QUALITY MONITORING	
Marks on Sample: Location: Near Rest Shelter	
Sample collected on: 07.11.2019	

	LOCATION / IDENTIFICATION: Near Rest Shelter					
Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration		
01.	Particulate Matter (size less than 10 μ m) PM ₁₀	µg/m ³	100	47.0		
02.	Particulate Matter (size less than 2.5 μ m) PM _{2.5}	µg/m ³	60	22.5		
03.	Sulphur Dioxide (SO ₂)	µg/m ³	80	2.9		
04.	Nitrogen Dioxide (NO ₂)	µg/m³	80	2.0		
05.	Ammonia (NH $_3$)	µg/m ³	400	4.9		
06.	$Ozone(O_3)$	µg/m ³	180	6.2		
07.	Carbon Monoxide (CO)	mg/m ³	02	0.17		
08.	Lead (Pb)	µg/m ³	1.0	0.01		
09.	Nickel (Ni)	ng/m ³	20	1.6		
10.	Arsenic (As)	ng/m ³	06	0.7		
11.	Benzene (C ₆ H ₆)	µg/m ³	05	0.8		
12.	Benzo (a) Pyrene	µg/m ³	01	0.16		

Vijay Pandey SENIOR EXECUTIVE



Branch Office:

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries : Bhusar

Environmental Monitoring Report

NOVEMBER 2019

Report No.: MEEPL/DEC0221/2019-20 Date: 27th December, 2019					
Sample described by customer: AMBIENT AIR QUALITY MONITORING					
Client Name: Hindalco Industries Limited					
Client Address: Lohardaga					

Client Address: Lohardaga Postal Code: 835203 State: Jharkhand Country: India Sample Type: **AMBIENT AIR QUALITY MONITORING** Marks on Sample: Location: **Near GTS Point Sample collected on:** 07.11.2019

	LOCATION / IDENTIFICATION: Near GTS Point				
Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration	
01.	Particulate Matter (size less than 10 μ m) PM ₁₀	µg/m ³	100	55.2	
02.	Particulate Matter (size less than 2.5 μ m) PM _{2.5}	µg/m³	60	28.7	
03.	Sulphur Dioxide (SO ₂)	µg/m ³	80	3.5	
04.	Nitrogen Dioxide (NO ₂)	µg/m³	80	2.2	
05.	Ammonia (NH ₃)	µg/m ³	400	6.9	
06.	Ozone (O_3)	µg/m³	180	7.1	
07.	Carbon Monoxide (CO)	mg/m ³	02	0.24	
08.	Lead (Pb)	µg/m ³	1.0	0.03	
09.	Nickel (Ni)	ng/m ³	20	1.3	
10.	Arsenic (As)	ng/m ³	06	1.0	
11.	Benzene (C ₆ H ₆)	µg/m³	05	0.7	
12.	Benzo (a) Pyrene	µg/m ³	01	0.24	

Vijay Pandey SENIOR EXECUTIVE





At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries : Bhusar

Environmental Monitoring Report

NOVEMBER 2019

water temperature

Report No.: MEEPL/DEC0222/2019-20Date: 27th December, 20					7 th December, 2019
Sample	described by customer:	STP Outlet (Bagru Mines))		
Client N	ame: Hindalco Industr	ies Limited			
Client A	ddress: Lohardaga				
Postal C	ode: 835203				
State: Jh	arkhand				
Country	r: India				
-	Type: Effluent Water				
	-	P Outlet (Bagru Mines)			
•	y: 4 liters.				
Sample	collected on: 07.11.20	19			
Sl. No.	Analysis	Method	Result	Unit	Limits
51. NO.	Allalysis	APHA 22 nd Ed. 2012,		Unit	
1.	рН	4500-H+-B,4-92	7.7	mg/l	5.5-9.0
2.	Total Suspended Solids	APHA 22 nd EDN: 2012 - 2540	72	mg/l	100
3.	BOD @ 27ºC	IS 3025 (Part 44): 1993, RA2003, Amd.1	7.9	mg/l	30
4.	COD	IS 3025 (Part 58): 1993, RA2006, Amd.1	37	mg/l	250
5.	Oil & Grease	IS 3025(PART 39): 1991 RA 2003,Ed 2.1	<5.0	mg/l	10
6.	Total Dissolved Solids	APHA 22 ND EDN 2012-2540	1640	mg/l	2100
7.	Aluminium (as Al)	APHA 22 nd EDN 2012-3120B	0.8	mg/l	3
8.	Calcium (as Ca)	APHA 22 nd EDN 2012-3120B	8.7	mg/l	75
9.	Iron (as Fe)	APHA 22 nd EDN 2012-3120B	1.1	mg/l	3
10.	Temperature		25.3	0C	Shall not exceed 5°C above the receiving

Vijay Pandey SENIOR EXECUTIVE





At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries : Bhusar

Environmental Monitoring Report

NOVEMBER 2019

Sample described as: FLUE GAS Name of the Industry: M/S HINDALCO INDUSTRIES LIMITED Address: Mines Division, Lohardaga, Jharkhand, Pin-835302 Date & time of Sampling: 07.11.2019 Sampling Site: Bagru Mines Office A. General Information about Stack A. Material OF construction: M.S A. Shape of Stack: Circular A. Material OF construction: M.S A. Shape of Stack: Circular A. Whether stack is provided with permanent platform & ladder: Yes C. Capacity. 250 KVA B. Physical characteristics of stack A. Height of the stack (a) from ground level: 7.0 m D. Diameter of the Stack at Sampling point: 0.2030m Height of the sampling point from GL 6.25m C. Analysis/Characteristic of Stock Fuel Consumption: 30 lt/hr D. Analysis Report SI.No. PARAMETERS PROTOCOL RESULT A. General Coose A. General Coose A. General 2008 A. G	
Address: Mines Division, Lohardaga, Jharkhand, Pin-835302 Date & time of Sampling: 07.11.2019 Sampling Site: Bagru Mines Office A. General Information about Stack • Stack connected to: DG-Set (250 KVA) • Emission due to Burning of H.S.D • Material OF construction: M.S • Shape of Stack: Circular • Whether stack is provided with permanent platform & ladder: Yes • Capacity. 250 KVA B. Physical characteristics of stack • Height of the stack (a) from ground level: 7.0 m • Diameter of the Stack at Sampling point: 0.2030m • Height of the stack (a) from ground level: 7.0 m • Diameter of the Stack at Sampling point: 0.2030m • Height of the sampling point from GL 6.25m C. Analysis/Characteristic of Stock • Fuel used: H.S.D • Fuel Consumption: 30 lt/hr D. Analysis Report Sl. No. PARAMETERS PROTOCOL RESULT 1. Temperature of Emission (°C) IS 11255 Part: 3 1985 (Realf 2008) 290 2. Barometric pressure (mm of	
Date & time of Sampling: 07.11.2019 Sampling Site: Bagru Mines Office A. General Information about Stack • Stack connected to: DG-Set (250 KVA) • Emission due to Burning of H.S.D • Material OF construction: M.S • Shape of Stack: Circular • Whether stack is provided with permanent platform & ladder: Yes • Capacity. 250 KVA B. Physical characteristics of stack • Height of the stack (a) from ground level: 7.0 m • Diameter of the Stack at Sampling point: 0.2030m • Height of the stack (a) from ground level: 7.0 m • Diameter of the Stack at Sampling point: 0.2030m • Height of the sampling point from GL. 6.25m C. Analysis/Characteristic of Stock • Fuel consumption: 30 lt/hr D. Analysis Report Sl. No. PARAMETERS PROTOCOL RESULT IS 11255 Part: 3 1985 290 2. Barometric pressure (mm of Hg) IS 11255 Part: 3 1985 750 3 Velocity of Gas (m //Sec) IS 11255 Part: 3 1985 745	
Sampling Site: Bagru Mines Office A. General Information about Stack Stack connected to: DG-Set (250 KVA) Emission due to Burning of H.S.D Material OF construction: M.S Shape of Stack: Circular Whether stack is provided with permanent platform & ladder: Yes Capacity. 250 KVA B. Physical characteristics of stack Height of the stack (a) from ground level: 7.0 m Diameter of the Stack at Sampling point: 0.2030m Height of the sampling point from GL. 6.25m C. Analysis/Characteristic of Stock Fuel used: H.S.D Fuel consumption: 30 lt/hr D. Analysis Report Sl. No. PARAMETERS PROTOCOL RESULT 1. Temperature of Emission (°C) IS 11255 Part: 3 1985 (Realf 2008) 290 (Realf 2008) 2. Barometric pressure (mm of Hg) IS 11255 Part: 3 1985 (Realf 2008) 750	
A. General Information about Stack • Stack connected to: DG-Set (250 KVA) • Emission due to Burning of H.S.D • Material OF construction: M.S • Shape of Stack: Circular • Whether stack is provided with permanent platform & ladder: Yes • Capacity. 250 KVA B. Physical characteristics of stack • Height of the stack (a) from ground level: 7.0 m • Diameter of the Stack at Sampling point: 0.2030m • Height of the stack (a) from ground level: 7.0 m • Diameter of the Stack at Sampling point: 0.2030m • Height of the stack (a) from ground level: 7.0 m • Diameter of the Stack at Sampling point: 0.2030m • Height of the sampling point from GL. 6.25m C. Analysis/Characteristic of Stock • Fuel consumption: 30 lt/hr D. Analysis Report Sl. No. PARAMETERS PROTOCOL RESULT IS 11255 Part: 3 1985 (Realf 2008) 290 2. Barometric pressure (mm of Hg) IS 11255 Part: 3 1985 (Realf 2008) 750 3 Velocity of Gas (m /Sec)	
 Stack connected to: DG-Set (250 KVA) Emission due to Burning of H.S.D Material OF construction: M.S Shape of Stack: Circular Whether stack is provided with permanent platform & ladder: Yes Capacity. 250 KVA B. Physical characteristics of stack Height of the stack (a) from ground level: 7.0 m Diameter of the Stack at Sampling point: 0.2030m Height of the sampling point from GL. 6.25m C. Analysis/Characteristic of Stock Fuel used: H.S.D Fuel Consumption: 30 lt/hr D. Analysis Report Sl. No. PARAMETERS PROTOCOL RESULT Temperature of Emission (°C) IS 11255 Part: 3 1985 (Realf 2008) 2. Barometric pressure (mm of Hg) IS 11255 Part: 3 1985 (Realf 2008) 7.45	
 Emission due to Burning of H.S.D Material OF construction: M.S Shape of Stack: Circular Whether stack is provided with permanent platform & ladder: Yes Capacity. 250 KVA Physical characteristics of stack Height of the stack (a) from ground level: 7.0 m Diameter of the Stack at Sampling point: 0.2030m Height of the sampling point from GL. 6.25m Analysis/Characteristic of Stock Fuel used: H.S.D Fuel consumption: 30 lt/hr Analysis Report Sl. No. PARAMETERS PROTOCOL RESULT 1. Temperature of Emission (°C) IS 11255 Part: 3 1985 (Realf 2008) 290 2. Barometric pressure (mm of Hg) IS 11255 Part: 3 1985 750 	
 Material OF construction: M.S Shape of Stack: Circular Whether stack is provided with permanent platform & ladder: Yes Capacity. 250 KVA B. Physical characteristics of stack Height of the stack (a) from ground level: 7.0 m Diameter of the Stack at Sampling point: 0.2030m Height of the sampling point from GL. 6.25m C. Analysis/Characteristic of Stock Fuel used: H.S.D Fuel Consumption: 30 lt/hr D. Analysis Report Sl. No. PARAMETERS PROTOCOL RESULT 1. Temperature of Emission (°C) IS 11255 Part: 3 1985 (Realf 2008) 2. Barometric pressure (mm of Hg) IS 11255 Part: 3 1985 (Realf 2008) 750 	
 Shape of Stack: Circular Whether stack is provided with permanent platform & ladder: Yes Capacity. 250 KVA Physical characteristics of stack Height of the stack (a) from ground level: 7.0 m Diameter of the Stack at Sampling point: 0.2030m Height of the sampling point from GL. 6.25m Analysis/Characteristic of Stock Fuel used: H.S.D Fuel Consumption: 30 lt/hr Analysis Report Sl.No. PARAMETERS PROTOCOL RESULT 1. Temperature of Emission (°C) IS 11255 Part: 3 1985 (Realf 2008) 2. Barometric pressure (mm of Hg) IS 11255 Part: 3 1985 (Realf 2008) T 1255 Part: 3 1985 750 	
 Whether stack is provided with permanent platform & ladder: Yes Capacity. 250 KVA B. Physical characteristics of stack Height of the stack (a) from ground level: 7.0 m Diameter of the Stack at Sampling point: 0.2030m Height of the sampling point from GL. 6.25m C. Analysis/Characteristic of Stock Fuel used: H.S.D Fuel Consumption: 30 lt/hr D. Analysis Report Sl. No. PARAMETERS PROTOCOL RESULT 1. Temperature of Emission (°C) IS 11255 Part: 3 1985 (Realf 2008) Z. Barometric pressure (mm of Hg) IS 11255 Part: 3 1985 (Realf 2008) 	
 Capacity. 250 KVA B. Physical characteristics of stack Height of the stack (a) from ground level: 7.0 m Diameter of the Stack at Sampling point: 0.2030m Height of the sampling point from GL. 6.25m C. Analysis/Characteristic of Stock Fuel used: H.S.D Fuel Consumption: 30 lt/hr D. Analysis Report Sl. No. PARAMETERS PROTOCOL RESULT Temperature of Emission (°C) IS 11255 Part: 3 1985 (Realf 2008) IS 11255 Part: 3 1985 (750 (Realf 2008)) Sl 1255 Part: 3 1985 (Realf 2008) Sl 1255 Part: 3 1985 (Realf 2008) Sl 1255 Part: 3 1985 (Realf 2008) 	
 B. Physical characteristics of stack Height of the stack (a) from ground level: 7.0 m Diameter of the Stack at Sampling point: 0.2030m Height of the sampling point from GL. 6.25m C. Analysis/Characteristic of Stock Fuel used: H.S.D Fuel Consumption: 30 lt/hr D. Analysis Report Sl. No. PARAMETERS PROTOCOL RESULT Temperature of Emission (°C) IS 11255 Part: 3 1985 (Realf 2008) Z. Barometric pressure (mm of Hg) IS 11255 Part: 3 1985 (Realf 2008) IS 11255 Part: 3 1985 (Realf 2008) 	
 Height of the stack (a) from ground level: 7.0 m Diameter of the Stack at Sampling point: 0.2030m Height of the sampling point from GL. 6.25m Analysis/Characteristic of Stock Fuel used: H.S.D Fuel Consumption: 30 lt/hr D. Analysis Report Sl. No. PARAMETERS PROTOCOL RESULT 1. Temperature of Emission (°C) IS 11255 Part: 3 1985 (Realf 2008) 2. Barometric pressure (mm of Hg) IS 11255 Part: 3 1985 (Realf 2008) 750 3. Velocity of Gas (m/Sec) 	
 Diameter of the Stack at Sampling point: 0.2030m Height of the sampling point from GL. 6.25m C. Analysis/Characteristic of Stock Fuel used: H.S.D Fuel Consumption: 30 lt/hr D. Analysis Report Sl. No. PARAMETERS PROTOCOL RESULT 1. Temperature of Emission (°C) IS 11255 Part: 3 1985 (Realf 2008) 2. Barometric pressure (mm of Hg) IS 11255 Part: 3 1985 (Realf 2008) 750 3. Velocity of Gas (m/Sec) 	
 Height of the sampling point from GL. 6.25m C. Analysis/Characteristic of Stock Fuel used: H.S.D Fuel Consumption: 30 lt/hr D. Analysis Report Sl. No. PARAMETERS PROTOCOL RESULT 1. Temperature of Emission (°C) IS 11255 Part: 3 1985 (Realf 2008) 2. Barometric pressure (mm of Hg) IS 11255 Part: 3 1985 (Realf 2008) 3. Velocity of Gas (m/Sec) IS 11255 Part: 3 1985 745 	
C. Analysis/Characteristic of Stock • Fuel used: H.S.D • Fuel Consumption: 30 lt/hr D. Analysis Report Sl. No. PARAMETERS PARAMETERS PROTOCOL RESULT 1. Temperature of Emission (°C) IS 11255 Part: 3 1985 290 2. Barometric pressure (mm of Hg) IS 11255 Part: 3 1985 750 (Realf 2008) 750 3 Velocity of Gas (m/Sec)	
 Fuel used: H.S.D Fuel Consumption: 30 lt/hr Analysis Report Sl. No. PARAMETERS PROTOCOL RESULT 1. Temperature of Emission (°C) IS 11255 Part: 3 1985 (Realf 2008) 2. Barometric pressure (mm of Hg) IS 11255 Part: 3 1985 (Realf 2008) 3. Velocity of Gas (m/Sec) IS 11255 Part: 3 1985 745 	
 Fuel Consumption: 30 lt/hr D. Analysis Report Sl. No. PARAMETERS PROTOCOL RESULT 1. Temperature of Emission (°C) IS 11255 Part: 3 1985 (Realf 2008) 2. Barometric pressure (mm of Hg) IS 11255 Part: 3 1985 (Realf 2008) 3. Velocity of Gas (m/Sec) IS 11255 Part: 3 1985 745 	
D.Analysis ReportSl. No.PARAMETERSPROTOCOLRESULT1.Temperature of Emission (°C)IS 11255 Part: 3 1985 (Realf 2008)2902.Barometric pressure (mm of Hg)IS 11255 Part: 3 1985 (Realf 2008)7503.Velocity of Gas (m/Sec)IS 11255 Part: 3 1985 (Realf 2008)745	
Sl. No.PARAMETERSPROTOCOLRESULT1.Temperature of Emission (°C)IS 11255 Part: 3 1985 (Realf 2008)2902.Barometric pressure (mm of Hg)IS 11255 Part: 3 1985 (Realf 2008)7503.Velocity of Gas (m/Sec)IS 11255 Part: 3 1985 (Realf 2008)745	
1. Temperature of Emission (°C) IS 11255 Part: 3 1985 (Realf 2008) 290 2. Barometric pressure (mm of Hg) IS 11255 Part: 3 1985 (Realf 2008) 750 3. Velocity of Gas (m/Sec) IS 11255 Part: 3 1985 745	
1. Temperature of Emission (°C) (Realf 2008) 290 2. Barometric pressure (mm of Hg) IS 11255 Part: 3 1985 (Realf 2008) 750 3. Velocity of Gas (m/Sec) IS 11255 Part: 3 1985 745	S Limits as per MoEF G.S.R.448(E)
2.Barometric pressure (mm of Hg)(Realf 2008)7503Velocity of Gas (m/Sec)IS 11255 Part: 3 19857 45	
3 Velocity of Gas (m/Sec) 745	
(Realf 2008)	
4. Quantity of Gas flow (Nm ³ /hr) IS 11255 Part: 3 1985 (Realf 2008) 453	
5. Concentration of CO ₂ (% v/v) IS 11255 Part: 3 1985 (Realf 2008) 3.3	5.0
6. Concentration of CO (gm/kw-h) IS 11255 Part: 3 1985 (Realf 2008) 0.86	
7. Concentration of SO ₂ (mg/Nm3) USEPA-6C 78.1	
8. Concentration of NO ₂ (gm/kw-h) USEPA-7E 1.12	9.2
9.Concentration of Particulate Matters (gm/kw-h)IS 11255 Part: 3 1985 (Realf 2003)0.19	0.3
E. Pollution Control Device	
Details of pollution control devices attached with the stack: Nil F. Remarks: Nil	

Vijay Pandey SENIOR EXECUTIVE





At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:<u>mahabalranchi@gmail.com</u>

Hindalco Industries : Bhusar

Environmental Monitoring Report

NOVEMBER 2019

Date: 27th December, 2019

Report No.: MEEPL/DEC0331/2019-20Sample described by customer : SURFACE WATERClient Name: Hindalco Industries LimitedClient Address: LohardagaPostal Code: 835203State: JharkhandCountry: IndiaSample Type: SURFACE WATERMarks on Sample: Location: Bhusar Bauxite MineSample collected on:06.01.2019

Sl. No.	Parameters	Unit	Result	Acceptable Limit (IS 10500:2012)	Method Reference
1	Colour	Hazen	<2	5 Max	APHA 22 nd Ed. 2012, 2120-B, 2-6
2	Odour		Agreeable	Agreeable	IS 3025 (Part 7): 1983, Reaffirmed 2006
3	Taste		Agreeable	Agreeable	IS 3025 (Part 7): 1983, Reaffirmed 2006
4	Turbidity	NTU	0.22	1 Max	APHA 22 nd Ed. 2012, 2130-B, 2-13
5	рН		6.8	6.5-8.5	APHA 22 nd Ed. 2012, 4500-H+-B, 4-92
6	Free Chlorides (Residual)	mg/l	<0.5	0.2 min	APHA 22 nd Ed. 2012, 4500-CI-G, 4- 69
7	Total Dissolved Solids	mg/l	365	500 max	IS 3025 (Part 16): 1984, Reaffirmed 2006
8	Total hardness (as CaCO3)	mg/l	40	200 max	APHA 22 nd Ed. 2012, 4500-CIG, 4- 69
9	Alkalinirty Total (as CaCO3)	mg/l	33	200 max	IS 3025 (Part 237): 1986, Reaffirmed 2009
10	Chloride (as CI)	mg/l	29	250 max	APHA 22 nd Ed. 2012, 4500-CI-b, 4- 72
11	Sulphate (as SO4)	mg/l	24.1	200 max	APHA 22 nd Ed. 2012, 4500-so4-e, 4-190
12	Boron (as B)	mg/l	0.13	0.5 max	APHA 22 nd Ed. 2012, 4500-BB, 4- 25
13	Magnesium (as Mg)	mg/l	5.5	30 max	APHA 22 nd Ed. 2012, 3500-Mg-B, 3-84





At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries : Bhusar

Environmental Monitoring Report

NOVEMBER 2019

Continuation Sheet *MEEPL/DEC0331/2019-20*

Sl. No.	Parameters	Unit	Result	Acceptable Limit (IS 10500:2012)	Method Reference
14	Fluoride (as F)	mg/l	0.10	1 max	APHA 22 nd Ed. 2012, 4500-FB & D, 4- 84, 4-87
15	Calcium (as Ca)	mg/l	6.1	75 max	APHA 22 nd Ed. 2012, 3500-Ca-B, 3-67
16	Iron (as Fe)	mg/l	0.06	0.3 max	APHA 22 nd Ed. 2012, 3111-B, 3-18
17	Cadmium (as Cd)	mg/l	N.D	0.003 max	APHA 22 nd Ed. 2012, 3111-B, 3-18
18	Chromium Total (as Cr)	mg/l	N.D	0.05 max	APHA 22 nd Ed. 2012, 3111-B, 3-18
19	Copper (as Cu)	mg/l	N.D	0.05 max	APHA 22 nd Ed. 2012, 3111-B, 3-18
20	Lead (as Pb)	mg/l	N.D	0.01 max	APHA 22 nd Ed. 2012, 3111-B, 3-18
21	Zinc (as Zn)	mg/l	0.02	5 max	APHA 22 nd Ed. 2012, 3111-B, 3-18
22	Arsenic (as As)	mg/l	<0.01	0.01 max	APHA 22 nd Ed. 2012, 3114-B, 3-38
23	Selenium (as Se)	mg/l	N.D	0.001 max	APHA 22 nd Ed. 2012, 3112-B, 3-23
24	Mercury (as hg)	mg/l	N.D	0.01 max	APHA 22 nd Ed. 2012, 3114-B, 3-38
25	Cyanide (as CN)	mg/l	N.D	0.05 max	APHA 22 nd ED. 2012, 4500-CN.C & 4-39 & 4-44
26	Manganese (as Mn)	mg/l	N.D	0.1 max	APHA 22 nd Ed. 2012, 3111-B, 3-18
27	Dissolved Oxygen	mg/l	7.3	7-8	APHA 20 th ED. Method 4500-o g.

Conclusion: The Physical & Chemical Analysis report indicates that water is not contaminated.

Vijay Pandey SENIOR EXECUTIVE





At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries : Bagru

Environmental Monitoring Report

NOVEMBER 2019

Report No.: MEEPL/DEC0214/2019-20	Date: 27 th December, 2019				
Sample described by customer: AMBIENT AIR QUALITY MONITORING					
Client Name: Hindalco Industries Limited					
Client Address: Lohardaga					
Postal Code: 835203					
State: Jharkhand					
Country: India					
Sample Type: AMBIENT AIR QUALITY MONITORING					
Marks on Sample Location: Near Daldaliya Village					
Sample collected on: 06.11.2019					

	LOCATION / IDENTIFICATION: Near Daldaliya Village				
Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration	
01.	Particulate Matter (size less than 10 μ m) PM ₁₀	µg/m³	100	40.2	
02.	Particulate Matter (size less than 2.5 μ m) PM _{2.5}	µg/m³	60	21.5	
03.	Sulphur Dioxide (SO ₂)	µg/m ³	80	2.3	
04.	Nitrogen Dioxide (NO ₂)	µg/m³	80	1.5	
05.	Ammonia (NH ₃)	µg/m³	400	4.2	
06.	Ozone (O_3)	µg/m ³	180	5.0	
07.	Carbon Monoxide (CO)	mg/m ³	02	0.17	
08.	Lead (Pb)	µg/m ³	1.0	0.01	
09.	Nickel (Ni)	ng/m ³	20	1.2	
10.	Arsenic (As)	ng/m ³	06	0.9	
11.	Benzene (C ₆ H ₆)	µg/m³	05	1.0	
12.	Benzo (a) Pyrene	µg/m³	01	0.18	

Vijay Pandey SENIOR EXECUTIVE





At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:<u>mahabalranchi@gmail.com</u>

Hindalco Industries : Bagru

Environmental Monitoring Report

NOVEMBER 2019

Report No.: MEEPL/DEC0215/2019-20	Date: 27th December, 2019			
Sample described by customer: AMBIENT AIR QUALITY MONITORING				
Client Name: Hindalco Industries Limited				
Client Address: Lohardaga				
Postal Code: 835203				
State: Jharkhand				
Country: India				
Sample type: AMBIENT AIR QUALITY MONITORING				
Marks on Sample: Location: Aditya School Gangupa	a			
Sample collected on: 06.11.2019				

	LOCATION / IDENTIFICATION: Aditya School Gangupara				
Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration	
01.	Particulate Matter (size less than 10 μ m) PM ₁₀	µg/m ³	100	34.5	
02.	Particulate Matter (size less than 2.5 μ m) PM _{2.5}	µg/m ³	60	18.1	
03.	Sulphur Dioxide (SO ₂)	µg/m ³	80	3.2	
04.	Nitrogen Dioxide (NO ₂)	µg/m³	80	2.6	
05.	Ammonia (NH ₃)	µg/m³	400	3.9	
06.	$O_{zone}(O_3)$	µg/m ³	180	5.3	
07.	Carbon Monoxide (CO)	mg/m ³	02	0.04	
08.	Lead (Pb)	µg/m ³	1.0	0.01	
09.	Nickel (Ni)	ng/m ³	20	1.3	
10.	Arsenic (As)	ng/m ³	06	0.6	
11.	Benzene (C ₆ H ₆)	µg/m ³	05	1.2	
12.	Benzo (a) Pyrene	µg/m ³	01	0.15	

Vijay Pandey SENIOR EXECUTIVE





Hindalco Industries : Bagru

Environmental Monitoring Report

NOVEMBER 2019

Report No.: MEEPL/DEC0216/2019-20	Date: 27th December, 2019
Sample described by customer: AMBIENT AIR QUA	LITY MONITORING
Client Name: Hindalco Industries Limited	
Client Address: Lohardaga	
Postal Code: 835203	
State: Jharkhand	
Country: India	
Sample type: AMBIENT AIR QUALITY MONITORING	
Marks on Sample: Location: Ropeway Unloading St	ation
Sample collected on: 06.11.2019	

	LOCATION / IDENTIFICATION: Ropeway Unloading Station				
Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration	
01.	Particulate Matter (size less than 10 μ m) PM ₁₀	µg/m ³	100	49.9	
02.	Particulate Matter (size less than 2.5 μ m) PM _{2.5}	µg/m³	60	26.4	
03.	Sulphur Dioxide (SO ₂)	µg/m ³	80	3.0	
04.	Nitrogen Dioxide (NO ₂)	µg/m³	80	2.7	
05.	Ammonia (NH ₃)	µg/m ³	400	5.1	
06.	Ozone (O_3)	µg/m ³	180	7.0	
07.	Carbon Monoxide (CO)	mg/m ³	02	0.21	
08.	Lead (Pb)	µg/m ³	1.0	0.02	
09.	Nickel (Ni)	ng/m ³	20	1.7	
10.	Arsenic (As)	ng/m ³	06	1.4	
11.	Benzene (C ₆ H ₆)	µg/m³	05	0.9	
12.	Benzo (a) Pyrene	µg/m ³	01	0.24	

Vijay Pandey SENIOR EXECUTIVE





Hindalco Industries : Bagru

Environmental Monitoring Report

NOVEMBER 2019

Report No.: MEEPL/DEC0217/2019-20	Date: 27th December, 2019
Sample described by customer: AMBIENT AIR QUALITY MONITO	RING
Client Name: Hindalco Industries Limited	
Client Address: Lohardaga	
Postal Code: 835203	
State: Jharkhand	
Country: India	
Sample Type: AMBIENT AIR QUALITY MONITORING	
Marks on Sample: Location: Ropeway Angle Station	
Sample collected on: 06.11.2019	

LOCATION / IDENTIFICATION: Ropeway Angle Station				
Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration
01.	Particulate Matter (size less than 10 μ m) PM ₁₀	µg/m³	100	44.7
02.	Particulate Matter (size less than $2.5 \mu m$) $PM_{2.5}$	µg/m³	60	25.3
03.	Sulphur Dioxide (SO ₂)	µg/m ³	80	3.5
04.	Nitrogen Dioxide (NO ₂)	µg/m³	80	2.6
05.	Ammonia (NH_3)	µg/m³	400	5.2
06.	Ozone (O_3)	µg/m³	180	5.0
07.	Carbon Monoxide (CO)	mg/m ³	02	0.14
08.	Lead (Pb)	µg/m³	1.0	0.03
09.	Nickel (Ni)	ng/m ³	20	1.3
10.	Arsenic (As)	ng/m ³	06	1.5
11.	Benzene (C ₆ H ₆)	µg/m³	05	2.1
12.	Benzo (a) Pyrene	µg/m³	01	0.20

ar

Vijay Pandey SENIOR EXECUTIVE





Eco Ventures Pvt. Ltd.

Regd. Office: 2/37, Sarvapriya Vihar, Near IIT Gate, New Delhi-110016 Corporate Office: 7/8 Bhaveshwar Bhuvan, Opp Porthugese Church, Near Dindayal Upadhyay Garden, Gokhale Road (North), Dadar (West), Mumbai 400 028. Tel: +91 22 24370520 / 6672.

E: ecoventures.mumbai@gmail.com / ecoventures@eco-ventures.in

Mahabal Enviro Engineers Pvt. Ltd.

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009

BHUSAR BAUXITE MINE - ENVIRONMENTAL MONITORING REPORT

DECEMBER 2019

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey SENIOR EXECUTIVE





Branch Office:

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries : Bhusar

Environmental Monitoring Report

DECEMBER 2019

CONTENT

	LOCATION – BHUSAR BAUXITE MINE		
	AMBIENT AIR QUALITY – CORE ZONE		
1	Near View Point 1 (Bhusar Mine Pit I)		
2	Near View Point 2 (Bhusar Mine Pit II)		
3	Near Rest Shelter		
4	Near GTS Point		
	EFFLUENT WATER ANALYSIS		
1	STP Outlet (Bagru Mines)		
	STACK EMISSION MONITORING OF DG SET (FLUE GAS)		
1	Bagru Mines Office		



Branch Office:

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries : Bhusar

Environmental Monitoring Report

DECEMBER 2019

Report No.: MEEPL/JAN/0138/2019-20	Date: 27th January, 2020
Sample described by customer: AMBIENT AIR QUAL	TY MONITORING
Client Name: Hindalco Industries Limited	
Client Address: Lohardaga	
Postal Code: 835203	
State: Jharkhand	
Country: India	
Sample Type: AMBIENT AIR QUALITY MONITORING	
Marks on Sample Location: Near View Point 1 (Bhusar	Mine Pit I)
Sample collected on: 05.12.2019	

	LOCATION / IDENTIFICATION: Near View Point 1 (Bhusar Mine Pit I)			
Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration
01.	Particulate Matter (size less than 10 μ m) PM ₁₀	µg/m³	100	57.1
02.	Particulate Matter (size less than 2.5 μ m) PM _{2.5}	µg/m ³	60	29.5
03.	Sulphur Dioxide (SO ₂)	µg/m ³	80	6.4
04.	Nitrogen Dioxide (NO ₂)	µg/m³	80	4.7
05.	Ammonia (NH ₃)	µg/m³	400	6.9
06.	Ozone (O_3)	µg/m ³	180	8.3
07.	Carbon Monoxide (CO)	mg/m ³	02	0.29
08.	Lead (Pb)	µg/m ³	1.0	0.03
09.	Nickel (Ni)	ng/m ³	20	1.2
10.	Arsenic (As)	ng/m ³	06	1.4
11.	Benzene (C ₆ H ₆)	µg/m³	05	0.9
12.	Benzo (a) Pyrene	µg/m³	01	0.20

Vijay Pandey SENIOR EXECUTIVE





At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries : Bhusar

Environmental Monitoring Report

DECEMBER 2019

Report No.: MEEPL/JAN/0139/2019-20Date: 27th January, 2020Sample described by customer: AMBIENT AIR QUALITY MONITORINGClient Name: Hindalco Industries LimitedClient Address: LohardagaPostal Code: 835203State: JharkhandCountry: IndiaSample type: AMBIENT AIR QUALITY MONITORINGMarks on Sample: Location: Near View Point 2 (Bhusar Mine Pit II)Sample collected on: 05.12.2019

	LOCATION / IDENTIFICATION: Near View point 2 (Bhusar Mine Pit II)			
Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration
01.	Particulate Matter (size less than 10 μ m) PM ₁₀	µg/m³	100	66.3
02.	Particulate Matter (size less than 2.5 μ m) PM _{2.5}	µg/m³	60	31.5
03.	Sulphur Dioxide (SO ₂)	µg/m ³	80	5.9
04.	Nitrogen Dioxide (NO ₂)	µg/m³	80	4.1
05.	Ammonia (NH ₃)	µg/m³	400	7.7
06.	Ozone (O_3)	µg/m ³	180	7.9
07.	Carbon Monoxide (CO)	mg/m ³	02	0.30
08.	Lead (Pb)	µg/m ³	1.0	0.04
09.	Nickel (Ni)	ng/m ³	20	1.3
10.	Arsenic (As)	ng/m ³	06	1.1
11.	Benzene (C ₆ H ₆)	µg/m³	05	0.8
12.	Benzo (a) Pyrene	µg/m ³	01	0.21

Vijay Pandey SENIOR EXECUTIVE





At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries : Bhusar

Environmental Monitoring Report

DECEMBER 2019

Report No.: MEEPL/JAN/0140/2019-20	Date: 27th January, 2020
Sample described by customer: AMBIENT AIR QUALIT	Y MONITORING
Client Name: Hindalco Industries Limited	
Client Address: Lohardaga	
Postal Code: 835203	
State: Jharkhand	
Country: India	
Sample type: AMBIENT AIR QUALITY MONITORING	
Marks on Sample: Location: Near Rest Shelter	
Sample collected on: 05.12.2019	

	LOCATION / IDENTIFICATION: Near Rest Shelter				
Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration	
01.	Particulate Matter (size less than 10 μ m) PM ₁₀	µg/m³	100	50.8	
02.	Particulate Matter (size less than 2.5 μ m) PM _{2.5}	µg/m³	60	24.2	
03.	Sulphur Dioxide (SO ₂)	µg/m ³	80	3.5	
04.	Nitrogen Dioxide (NO ₂)	µg/m³	80	2.1	
05.	Ammonia (NH ₃)	µg/m³	400	4.5	
06.	$Ozone(O_3)$	µg/m ³	180	6.6	
07.	Carbon Monoxide (CO)	mg/m ³	02	0.22	
08.	Lead (Pb)	µg/m ³	1.0	0.01	
09.	Nickel (Ni)	ng/m ³	20	1.4	
10.	Arsenic (As)	ng/m ³	06	0.7	
11.	Benzene (C ₆ H ₆)	µg/m ³	05	0.8	
12.	Benzo (a) Pyrene	µg/m³	01	0.16	

Vijay Pandey SENIOR EXECUTIVE



Branch Office:

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries : Bhusar

Environmental Monitoring Report

DECEMBER 2019

Report No.: MEEPL /JAN/0141/2019-20 Date: 27 th January, 2020
--

Sample described by customer: AMBIENT AIR QUALITY MONITORING

Client Name: Hindalco Industries Limited Client Address: Lohardaga Postal Code: 835203 State: Jharkhand Country: India Sample Type: AMBIENT AIR QUALITY MONITORING Marks on Sample: Location: Near GTS Point Sample collected on: 05.12.2019

	LOCATION / IDENTIFICATION: Near GTS Point				
Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration	
01.	Particulate Matter (size less than 10 μ m) PM ₁₀	µg/m ³	100	63.1	
02.	Particulate Matter (size less than 2.5 μ m) PM _{2.5}	µg/m ³	60	31.5	
03.	Sulphur Dioxide (SO ₂)	µg/m ³	80	3.9	
04.	Nitrogen Dioxide (NO ₂)	µg/m³	80	2.2	
05.	Ammonia (NH ₃)	µg/m³	400	6.5	
06.	Ozone (O_3)	µg/m ³	180	7.2	
07.	Carbon Monoxide (CO)	mg/m ³	02	0.27	
08.	Lead (Pb)	µg/m ³	1.0	0.03	
09.	Nickel (Ni)	ng/m ³	20	1.5	
10.	Arsenic (As)	ng/m ³	06	1.0	
11.	Benzene (C ₆ H ₆)	µg/m ³	05	0.7	
12.	Benzo (a) Pyrene	µg/m ³	01	0.24	

Vijay Pandey SENIOR EXECUTIVE





At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries : Bhusar

Environmental Monitoring Report

DECEMBER 2019

Report	Report No.: MEEPL/JAN/0142/2019-20 Date: 27th January, 2020				
Sample	described by customer:	STP Outlet (Bagru Mines)			
Client N	ame: Hindalco Industr	ies Limited			
Client A	ddress: Lohardaga				
Postal C	ode: 835203				
State: Jh	arkhand				
Country					
	Type: Effluent Water				
	-	P Outlet (Bagru Mines)			
-	y: 4 liters.				
Sample	collected on: 05.12.20	19			
Sl. No.	Analysis	Method	Result	Unit	Limits
1.	рН	APHA 22 nd Ed. 2012, 4500-H+-B,4-92	7.9	mg/l	5.5-9.0
2.	Total Suspended Solids	APHA 22 nd EDN: 2012 - 2540	78	mg/l	100
3.	BOD @ 27ºC	IS 3025 (Part 44): 1993, RA2003, Amd.1	7.5	mg/l	30
4.	COD	IS 3025 (Part 58): 1993, RA2006, Amd.1	33	mg/l	250
5.	0il & Grease	IS 3025(PART 39): 1991 RA 2003,Ed 2.1	<5.0	mg/l	10
6.	Total Dissolved Solids	APHA 22 ND EDN 2012-2540	1482	mg/l	2100
7.	Aluminium (as Al)	APHA 22 nd EDN 2012-3120B	0.8	mg/l	3
8.	Calcium (as Ca)	APHA 22 nd EDN 2012-3120B	8.5	mg/l	75
9.	Iron (as Fe)	APHA 22 nd EDN 2012-3120B	1.1	mg/l	3
10.	Temperature		23.8	0 C	Shall not exceed 5ºC above the receiving water temperature

Vijay Pandey SENIOR EXECUTIVE



Branch Office:

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries : Bhusar

Environmental Monitoring Report

DECEMBER 2019

-	t No.: MEEPL/JAN/0143/2019-20		Date: 27	^{7th} January, 2020
-	lescribed as: FLUE GAS			
	the Industry: M/S HINDALCO INDUSTRIE			
	Mines Division, Lohardaga, Jharkhand, Pin	-835302		
	ime of Sampling: 05.12.2019			
	g Site: Bagru Mines Office			
А.	General Information about Stack			
	 Stack connected to: DG-Set (250 	KVA)		
	 Emission due to Burning of H.S.D 	I		
	 Material OF construction: M.S 			
	 Shape of Stack: Circular 			
	 Whether stack is provided with p 	oermanent platform & ladder	: Yes	
	 Capacity. 250 KVA 			
В.	Physical characteristics of stack			
	• Height of the stack (a) from grou			
	 Diameter of the Stack at Samplin 	g point: 0.2030m		
	 Height of the sampling point from 	n GL. 6.25m		
C.	Analysis/Characteristic of Stock			
	• Fuel used: H.S.D			
	 Fuel Consumption: 30 lt/hr 			
D.	Analysis Report			
Sl. No.	PARAMETERS	PROTOCOL	RESULTS	Limits as per MoEF G.S.R.448(E)
1.	Temperature of Emission (⁰ C)	IS 11255 Part: 3 1985 (Realf 2008)	295	
2.	Barometric pressure (mm of Hg)	IS 11255 Part: 3 1985 (Realf 2008)	752	
3.	Velocity of Gas (m/Sec)	IS 11255 Part: 3 1985 (Realf 2008)	7.41	
4.	Quantity of Gas flow (Nm ³ /hr)	IS 11255 Part: 3 1985 (Realf 2008)	448	
5.	Concentration of CO_2 (% v/v)	IS 11255 Part: 3 1985 (Realf 2008)	3.6	5.0
6.	Concentration of CO (gm/kw-h)	IS 11255 Part: 3 1985 (Realf 2008)	0.91	
7.	Concentration of SO ₂ (mg/Nm3)	USEPA-6C	71.7	
8.	Concentration of NO ₂ (gm/kw-h)	USEPA-7E	1.15	9.2
9.	Concentration of Particulate Matters (gm/kw-h)	IS 11255 Part: 3 1985 (Realf 2003)	0.20	0.3
E.	Pollution Control Device f pollution control devices attached with th			

Vijay Pandey SENIOR EXECUTIVE





At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries : Bagru

Environmental Monitoring Report

DECEMBER 2019

Report No.: MEEPL/JAN/0134/2019-20	Date: 18 th January, 2020
Sample described by customer: AMBIENT AIR QUAL	ITY MONITORING
Client Name: Hindalco Industries Limited	
Client Address: Lohardaga	
Postal Code: 835203	
State: Jharkhand	
Country: India	
Sample Type: AMBIENT AIR QUALITY MONITORING	
Marks on Sample Location: Near Daldaliya Village	
Sample collected on: 04.12.2019	

	LOCATION / IDENTIFICATION: Near Daldaliya Village				
Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration	
01.	Particulate Matter (size less than 10 μ m) PM ₁₀	µg/m ³	100	47.5	
02.	Particulate Matter (size less than 2.5 μ m) PM _{2.5}	µg/m³	60	25.1	
03.	Sulphur Dioxide (SO ₂)	µg/m ³	80	2.7	
04.	Nitrogen Dioxide (NO ₂)	µg/m³	80	1.9	
05.	Ammonia (NH_3)	µg/m³	400	4.0	
06.	Ozone (O_3)	µg/m ³	180	5.4	
07.	Carbon Monoxide (CO)	mg/m ³	02	0.19	
08.	Lead (Pb)	µg/m ³	1.0	0.01	
09.	Nickel (Ni)	ng/m ³	20	1.2	
10.	Arsenic (As)	ng/m ³	06	0.9	
11.	Benzene (C ₆ H ₆)	µg/m³	05	1.0	
12.	Benzo (a) Pyrene	µg/m ³	01	0.18	

Vijay Pandey SENIOR EXECUTIVE





At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries : Bagru

Environmental Monitoring Report

DECEMBER 2019

Report No.: MEEPL/JAN/0135/2019-20	Date: 18th January, 2020	
Sample described by customer: AMBIENT AIR QUALITY MONITORING		
Client Name: Hindalco Industries Limited		
Client Address: Lohardaga		
Postal Code: 835203		
State: Jharkhand		
Country: India		
Sample type: AMBIENT AIR QUALITY MONITORING		
Marks on Sample: Location: Aditya School Gangupa	a	
Sample collected on: 04.12.2019		

	LOCATION / IDENTIFICATION: Aditya School Gangupara				
Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration	
01.	Particulate Matter (size less than 10 μ m) PM ₁₀	µg/m ³	100	39.1	
02.	Particulate Matter (size less than 2.5 μ m) PM _{2.5}	µg/m ³	60	20.3	
03.	Sulphur Dioxide (SO ₂)	µg/m ³	80	3.7	
04.	Nitrogen Dioxide (NO ₂)	µg/m³	80	2.2	
05.	Ammonia (NH ₃)	µg/m³	400	3.5	
06.	$O_{zone}(O_3)$	µg/m ³	180	5.1	
07.	Carbon Monoxide (CO)	mg/m ³	02	0.10	
08.	Lead (Pb)	µg/m ³	1.0	0.01	
09.	Nickel (Ni)	ng/m ³	20	1.3	
10.	Arsenic (As)	ng/m ³	06	0.6	
11.	Benzene (C ₆ H ₆)	µg/m³	05	1.2	
12.	Benzo (a) Pyrene	µg/m³	01	0.13	

Vijay Pandey SENIOR EXECUTIVE





Hindalco Industries : Bagru

Environmental Monitoring Report

DECEMBER 2019

Report No.: MEEPL/JAN/0136/2019-20	Date: 18 th January, 2020		
Sample described by customer: AMBIENT AIR QUALITY MONITORING			
Client Name: Hindalco Industries Limited			
Client Address: Lohardaga			
Postal Code: 835203			
State: Jharkhand			
Country: India			
Sample type: AMBIENT AIR QUALITY MONITORING			
Marks on Sample: Location: Ropeway Unloading St	ation		
Sample collected on: 04.12.2019			

	LOCATION / IDENTIFICATION: Ropeway Unloading Station				
Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration	
01.	Particulate Matter (size less than 10 μ m) PM ₁₀	µg/m³	100	56.4	
02.	Particulate Matter (size less than 2.5 μ m) PM _{2.5}	µg/m³	60	25.9	
03.	Sulphur Dioxide (SO ₂)	µg/m ³	80	3.2	
04.	Nitrogen Dioxide (NO ₂)	µg/m³	80	2.3	
05.	Ammonia (NH $_3$)	µg/m³	400	5.7	
06.	0 zone (0_3)	µg/m³	180	7.1	
07.	Carbon Monoxide (CO)	mg/m ³	02	0.25	
08.	Lead (Pb)	µg/m ³	1.0	0.02	
09.	Nickel (Ni)	ng/m ³	20	1.7	
10.	Arsenic (As)	ng/m ³	06	1.4	
11.	Benzene (C ₆ H ₆)	µg/m³	05	0.9	
12.	Benzo (a) Pyrene	µg/m ³	01	0.24	

Vijay Pandey SENIOR EXECUTIVE





Hindalco Industries : Bagru

Environmental Monitoring Report

DECEMBER 2019

Report No.: MEEPL/JAN/0137/2019-20	Date: 18 th January, 2020
Sample described by customer: AMBIENT AIR QUAL	ITY MONITORING
Client Name: Hindalco Industries Limited	
Client Address: Lohardaga	
Postal Code: 835203	
State: Jharkhand	
Country: India	
Sample Type: AMBIENT AIR QUALITY MONITORING	
Marks on Sample: Location: Ropeway Angle Station	
Sample collected on: 04.12.2019	

	LOCATION / IDENTIFICATION: Ropeway Angle Station				
Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration	
01.	Particulate Matter (size less than 10 μ m) PM ₁₀	µg/m ³	100	49.1	
02.	Particulate Matter (size less than 2.5 μ m) PM _{2.5}	µg/m³	60	25.3	
03.	Sulphur Dioxide (SO ₂)	µg/m ³	80	3.8	
04.	Nitrogen Dioxide (NO ₂)	µg/m³	80	2.5	
05.	Ammonia (NH_3)	µg/m³	400	5.0	
06.	$Ozone(O_3)$	µg/m³	180	5.4	
07.	Carbon Monoxide (CO)	mg/m ³	02	0.18	
08.	Lead (Pb)	µg/m ³	1.0	0.03	
09.	Nickel (Ni)	ng/m ³	20	1.2	
10.	Arsenic (As)	ng/m ³	06	1.5	
11.	Benzene (C ₆ H ₆)	µg/m³	05	2.1	
12.	Benzo (a) Pyrene	µg/m³	01	0.20	

Vijay Pandey SENIOR EXECUTIVE





Eco Ventures Pvt. Ltd.

Regd. Office: 2/37, Sarvapriya Vihar, Near IIT Gate, New Delhi-110016 Corporate Office: 7/8 Bhaveshwar Bhuvan, Opp Porthugese Church, Near Dindayal Upadhyay Garden, Gokhale Road (North), Dadar (West), Mumbai 400 028. Tel: +91 22 24370520 / 6672.

E: ecoventures.mumbai@gmail.com / ecoventures@eco-ventures.in

Mahabal Enviro Engineers Pvt. Ltd.

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009

BHUSAR BAUXITE MINE - ENVIRONMENTAL MONITORING REPORT

JANUARY 2020

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey SENIOR EXECUTIVE





Branch Office:

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries : Bhusar

Environmental Monitoring Report

JANUARY 2020

CONTENT

	LOCATION – BHUSAR BAUXITE MINE
A.	AMBIENT AIR QUALITY – CORE ZONE
1	Near View Point 1 (Bhusar Mine Pit I)
2	Near View Point 2 (Bhusar Mine Pit II)
3	Near Rest Shelter
4	Near GTS Point
B.	EFFLUENT WATER ANALYSIS
1	STP Outlet (Bagru Mines)
C.	STACK EMISSION MONITORING OF DG SET (FLUE GAS)
1	Bagru Mines Office
Е.	SURFACE WATER
	Bhusar Bauxite Mine
F.	AMBIENT NOISE MONITORING
	Bhusar Bauxite Mine



Branch Office:

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries : Bhusar

Environmental Monitoring Report

JANUARY 2020

Report No.: MEEPL/FEB/0222/2019-20Date: 15th February, 2020Sample described by customer: AMBIENT AIR QUALITY MONITORINGClient Name: Hindalco Industries LimitedClient Address: LohardagaPostal Code: 835203State: JharkhandCountry: IndiaSample Type: AMBIENT AIR QUALITY MONITORINGMarks on Sample Location: Near View Point 1 (Bhusar Mine Pit I)Sample collected on: 06.01.2020

Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration
01.	Particulate Matter (size less than 10 μ m) PM ₁₀	µg/m ³	100	61.5
02.	Particulate Matter (size less than 2.5 μ m) PM _{2.5}	µg/m ³	60	33.8
03.	Sulphur Dioxide (SO ₂)	µg/m ³	80	6.9
04.	Nitrogen Dioxide (NO ₂)	µg/m³	80	4.5
05.	Ammonia (NH ₃)	µg/m³	400	7.7
06.	0 zone (0_3)	µg/m ³	180	8.1
07.	Carbon Monoxide (CO)	mg/m ³	02	0.35
08.	Lead (Pb)	µg/m ³	1.0	0.03
09.	Nickel (Ni)	ng/m ³	20	1.2
10.	Arsenic (As)	ng/m ³	06	1.4
11.	Benzene (C ₆ H ₆)	µg/m ³	05	0.9
12.	Benzo (a) Pyrene	µg/m ³	01	0.23

Vijay Pandey SENIOR EXECUTIVE





At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries : Bhusar

Environmental Monitoring Report

JANUARY 2020

Report No.: MEEPL/FEB/0223/2019-20Date: 15th February, 2020Sample described by customer: AMBIENT AIR QUALITY MONITORINGClient Name: Hindalco Industries LimitedClient Address: LohardagaPostal Code: 835203State: JharkhandCountry: IndiaSample type: AMBIENT AIR QUALITY MONITORINGMarks on Sample: Location: Near View Point 2 (Bhusar Mine Pit II)Sample collected on: 06.01.2020

	LOCATION / IDENTIFICATION: Near View point 2 (Bhusar Mine Pit II)					
Sl. No.	PARAMETERS		Standard Limit	Concentration		
01.	Particulate Matter (size less than 10 μ m) PM ₁₀	µg/m³	100	69.0		
02.	Particulate Matter (size less than 2.5 μ m) PM _{2.5}	µg/m³	60	35.2		
03.	Sulphur Dioxide (SO ₂)	µg/m ³	80	6.1		
04.	Nitrogen Dioxide (NO ₂)	µg/m³	80	4.8		
05.	Ammonia (NH ₃)	µg/m³	400	7.9		
06.	$Ozone(O_3)$	µg/m³	180	8.2		
07.	Carbon Monoxide (CO)	mg/m ³	02	0.35		
08.	Lead (Pb)	µg/m ³	1.0	0.04		
09.	Nickel (Ni)	ng/m ³	20	1.3		
10.	Arsenic (As)	ng/m ³	06	1.1		
11.	Benzene (C ₆ H ₆)	µg/m ³	05	0.8		
12.	Benzo (a) Pyrene	µg/m ³	01	0.24		

Vijay Pandey SENIOR EXECUTIVE





At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries : Bhusar

Environmental Monitoring Report

JANUARY 2020

Report No.: MEEPL/FEB/0224/2019-20	Date : 15 th February, 2020
Sample described by customer: AMBIENT AIR QUALIT	Y MONITORING
Client Name: Hindalco Industries Limited	
Client Address: Lohardaga	
Postal Code: 835203	
State: Jharkhand	
Country: India	
Sample type: AMBIENT AIR QUALITY MONITORING	
Marks on Sample: Location: Near Rest Shelter	
Sample collected on: 06.01.2020	

	LOCATION / IDENTIFICATION: Near Rest Shelter					
Sl. No.	PARAMETERS		PARAMETERS UN		Standard Limit	Concentration
01.	Particulate Matter (size less than 10 μ m) PM ₁₀	µg/m³	100	55.1		
02.	Particulate Matter (size less than 2.5 μ m) PM _{2.5}	µg/m³	60	27.6		
03.	O3.Sulphur Dioxide (SO2) $\mu g/m^3$ 80		3.9			
04.	Nitrogen Dioxide (NO ₂)	µg/m³	80	2.4		
05.	Ammonia (NH ₃)	µg/m³	400	4.9		
06.	$Ozone(O_3)$	µg/m³	180	7.1		
07.	Carbon Monoxide (CO)	mg/m ³	02	0.28		
08.	Lead (Pb)	µg/m ³	1.0	0.01		
09.	Nickel (Ni)	ng/m ³	20	1.5		
10.	Arsenic (As)	ng/m ³	06	0.7		
11.	Benzene (C ₆ H ₆)	µg/m ³	05	0.8		
12.	Benzo (a) Pyrene	µg/m ³	01	0.18		

Vijay Pandey SENIOR EXECUTIVE



Branch Office:

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:<u>mahabalranchi@gmail.com</u>

Hindalco Industries : Bhusar

Environmental Monitoring Report

JANUARY 2020

Report No.: MEEPL/FEB/0225/2019-20	Date: 15 th February, 2020

Sample described by customer: AMBIENT AIR QUALITY MONITORING

Client Name: Hindalco Industries Limited Client Address: Lohardaga Postal Code: 835203 State: Jharkhand Country: India Sample Type: AMBIENT AIR QUALITY MONITORING Marks on Sample: Location: Near GTS Point Sample collected on: 06.01.2020

	LOCATION / IDENTIFICATION: Near GTS Point					
Sl. No.	PARAMETERS		PARAMETERS UNIT		Standard Limit	Concentration
01.	Particulate Matter (size less than 10 μ m) PM ₁₀	µg/m ³	100	65.8		
02.	Particulate Matter (size less than 2.5 μ m) PM _{2.5}	µg/m³	60	36.1		
03.	Sulphur Dioxide (SO ₂)	µg/m ³	80	4.2		
04.	Nitrogen Dioxide (NO ₂)	µg/m ³	80	2.5		
05.	Ammonia (NH ₃)	µg/m³	400	6.9		
06.	$Ozone(O_3)$	µg/m ³	180	7.3		
07.	Carbon Monoxide (CO)	mg/m ³	02	0.31		
08.	Lead (Pb)	µg/m ³	1.0	0.03		
09.	Nickel (Ni)	ng/m ³	20	1.5		
10.	Arsenic (As)	ng/m ³	06	1.0		
11.	Benzene (C ₆ H ₆)	µg/m ³	05	0.7		
12.	Benzo (a) Pyrene	µg/m ³	01	0.23		

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey SENIOR EXECUTIVE





At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries : Bhusar

Environmental Monitoring Report

JANUARY 2020

Report	No.: MEEPL/FEB/0226	5/2019-20		Date:	15 th February, 2020
Sample	described by customer:	STP Outlet (Bagru Mines))		
Client N	ame: Hindalco Industr	ies Limited			
Client A	ddress: Lohardaga				
	ode: 835203				
	arkhand				
Country					
-	Type: Effluent Water				
	-	P Outlet (Bagru Mines)			
-	y: 4 liters.				
Sample	collected on: 06.01.20	20			
Sl. No.	Analysis	Method	Result	Unit	Limits
1.	рН	APHA 22 nd Ed. 2012, 4500-H+-B,4-92	7.9	mg/l	5.5-9.0
2.	Total Suspended Solids	APHA 22 nd EDN: 2012-2540	81	mg/l	100
3.	BOD @ 27ºC	IS 3025 (Part 44): 1993, RA2003, Amd.1	7.7	mg/l	30
4.	COD	IS 3025 (Part 58): 1993, RA2006, Amd.1	35	mg/l	250
5.	Oil & Grease	IS 3025(PART 39): 1991 RA 2003,Ed 2.1	<5.0	mg/l	10
6.	Total Dissolved Solids	APHA 22 ND EDN 2012-2540	1549	mg/l	2100
7.	Aluminium (as Al)	APHA 22 nd EDN 2012-3120B	0.8	mg/l	3
8.	Calcium (as Ca)	APHA 22 nd EDN 2012-3120B	9.1	mg/l	75
9.	Iron (as Fe)	APHA 22 nd EDN 2012-3120B	1.1	mg/l	3
10.	Temperature		20.5	0 C	Shall not exceed 5°C above the receiving water temperature

Vijay Pandey SENIOR EXECUTIVE



Branch Office:

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries : Bhusar

Environmental Monitoring Report

JANUARY 2020

	No.: MEEPL/FEB/0227/2019-20		Date: 1	5 th February, 2020
-	escribed as: FLUE GAS			
	the Industry: M/S HINDALCO INDUSTRIE			
Address:	Mines Division, Lohardaga, Jharkhand, Pin	-835302		
Date & ti	ime of Sampling: 06.01.2020			
	g Site: Bagru Mines Office			
А.	General Information about Stack			
	• Stack connected to: DG-Set (250	KVA)		
	• Emission due to Burning of H.S.D)		
	 Material OF construction: M.S 			
	 Shape of Stack: Circular 			
	 Whether stack is provided with provided with	oermanent platform & ladder	: Yes	
	 Capacity. 250 KVA 			
В.	Physical characteristics of stack			
	• Height of the stack (a) from grou			
	 Diameter of the Stack at Samplin 			
	 Height of the sampling point from 	n GL. 6.25m		
C.	Analysis/Characteristic of Stock			
	• Fuel used: H.S.D			
	• Fuel Consumption: 30 lt/hr			
D.	Analysis Report			
Sl. No.	PARAMETERS	PROTOCOL	RESULTS	Limits as per MoEF G.S.R.448(E)
1.	Temperature of Emission (⁰ C)	IS 11255 Part: 3 1985 (Realf 2008)	298	
2.	Barometric pressure (mm of Hg)	IS 11255 Part: 3 1985 (Realf 2008)	747	
3.	Velocity of Gas (m/Sec)	IS 11255 Part: 3 1985 (Realf 2008)	7.46	
4.	Quantity of Gas flow (Nm ³ /hr)	IS 11255 Part: 3 1985 (Realf 2008)	446	
5.	Concentration of CO ₂ (% v/v)	IS 11255 Part: 3 1985 (Realf 2008)	3.7	5.0
6.	Concentration of CO (gm/kw-h)	IS 11255 Part: 3 1985 (Realf 2008)	0.94	
7.	Concentration of SO ₂ (mg/Nm3)	USEPA-6C	78.4	
8.	Concentration of NO ₂ (gm/kw-h)	USEPA-7E	1.09	9.2
9.	Concentration of Particulate Matters (gm/kw-h)	IS 11255 Part: 3 1985 (Realf 2003)	0.20	0.3
E.	Pollution Control Device f pollution control devices attached with th			

Vijay Pandey SENIOR EXECUTIVE





At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:<u>mahabalranchi@gmail.com</u>

Hindalco Industries : Bhusar

Environmental Monitoring Report

JANUARY 2020

Report No.: MEEPL/FEB/0228/2019-20Date: 15th February, 2020Sample described by customer : SURFACE WATERImage: Client Name: Hindalco Industries LimitedClient Name: Hindalco Industries LimitedImage: Client Address: LohardagaPostal Code: 835203Image: Code: 835203State: JharkhandImage: Country: IndiaCountry: IndiaImage: Country: IndiaSample Type: SURFACE WATERImage: Country: IndiaMarks on Sample: Location: Bhusar Bauxite MineImage: Country: IndiaSample collected on:06.01.2020Image: Country: Image: Country: India

Sl. No.	Parameters	Unit	Result	Acceptable Limit (IS 10500:2012)	Method Reference
1	Colour	Hazen	<2	5 Max	APHA 22 nd Ed. 2012, 2120-B, 2-6
2	Odour		Agreeable	Agreeable	IS 3025 (Part 7): 1983, Reaffirmed 2006
3	Taste		Agreeable	Agreeable	IS 3025 (Part 7): 1983, Reaffirmed 2006
4	Turbidity	NTU	0.27	1 Max	APHA 22 nd Ed. 2012, 2130 - B, 2 - 13
5	рН		6.9	6.5-8.5	APHA 22 nd Ed. 2012, 4500-H+-B, 4-92
6	Free Chlorides (Residual)	mg/l	<0.5	0.2 min	APHA 22 nd Ed. 2012, 4500-CI-G, 4- 69
7	Total Dissolved Solids	mg/l	382	500 max	IS 3025 (Part 16): 1984, Reaffirmed 2006
8	Total hardness (as CaCO3)	mg/l	44	200 max	APHA 22 nd Ed. 2012, 4500-CIG, 4- 69
9	Alkalinirty Total (as CaCO3)	mg/l	39	200 max	IS 3025 (Part 237): 1986, Reaffirmed 2009
10	Chloride (as CI)	mg/l	31	250 max	APHA 22 nd Ed. 2012, 4500-CI-b, 4- 72
11	Sulphate (as SO4)	mg/l	28.6	200 max	APHA 22 nd Ed. 2012, 4500-so4-e, 4-190
12	Boron (as B)	mg/l	0.15	0.5 max	APHA 22 nd Ed. 2012, 4500-BB, 4- 25
13	Magnesium (as Mg)	mg/l	5.8	30 max	APHA 22 nd Ed. 2012, 3500-Mg-B, 3-84





Hindalco Industries : Bhusar

Environmental Monitoring Report

JANUARY 2020

Continuation Sheet MEEPL/FEB/0228/2019-20

Sl. No.	Parameters	Unit	Result	Acceptable Limit (IS 10500:2012)	Method Reference
14	Fluoride (as F)	mg/l	0.12	1 max	APHA 22 nd Ed. 2012, 4500-FB & D, 4- 84, 4-87
15	Calcium (as Ca)	mg/l	6.3	75 max	APHA 22 nd Ed. 2012, 3500-Ca-B, 3-67
16	Iron (as Fe)	mg/l	0.06	0.3 max	APHA 22 nd Ed. 2012, 3111-B, 3-18
17	Cadmium (as Cd)	mg/l	N.D	0.003 max	APHA 22 nd Ed. 2012, 3111-B, 3-18
18	Chromium Total (as Cr)	mg/l	N.D	0.05 max	APHA 22 nd Ed. 2012, 3111-B, 3-18
19	Copper (as Cu)	mg/l	N.D	0.05 max	APHA 22 nd Ed. 2012, 3111-B, 3-18
20	Lead (as Pb)	mg/l	N.D	0.01 max	APHA 22 nd Ed. 2012, 3111-B, 3-18
21	Zinc (as Zn)	mg/l	0.02	5 max	APHA 22 nd Ed. 2012, 3111-B, 3-18
22	Arsenic (as As)	mg/l	<0.01	0.01 max	APHA 22 nd Ed. 2012, 3114-B, 3-38
23	Selenium (as Se)	mg/l	N.D	0.001 max	APHA 22 nd Ed. 2012, 3112-B, 3-23
24	Mercury (as hg)	mg/l	N.D	0.01 max	APHA 22 nd Ed. 2012, 3114-B, 3-38
25	Cyanide (as CN)	mg/l	N.D	0.05 max	APHA 22 nd ED. 2012, 4500-CN.C & 4-39 & 4-44
26	Manganese (as Mn)	mg/l	N.D	0.1 max	APHA 22 nd Ed. 2012, 3111-B, 3-18
27	Dissolved Oxygen	mg/l	7.3	7-8	APHA 20 th ED. Method 4500-o g.

Conclusion: The Physical & Chemical Analysis report indicates that water is not contaminated.

Vijay Pandey SENIOR EXECUTIVE





Hindalco Industries : Bhusar

Environmental Monitoring Report

JANUARY 2020

Report No.: MEEPL/FEB/0229/2019-20	Date: 15 th February, 2020
Sample described by customer : Measurement of Noise	
Client Name : Hindalco Industries Limited	
Client Address : Lohardaga	
Postal Code : 835203	
State : Jharkhand	
Country : India	
Sample Description : Measurement of Noise	
Sampling Method : Instrumental, using Sound level Metter	
Data Collection Date: 06.01.2020	

Location/Identification	Unit	Limit (day)	Result	Limit (night)	Result
Bhusar Bauxite Mines	dB (A) L _{eq}	75	69.2	70	55.6

For Mahabal Enviro Engineers Pvt. Ltd.

ar-

Vijay Pandey SENIOR EXECUTIVE





Hindalco Industries : Bagru

Environmental Monitoring Report

JANUARY 2020

Report No.: MEEPL/FEB/0217/2019-20	Date : 15 th February, 2020
Sample described by customer: AMBIENT AIR QUALI	FY MONITORING
Client Name: Hindalco Industries Limited	
Client Address: Lohardaga	
Postal Code: 835203	
State: Jharkhand	
Country: India	
Sample Type: AMBIENT AIR QUALITY MONITORING	
Marks on Sample Location: Near Daldaliya Village	
Sample collected on: 04.01.2020	

	LOCATION / IDENTIFICATION: Near I	Daldaliya V	/illage	
Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration
01.	Particulate Matter (size less than 10 μ m) PM ₁₀	µg/m ³	100	50.1
02.	Particulate Matter (size less than 2.5 μ m) PM _{2.5}	µg/m ³	60	28.0
03.	Sulphur Dioxide (SO ₂)	µg/m ³	80	2.9
04.	Nitrogen Dioxide (NO ₂)	µg/m³	80	1.5
05.	Ammonia (NH ₃)	µg/m³	400	3.7
06.	Ozone (O_3)	µg/m ³	180	5.8
07.	Carbon Monoxide (CO)	mg/m ³	02	0.22
08.	Lead (Pb)	µg/m ³	1.0	0.01
09.	Nickel (Ni)	ng/m ³	20	1.2
10.	Arsenic (As)	ng/m ³	06	0.9
11.	Benzene (C ₆ H ₆)	µg/m ³	05	1.0
12.	Benzo (a) Pyrene	µg/m ³	01	0.16

Vijay Pandey SENIOR EXECUTIVE





At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries : Bagru

Environmental Monitoring Report

JANUARY 2020

Report No.: MEEPL/FEB/0218/2019-20	Date : 15 th February, 2020
Sample described by customer: AMBIENT AIR QUAL	ITY MONITORING
Client Name: Hindalco Industries Limited	
Client Address: Lohardaga	
Postal Code: 835203	
State: Jharkhand	
Country: India	
Sample type: AMBIENT AIR QUALITY MONITORING	
Marks on Sample: Location: Aditya School Gangupar	a
Sample collected on: 04.01.2020	

	LOCATION / IDENTIFICATION: Aditya	School Gan	gupara	
Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration
01.	Particulate Matter (size less than 10 μ m) PM ₁₀	µg/m ³	100	42.7
02.	Particulate Matter (size less than 2.5 μ m) PM _{2.5}	µg/m³	60	20.5
03.	Sulphur Dioxide (SO ₂)	µg/m ³	80	3.5
04.	Nitrogen Dioxide (NO ₂)	µg/m³	80	2.4
05.	Ammonia (NH ₃)	µg/m³	400	3.5
06.	$Ozone(O_3)$	µg/m ³	180	5.9
07.	Carbon Monoxide (CO)	mg/m ³	02	0.15
08.	Lead (Pb)	µg/m ³	1.0	0.01
09.	Nickel (Ni)	ng/m ³	20	1.3
10.	Arsenic (As)	ng/m ³	06	0.6
11.	Benzene (C ₆ H ₆)	µg/m ³	05	1.2
12.	Benzo (a) Pyrene	µg/m ³	01	0.13

Vijay Pandey SENIOR EXECUTIVE





Hindalco Industries : Bagru

Environmental Monitoring Report

JANUARY 2020

Report No.: MEEPL/FEB/0219/2019-20	Date : 15 th February, 2020
Sample described by customer: AMBIENT AIR QUALIT	Y MONITORING
Client Name: Hindalco Industries Limited	
Client Address: Lohardaga	
Postal Code: 835203	
State: Jharkhand	
Country: India	
Sample type: AMBIENT AIR QUALITY MONITORING	
Marks on Sample: Location: Ropeway Unloading Station	on
Sample collected on: 04.01.2020	

	LOCATION / IDENTIFICATION: Ropeway	Unloadin	g Station	
Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration
01.	Particulate Matter (size less than 10 $\mu m)$ PM_{10}	µg/m³	100	59.2
02.	Particulate Matter (size less than 2.5 μ m) PM _{2.5}	µg/m³	60	28.5
03.	Sulphur Dioxide (SO ₂)	µg/m ³	80	3.7
04.	Nitrogen Dioxide (NO ₂)	µg/m³	80	2.1
05.	Ammonia (NH ₃)	µg/m³	400	5.9
06.	$Ozone(O_3)$	µg/m ³	180	7.5
07.	Carbon Monoxide (CO)	mg/m ³	02	0.29
08.	Lead (Pb)	µg/m ³	1.0	0.02
09.	Nickel (Ni)	ng/m ³	20	1.7
10.	Arsenic (As)	ng/m ³	06	1.3
11.	Benzene (C ₆ H ₆)	µg/m³	05	0.9
12.	Benzo (a) Pyrene	µg/m ³	01	0.22

Vijay Pandey SENIOR EXECUTIVE





Hindalco Industries : Bagru

Environmental Monitoring Report

JANUARY 2020

Report No.: MEEPL/FEB/0220/2019-20	Date: 15 th February, 2020
Sample described by customer: AMBIENT AIR QUALIT	Y MONITORING
Client Name: Hindalco Industries Limited	
Client Address: Lohardaga	
Postal Code: 835203	
State: Jharkhand	
Country: India	
Sample Type: AMBIENT AIR QUALITY MONITORING	
Marks on Sample: Location: Ropeway Angle Station	
Sample collected on: 04.01.2020	
•	

	LOCATION / IDENTIFICATION: Ropew	ay Angle S	tation	
Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration
01.	Particulate Matter (size less than 10 μ m) PM ₁₀	µg/m ³	100	53.5
02.	Particulate Matter (size less than 2.5 μ m) PM _{2.5}	µg/m³	60	26.1
03.	Sulphur Dioxide (SO ₂)	µg/m ³	80	4.1
04.	Nitrogen Dioxide (NO ₂)	µg/m³	80	2.0
05.	Ammonia (NH ₃)	µg/m³	400	5.3
06.	Ozone (O_3)	µg/m³	180	5.0
07.	Carbon Monoxide (CO)	mg/m ³	02	0.22
08.	Lead (Pb)	µg/m³	1.0	0.03
09.	Nickel (Ni)	ng/m ³	20	1.2
10.	Arsenic (As)	ng/m ³	06	1.5
11.	Benzene (C ₆ H ₆)	µg/m³	05	2.1
12.	Benzo (a) Pyrene	µg/m³	01	0.22

ar.

Vijay Pandey SENIOR EXECUTIVE





Eco Ventures Pvt. Ltd.

Regd. Office: 2/37, Sarvapriya Vihar, Near IIT Gate, New Delhi-110016 Corporate Office: 7/8 Bhaveshwar Bhuvan, Opp Porthugese Church, Near Dindayal Upadhyay Garden, Gokhale Road (North), Dadar (West), Mumbai 400 028. Tel: +91 22 24370520 / 6672.

E: ecoventures.mumbai@gmail.com / ecoventures@eco-ventures.in

Mahabal Enviro Engineers Pvt. Ltd.

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009

BHUSAR BAUXITE MINE - ENVIRONMENTAL MONITORING REPORT

FEBRUARY 2020

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey SENIOR EXECUTIVE





Branch Office:

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries : Bhusar

Environmental Monitoring Report

FEBRUARY 2020

CONTENT

LOCATION – BHUSAR BAUXITE MINE
AMBIENT AIR QUALITY – CORE ZONE
Near View Point 1 (Bhusar Mine Pit I)
Near View Point 2 (Bhusar Mine Pit II)
Near Rest Shelter
Near GTS Point
EFFLUENT WATER ANALYSIS
STP Outlet (Bagru Mines)
STACK EMISSION MONITORING OF DG SET (FLUE GAS)
Bagru Mines Office



Branch Office:

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries : Bhusar

Environmental Monitoring Report

FEBRUARY 2020

Report No.: MEEPL/MAR/0318/2019-20	Date : 20 th March, 2020
Sample described by customer: AMBIENT AIR QUALIT	TY MONITORING
Client Name: Hindalco Industries Limited	
Client Address: Lohardaga	
Postal Code: 835203	
State: Jharkhand	
Country: India	
Sample Type: AMBIENT AIR QUALITY MONITORING	
Marks on Sample Location: Near View Point 1 (Bhusar I	Mine Pit I)
Sample collected on: 05.02.2020	

	LOCATION / IDENTIFICATION: Near View Poi	nt 1 (Bhus	ar Mine Pit I)
Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration
01.	Particulate Matter (size less than 10 μ m) PM ₁₀	µg/m³	100	63.0
02.	Particulate Matter (size less than 2.5 μ m) PM _{2.5}	µg/m ³	60	31.6
03.	Sulphur Dioxide (SO ₂)	µg/m ³	80	6.8
04.	Nitrogen Dioxide (NO ₂)	µg/m³	80	4.2
05.	Ammonia (NH ₃)	µg/m³	400	7.5
06.	$Ozone(O_3)$	µg/m ³	180	8.2
07.	Carbon Monoxide (CO)	mg/m ³	02	0.36
08.	Lead (Pb)	µg/m ³	1.0	0.03
09.	Nickel (Ni)	ng/m ³	20	1.2
10.	Arsenic (As)	ng/m ³	06	1.5
11.	Benzene (C ₆ H ₆)	µg/m³	05	0.9
12.	Benzo (a) Pyrene	µg/m³	01	0.23

Vijay Pandey SENIOR EXECUTIVE





At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries : Bhusar

Environmental Monitoring Report

FEBRUARY 2020

Report No.: MEEPL/MAR/0319/2019-20Date: 20th March, 2020Sample described by customer: AMBIENT AIR QUALITY MONITORINGClient Name: Hindalco Industries LimitedClient Address: LohardagaPostal Code: 835203State: JharkhandCountry: IndiaSample type: AMBIENT AIR QUALITY MONITORINGMarks on Sample: Location: Near View Point 2 (Bhusar Mine Pit II)Sample collected on: 05.02.2020

	LOCATION / IDENTIFICATION: Near View poi	nt 2 (Bhus	ar Mine Pit II)
Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration
01.	Particulate Matter (size less than 10 μ m) PM ₁₀	µg/m ³	100	70.4
02.	Particulate Matter (size less than 2.5 μ m) PM _{2.5}	µg/m ³	60	33.6
03.	Sulphur Dioxide (SO ₂)	µg/m ³	80	7.2
04.	Nitrogen Dioxide (NO ₂)	µg/m³	80	4.9
05.	Ammonia (NH ₃)	µg/m³	400	7.7
06.	$Ozone(O_3)$	µg/m ³	180	8.5
07.	Carbon Monoxide (CO)	mg/m ³	02	0.37
08.	Lead (Pb)	µg/m ³	1.0	0.04
09.	Nickel (Ni)	ng/m ³	20	1.4
10.	Arsenic (As)	ng/m ³	06	1.1
11.	Benzene (C ₆ H ₆)	µg/m ³	05	0.8
12.	Benzo (a) Pyrene	µg/m ³	01	0.24

Vijay Pandey SENIOR EXECUTIVE





At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries : Bhusar

Environmental Monitoring Report

FEBRUARY 2020

Report No.: MEEPL/MAR/0320/2019-20	Date : 20 th March, 2020
Sample described by customer: AMBIENT AIR QUALIT	Y MONITORING
Client Name: Hindalco Industries Limited	
Client Address: Lohardaga	
Postal Code: 835203	
State: Jharkhand	
Country: India	
Sample type: AMBIENT AIR QUALITY MONITORING	
Marks on Sample: Location: Near Rest Shelter	
Sample collected on: 05.02.2020	

	LOCATION / IDENTIFICATION: Near Rest Shelter						
Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration			
01.	Particulate Matter (size less than 10 μ m) PM ₁₀	µg/m ³	100	55.1			
02.	Particulate Matter (size less than 2.5 μ m) PM _{2.5}	µg/m³	60	27.6			
03.	Sulphur Dioxide (SO ₂)	µg/m ³	80	3.9			
04.	Nitrogen Dioxide (NO ₂)	µg/m³	80	2.4			
05.	Ammonia (NH ₃)	µg/m³	400	4.9			
06.	$Ozone(O_3)$	µg/m ³	180	7.1			
07.	Carbon Monoxide (CO)	mg/m ³	02	0.26			
08.	Lead (Pb)	µg/m ³	1.0	0.01			
09.	Nickel (Ni)	ng/m ³	20	1.3			
10.	Arsenic (As)	ng/m ³	06	0.7			
11.	Benzene (C ₆ H ₆)	µg/m ³	05	0.8			
12.	Benzo (a) Pyrene	µg/m ³	01	0.18			

Vijay Pandey SENIOR EXECUTIVE



Branch Office:

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries : Bhusar

Environmental Monitoring Report

FEBRUARY 2020

Report No.: MEEPL/MAR/0321/2019-20 Date: 20th March. 2020

Sample described by customer: AMBIENT AIR QUALITY MONITORING

Client Name: Hindalco Industries Limited

Client Address: Lohardaga Postal Code: 835203 State: Jharkhand Country: India Sample Type: AMBIENT AIR QUALITY MONITORING Marks on Sample: Location: Near GTS Point Sample collected on: 05.02.2020

	LOCATION / IDENTIFICATION: Near GTS Point						
Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration			
01.	Particulate Matter (size less than 10 μ m) PM ₁₀	µg/m ³	100	61.6			
02.	Particulate Matter (size less than 2.5 μ m) PM _{2.5}	µg/m³	60	30.9			
03.	Sulphur Dioxide (SO ₂)	µg/m ³	80	4.1			
04.	Nitrogen Dioxide (NO ₂)	µg/m ³	80	2.8			
05.	Ammonia (NH ₃)	µg/m ³	400	6.5			
06.	$Ozone(O_3)$	µg/m ³	180	7.4			
07.	Carbon Monoxide (CO)	mg/m ³	02	0.32			
08.	Lead (Pb)	µg/m ³	1.0	0.03			
09.	Nickel (Ni)	ng/m ³	20	1.5			
10.	Arsenic (As)	ng/m ³	06	1.0			
11.	Benzene (C ₆ H ₆)	µg/m ³	05	0.7			
12.	Benzo (a) Pyrene	µg/m ³	01	0.23			

Vijay Pandey SENIOR EXECUTIVE





At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries : Bhusar

Environmental Monitoring Report

FEBRUARY 2020

water temperature

Report No.: MEEPL/MAR/0322/2019-20			Date: 20th March, 2020		
Sample	described by customer:	STP Outlet (Bagru Mines))		
Client N	ame: Hindalco Industr	ies Limited			
Client A	ddress: Lohardaga				
Postal C	ode: 835203				
State: Jh	arkhand				
Country					
	Type: Effluent Water				
	-	P Outlet (Bagru Mines)			
-	y: 4 liters.				
Sample	collected on: 05.02.20	20			
<u>a</u>		25.1.1			
Sl. No.	Analysis	Method APHA 22 nd Ed. 2012,	Result	Unit	Limits
1.	pH	арна 22 nd Ed. 2012, 4500-Н+-В,4-92	7.9	mg/l	5.5-9.0
2.	Total Suspended Solids	APHA 22 nd EDN: 2012 - 2540	74	mg/l	100
3.	BOD @ 27ºC	IS 3025 (Part 44): 1993, RA2003, Amd.1	7.8	mg/l	30
4.	COD	IS 3025 (Part 58): 1993, RA2006, Amd.1	35	mg/l	250
5.	Oil & Grease	IS 3025(PART 39): 1991 RA 2003,Ed 2.1	<5.0	mg/l	10
6.	Total Dissolved Solids	APHA 22 ND EDN 2012-2540	1504	mg/l	2100
7.	Aluminium (as Al)	APHA 22 nd EDN 2012-3120B	0.8	mg/l	3
8.	Calcium (as Ca)	APHA 22 nd EDN 2012-3120B	9.0	mg/l	75
9.	Iron (as Fe)	APHA 22 nd EDN 2012-3120B	1.1	mg/l	3
10.	Temperature		23.2	0C	Shall not exceed 5°C above the receiving

Vijay Pandey SENIOR EXECUTIVE



Branch Office:

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries : Bhusar

Environmental Monitoring Report

FEBRUARY 2020

	: No.: MEEPL/MAR/0323/2019-20)	Date:	20 th March, 2020			
-	lescribed as: FLUE GAS						
	the Industry: M/S HINDALCO INDUSTRIE						
	Mines Division, Lohardaga, Jharkhand, Pin	-835302					
)ate & t	ime of Sampling: 05.02.2020						
	g Site: Bagru Mines Office						
А.	A. General Information about Stack						
	 Stack connected to: DG-Set (250 KVA) Emission due to Burning of H.S.D 						
	 Material OF construction: M.S 						
	 Shape of Stack: Circular 						
	 Whether stack is provided with p 	oermanent platform & ladder	: Yes				
	 Capacity. 250 KVA 						
В.	Physical characteristics of stack						
	• Height of the stack (a) from grou						
	• Diameter of the Stack at Samplin						
	 Height of the sampling point from 	n GL. 6.25m					
C.	Analysis/Characteristic of Stock						
	• Fuel used: H.S.D						
	• Fuel Consumption: 30 lt/hr						
D.	Analysis Report			1			
Sl. No.	PARAMETERS	PROTOCOL	RESULTS	Limits as per MoEF G.S.R.448(E)			
1.	Temperature of Emission (⁰ C)	IS 11255 Part: 3 1985 (Realf 2008)	299				
2.	Barometric pressure (mm of Hg)	IS 11255 Part: 3 1985 (Realf 2008)	749				
3.	Velocity of Gas (m/Sec)	IS 11255 Part: 3 1985 (Realf 2008)	7.41				
4.	Quantity of Gas flow (Nm ³ /hr)	IS 11255 Part: 3 1985 (Realf 2008)	443				
5.	Concentration of CO ₂ (% v/v)	IS 11255 Part: 3 1985 (Realf 2008)	3.8	5.0			
6.	Concentration of CO (gm/kw-h)	IS 11255 Part: 3 1985 (Realf 2008)	0.97				
7.	Concentration of SO ₂ (mg/Nm3)	USEPA-6C	81.1				
8.	Concentration of NO ₂ (gm/kw-h)	USEPA-7E	1.09	9.2			
9.	Concentration of Particulate Matters (gm/kw-h)	IS 11255 Part: 3 1985 (Realf 2003)	0.20	0.3			
	Pollution Control Device						
	f pollution control devices attached with th						

Vijay Pandey SENIOR EXECUTIVE





At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262,

E-mail:mahabalranchi@gmail.com

Hindalco Industries : Bagru

Environmental Monitoring Report

FEBRUARY 2020

Report No.: MEEPL/MAR/0314/2019-20	Date : 20 th March, 2020			
Sample described by customer: AMBIENT AIR QUALITY MONITORING				
Client Name: Hindalco Industries Limited				
Client Address: Lohardaga				
Postal Code: 835203				
State: Jharkhand				
Country: India				
Sample Type: AMBIENT AIR QUALITY MONITORING				
Marks on Sample Location: Near Daldaliya Village				
Sample collected on: 04.02.2020				

Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration
01.	Particulate Matter (size less than 10 μ m) PM ₁₀	µg/m ³	100	53.5
02.	Particulate Matter (size less than 2.5 μ m) PM _{2.5}	µg/m ³	60	25.9
03.	Sulphur Dioxide (SO ₂)	µg/m ³	80	2.9
04.	Nitrogen Dioxide (NO ₂)	µg/m ³	80	1.5
05.	Ammonia (NH ₃)	µg/m ³	400	3.9
06.	0 zone (0_3)	µg/m ³	180	6.5
07.	Carbon Monoxide (CO)	mg/m ³	02	0.24
08.	Lead (Pb)	µg/m ³	1.0	0.01
09.	Nickel (Ni)	ng/m ³	20	1.2
10.	Arsenic (As)	ng/m ³	06	0.9
11.	Benzene (C ₆ H ₆)	µg/m ³	05	1.0
12.	Benzo (a) Pyrene	µg/m ³	01	0.16

Vijay Pandey SENIOR EXECUTIVE





At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:<u>mahabalranchi@gmail.com</u>

Hindalco Industries : Bagru

Environmental Monitoring Report

FEBRUARY 2020

Report No.: MEEPL/MAR/0315/2019-20	Date: 20 th March, 2020
Sample described by customer: AMBIENT AIR QUAL	ITY MONITORING
Client Name: Hindalco Industries Limited	
Client Address: Lohardaga	
Postal Code: 835203	
State: Jharkhand	
Country: India	
Sample type: AMBIENT AIR QUALITY MONITORING	
Marks on Sample: Location: Aditya School Gangupa	ra
Sample collected on: 04.02.2020	

	LOCATION / IDENTIFICATION: Aditya School Gangupara				
Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration	
01.	Particulate Matter (size less than 10 μ m) PM ₁₀	µg/m ³	100	45.7	
02.	Particulate Matter (size less than 2.5 μ m) PM _{2.5}	µg/m³	60	22.1	
03.	Sulphur Dioxide (SO ₂)	µg/m ³	80	3.6	
04.	Nitrogen Dioxide (NO ₂)	µg/m³	80	2.2	
05.	Ammonia (NH $_3$)	µg/m³	400	3.6	
06.	$Ozone(O_3)$	µg/m ³	180	5.9	
07.	Carbon Monoxide (CO)	mg/m ³	02	0.17	
08.	Lead (Pb)	µg/m ³	1.0	0.01	
09.	Nickel (Ni)	ng/m ³	20	1.3	
10.	Arsenic (As)	ng/m ³	06	0.6	
11.	Benzene (C ₆ H ₆)	µg/m ³	05	1.2	
12.	Benzo (a) Pyrene	µg/m ³	01	0.13	

Vijay Pandey SENIOR EXECUTIVE





At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries : Bagru

Environmental Monitoring Report

FEBRUARY 2020

Report No.: MEEPL/MAR/0316/2019-20	Date : 20 th March, 2020	
Sample described by customer: AMBIENT AIR QUALITY MONITORING		
Client Name: Hindalco Industries Limited		
Client Address: Lohardaga		
Postal Code: 835203		
State: Jharkhand		
Country: India		
Sample type: AMBIENT AIR QUALITY MONITORING		
Marks on Sample: Location: Ropeway Unloading Sta	tion	
Sample collected on: 04.02.2020		

	LOCATION / IDENTIFICATION: Ropeway Unloading Station				
Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration	
01.	Particulate Matter (size less than 10 $\mu m)$ PM_{10}	µg/m³	100	60.5	
02.	Particulate Matter (size less than 2.5 μ m) PM _{2.5}	µg/m³	60	28.0	
03.	Sulphur Dioxide (SO ₂)	µg/m ³	80	3.8	
04.	Nitrogen Dioxide (NO ₂)	µg/m³	80	2.2	
05.	Ammonia (NH ₃)	µg/m³	400	6.4	
06.	0 zone (0_3)	µg/m ³	180	7.8	
07.	Carbon Monoxide (CO)	mg/m ³	02	0.29	
08.	Lead (Pb)	µg/m ³	1.0	0.02	
09.	Nickel (Ni)	ng/m ³	20	1.7	
10.	Arsenic (As)	ng/m ³	06	1.3	
11.	Benzene (C ₆ H ₆)	µg/m³	05	0.9	
12.	Benzo (a) Pyrene	µg/m ³	01	0.21	

Vijay Pandey SENIOR EXECUTIVE





At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries : Bagru

Environmental Monitoring Report

FEBRUARY 2020

Report No.: MEEPL/MAR/0317/2019-20	Date: 20th March, 2020			
Sample described by customer: AMBIENT AIR QUALITY MONITORING				
Client Name: Hindalco Industries Limited				
Client Address: Lohardaga				
Postal Code: 835203				
State: Jharkhand				
Country: India				
Sample Type: AMBIENT AIR QUALITY MONITORING				
Marks on Sample: Location: Ropeway Angle Station				

Sample collected on: 04.02.2020

	LOCATION / IDENTIFICATION: Ropeway Angle Station				
Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration	
01.	Particulate Matter (size less than 10 μ m) PM ₁₀	µg/m ³	100	54.2	
02.	Particulate Matter (size less than 2.5 μ m) PM _{2.5}	µg/m³	60	26.9	
03.	Sulphur Dioxide (SO ₂)	µg/m ³	80	4.5	
04.	Nitrogen Dioxide (NO ₂)	µg/m³	80	2.3	
05.	Ammonia (NH ₃)	µg/m³	400	5.1	
06.	$Ozone(O_3)$	µg/m³	180	5.0	
07.	Carbon Monoxide (CO)	mg/m ³	02	0.25	
08.	Lead (Pb)	µg/m ³	1.0	0.03	
09.	Nickel (Ni)	ng/m ³	20	1.2	
10.	Arsenic (As)	ng/m ³	06	1.5	
11.	Benzene (C ₆ H ₆)	µg/m³	05	2.1	
12.	Benzo (a) Pyrene	µg/m ³	01	0.23	

Vijay Pandey SENIOR EXECUTIVE





Eco Ventures Pvt. Ltd.

Regd. Office: 2/37, Sarvapriya Vihar, Near IIT Gate, New Delhi-110016 Corporate Office: 7/8 Bhaveshwar Bhuvan, Opp Porthugese Church, Near Dindayal Upadhyay Garden, Gokhale Road (North), Dadar (West), Mumbai 400 028. Tel: +91 22 24370520 / 6672.

E: ecoventures.mumbai@gmail.com / ecoventures@eco-ventures.in

Mahabal Enviro Engineers Pvt. Ltd.

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009

BHUSAR BAUXITE MINE - ENVIRONMENTAL MONITORING REPORT

MARCH 2020

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey SENIOR EXECUTIVE





Branch Office:

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries : Bhusar

Environmental Monitoring Report

MARCH 2020

CONTENT

	LOCATION – BHUSAR BAUXITE MINE		
Α.	AMBIENT AIR QUALITY – CORE ZONE		
1	Near View Point 1 (Bhusar Mine Pit I)		
2	Near View Point 2 (Bhusar Mine Pit II)		
3	Near Rest Shelter		
4	Near GTS Point		
В.	EFFLUENT WATER ANALYSIS		
1	STP Outlet (Bagru Mines)		
C.	STACK EMISSION MONITORING OF DG SET (FLUE GAS)		
1	Bagru Mines Office		
L			



Branch Office:

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries : Bhusar

Environmental Monitoring Report

MARCH 2020

Report No.: MEEPL/APR/0118/2019-20	Date : 20 th April, 2020					
Sample described by customer: AMBIENT AIR QUALITY MONITORING						
Client Name: Hindalco Industries Limited						
Client Address: Lohardaga						
Postal Code: 835203						
State: Jharkhand						
Country: India						
Sample Type: AMBIENT AIR QUALITY MONITORING						
Marks on Sample Location: Near View Point 1 (Bhusar M	ine Pit I)					
Sample collected on: 05.03.2020						

	LOCATION / IDENTIFICATION: Near View Point 1 (Bhusar Mine Pit I)				
Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration	
01.	Particulate Matter (size less than 10 μ m) PM ₁₀	µg/m³	100	61.9	
02.	Particulate Matter (size less than 2.5 μ m) PM _{2.5}	µg/m ³	60	28.2	
03.	Sulphur Dioxide (SO ₂)	µg/m ³	80	5.9	
04.	Nitrogen Dioxide (NO ₂)	µg/m³	80	4.5	
05.	Ammonia (NH ₃)	µg/m³	400	7.0	
06.	Ozone (O_3)	µg/m ³	180	8.4	
07.	Carbon Monoxide (CO)	mg/m ³	02	0.33	
08.	Lead (Pb)	µg/m ³	1.0	0.03	
09.	Nickel (Ni)	ng/m ³	20	1.2	
10.	Arsenic (As)	ng/m ³	06	1.0	
11.	Benzene (C ₆ H ₆)	µg/m³	05	0.9	
12.	Benzo (a) Pyrene	µg/m³	01	0.21	

Vijay Pandey SENIOR EXECUTIVE





Branch Office:

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries : Bhusar

Environmental Monitoring Report

MARCH 2020

Report No.: MEEPL/APR/0119/2019-20Date: 20th April, 2020Sample described by customer: AMBIENT AIR QUALITY MONITORINGClient Name: Hindalco Industries LimitedClient Address: LohardagaPostal Code: 835203State: JharkhandCountry: IndiaSample type: AMBIENT AIR QUALITY MONITORINGMarks on Sample: Location: Near View Point 2 (Bhusar Mine Pit II)Sample collected on: 05.03.2020

	LOCATION / IDENTIFICATION: Near View point 2 (Bhusar Mine Pit II)				
Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration	
01.	Particulate Matter (size less than 10 μ m) PM ₁₀	µg/m³	100	74.2	
02.	Particulate Matter (size less than 2.5 μ m) PM _{2.5}	µg/m ³	60	35.1	
03.	Sulphur Dioxide (SO ₂)	µg/m ³	80	7.5	
04.	Nitrogen Dioxide (NO ₂)	µg/m³	80	4.7	
05.	Ammonia (NH $_3$)	µg/m³	400	8.2	
06.	$Ozone(O_3)$	µg/m ³	180	9.3	
07.	Carbon Monoxide (CO)	mg/m ³	02	0.38	
08.	Lead (Pb)	µg/m ³	1.0	0.04	
09.	Nickel (Ni)	ng/m ³	20	1.4	
10.	Arsenic (As)	ng/m ³	06	1.1	
11.	Benzene (C ₆ H ₆)	µg/m ³	05	0.8	
12.	Benzo (a) Pyrene	µg/m ³	01	0.25	

Vijay Pandey SENIOR EXECUTIVE





Branch Office:

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries : Bhusar

Environmental Monitoring Report

MARCH 2020

Report No.: MEEPL/APR/0120/2019-20	Date : 20 th April, 2020
Sample described by customer: AMBIENT AIR QUALIT	FY MONITORING
Client Name: Hindalco Industries Limited	
Client Address: Lohardaga	
Postal Code: 835203	
State: Jharkhand	
Country: India	
Sample type: AMBIENT AIR QUALITY MONITORING	
Marks on Sample: Location: Near Rest Shelter	
Sample collected on: 05.03.2020	

	LOCATION / IDENTIFICATION: Near Rest Shelter					
Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration		
01.	Particulate Matter (size less than 10 μ m) PM ₁₀	µg/m ³	100	57.5		
02.	Particulate Matter (size less than 2.5 μ m) PM _{2.5}	µg/m ³	60	28.2		
03.	Sulphur Dioxide (SO ₂)	µg/m ³	80	4.3		
04.	Nitrogen Dioxide (NO ₂)	µg/m³	80	2.9		
05.	Ammonia (NH ₃)	µg/m³	400	5.2		
06.	Ozone (O_3)	µg/m ³	180	7.5		
07.	Carbon Monoxide (CO)	mg/m ³	02	0.29		
08.	Lead (Pb)	µg/m ³	1.0	0.01		
09.	Nickel (Ni)	ng/m ³	20	1.3		
10.	Arsenic (As)	ng/m ³	06	0.8		
11.	Benzene (C ₆ H ₆)	µg/m³	05	1.0		
12.	Benzo (a) Pyrene	µg/m ³	01	0.18		

Vijay Pandey SENIOR EXECUTIVE



Branch Office:

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries : Bhusar

Environmental Monitoring Report

MARCH 2020

Report No.: MEEPL/APR/0121/2019-20 Da

Date: 20th April, 2020

Sample described by customer: AMBIENT AIR QUALITY MONITORING

e. 20^{...} April, 202

Client Name: Hindalco Industries Limited Client Address: Lohardaga Postal Code: 835203 State: Jharkhand Country: India Sample Type: AMBIENT AIR QUALITY MONITORING Marks on Sample: Location: Near GTS Point Sample collected on: 05.03.2020

	LOCATION / IDENTIFICATION: Near GTS Point				
Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration	
01.	Particulate Matter (size less than 10 μ m) PM ₁₀	µg/m ³	100	65.1	
02.	Particulate Matter (size less than 2.5 μ m) PM _{2.5}	µg/m³	60	31.9	
03.	Sulphur Dioxide (SO ₂)	µg/m ³	80	4.1	
04.	Nitrogen Dioxide (NO ₂)	µg/m³	80	3.3	
05.	Ammonia (NH ₃)	µg/m³	400	6.9	
06.	Ozone (O_3)	µg/m³	180	7.7	
07.	Carbon Monoxide (CO)	mg/m ³	02	0.33	
08.	Lead (Pb)	µg/m ³	1.0	0.03	
09.	Nickel (Ni)	ng/m ³	20	1.4	
10.	Arsenic (As)	ng/m ³	06	1.0	
11.	Benzene (C ₆ H ₆)	µg/m ³	05	0.7	
12.	Benzo (a) Pyrene	µg/m ³	01	0.23	

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey SENIOR EXECUTIVE





Branch Office:

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries : Bhusar

Environmental Monitoring Report

MARCH 2020

Report	No.: MEEPL/APR/0122	2/2019-20		Date:	20 th April, 2020
Sample	described by customer:	STP Outlet (Bagru Mines)	l		
Client N	ame: Hindalco Industr	ies Limited			
Client A	ddress: Lohardaga				
Postal C	ode: 835203				
State: Jh	arkhand				
Country					
-	Type: Effluent Water				
	-	P Outlet (Bagru Mines)			
-	y: 4 liters.				
Sample	collected on: 05.03.20	20			
Sl. No.	Analysis	Method	Result	Unit	Limits
		APHA 22 nd Ed. 2012,			
1.	рН	4500-H+-B,4-92	7.9	mg/l	5.5-9.0
2.	Total Suspended Solids	APHA 22 nd EDN: 2012 - 2540	76	mg/l	100
3.	BOD @ 27ºC	IS 3025 (Part 44): 1993, RA2003, Amd.1	7.9	mg/l	30
4.	COD	IS 3025 (Part 58): 1993, RA2006, Amd.1	37	mg/l	250
5.	Oil & Grease	IS 3025(PART 39): 1991 RA 2003,Ed 2.1	<5.0	mg/l	10
6.	Total Dissolved Solids	APHA 22 ND EDN 2012-2540	1562	mg/l	2100
7.	Aluminium (as Al)	APHA 22 nd EDN 2012-3120B	0.8	mg/l	3
8.	Calcium (as Ca)	APHA 22 nd EDN 2012-3120B	9.2	mg/l	75
9.	Iron (as Fe)	APHA 22 nd EDN 2012-3120B	1.1	mg/l	3
10.	Temperature		21.9	0C	Shall not exceed 5°C above the receiving water temperature

Vijay Pandey SENIOR EXECUTIVE



Branch Office:

At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries : Bhusar

Environmental Monitoring Report

MARCH 2020

	: No.: MEEPL/APR/0123/2019-20		Date: 2	20 th April, 2020			
-	escribed as: FLUE GAS						
	the Industry: M/S HINDALCO INDUSTRIE						
Address: Mines Division, Lohardaga, Jharkhand, Pin-835302							
)ate & ti	ime of Sampling: 05.03.2020						
	g Site: Bagru Mines Office						
А.	General Information about Stack						
	• Stack connected to: DG-Set (250	KVA)					
	• Emission due to Burning of H.S.D						
	 Material OF construction: M.S 						
	 Shape of Stack: Circular 						
	 Whether stack is provided with p 	oermanent platform & ladder	:Yes				
	Capacity. 250 KVA						
В.	Physical characteristics of stack						
	• Height of the stack (a) from grou						
	 Diameter of the Stack at Samplin 	g point: 0.2030m					
	 Height of the sampling point from 	n GL. 6.25m					
C.	Analysis/Characteristic of Stock						
	• Fuel used: H.S.D						
	 Fuel Consumption: 30 lt/hr 						
D.	Analysis Report						
Sl. No.	PARAMETERS	PROTOCOL	RESULTS	Limits as per MoEF G.S.R.448(E)			
1.	Temperature of Emission (ºC)	IS 11255 Part: 3 1985 (Realf 2008)	293				
2.	Barometric pressure (mm of Hg)	IS 11255 Part: 3 1985 (Realf 2008)	751				
3.	Velocity of Gas (m/Sec)	IS 11255 Part: 3 1985 (Realf 2008)	7.53				
4.	Quantity of Gas flow (Nm ³ /hr)	IS 11255 Part: 3 1985 (Realf 2008)	456				
5.	Concentration of CO ₂ (% v/v)	IS 11255 Part: 3 1985 (Realf 2008)	3.8	5.0			
6.	Concentration of CO (gm/kw-h)	IS 11255 Part: 3 1985 (Realf 2008)	0.95	-			
7.	Concentration of SO ₂ (mg/Nm3)	USEPA-6C	81.4				
8.	Concentration of NO ₂ (gm/kw-h)	USEPA-7E	1.12	9.2			
	Concentration of Particulate Matters	IS 11255 Part: 3 1985 (Realf 2003)	0.20	0.3			
9.	(gm/kw-h)	(Reall 2005)	1				
E.	(gm/kw-n) Pollution Control Device f pollution control devices attached with th			I			

Vijay Pandey SENIOR EXECUTIVE





At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:<u>mahabalranchi@gmail.com</u>

Hindalco Industries : Bagru

Environmental Monitoring Report

MARCH 2020

Report No.: MEEPL/APR/0114/2019-20	Date : 20 th April, 2020
Sample described by customer: AMBIENT AIR QUALIT	TY MONITORING
Client Name: Hindalco Industries Limited	
Client Address: Lohardaga	
Postal Code: 835203	
State: Jharkhand	
Country: India	
Sample Type: AMBIENT AIR QUALITY MONITORING	
Marks on Sample Location: Near Daldaliya Village	
Sample collected on: 04.03.2020	

	LOCATION / IDENTIFICATION: Near Daldaliya Village				
Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration	
01.	Particulate Matter (size less than 10 μ m) PM ₁₀	µg/m³	100	55.1	
02.	Particulate Matter (size less than 2.5 μ m) PM _{2.5}	µg/m ³	60	26.5	
03.	Sulphur Dioxide (SO ₂)	µg/m ³	80	3.2	
04.	Nitrogen Dioxide (NO ₂)	µg/m³	80	1.7	
05.	Ammonia (NH_3)	µg/m³	400	4.5	
06.	Ozone (O_3)	µg/m ³	180	6.9	
07.	Carbon Monoxide (CO)	mg/m ³	02	0.27	
08.	Lead (Pb)	µg/m ³	1.0	0.01	
09.	Nickel (Ni)	ng/m ³	20	1.2	
10.	Arsenic (As)	ng/m ³	06	0.8	
11.	Benzene (C ₆ H ₆)	µg/m³	05	1.0	
12.	Benzo (a) Pyrene	µg/m³	01	0.17	

Vijay Pandey SENIOR EXECUTIVE





Branch Office: At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009,

At Booty, Near PHED Colony, Benind Pump House, PO – RMCC, District – Ranchi 834 Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:<u>mahabalranchi@gmail.com</u>

Hindalco Industries : Bagru

Environmental Monitoring Report

MARCH 2020

Report No.: MEEPL/APR/0115/2019-20	Date : 20 th April, 2020
Sample described by customer: AMBIENT AIR QUA	LITY MONITORING
Client Name: Hindalco Industries Limited	
Client Address: Lohardaga	
Postal Code: 835203	
State: Jharkhand	
Country: India	
Sample type: AMBIENT AIR QUALITY MONITORING	
Marks on Sample: Location: Aditya School Gangupa	Ira
Sample collected on: 04.03.2020	

	LOCATION / IDENTIFICATION: Aditya School Gangupara				
Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration	
01.	Particulate Matter (size less than 10 μ m) PM ₁₀	µg/m³	100	48.1	
02.	Particulate Matter (size less than 2.5 μ m) PM _{2.5}	µg/m ³	60	23.5	
03.	Sulphur Dioxide (SO ₂)	µg/m ³	80	3.9	
04.	Nitrogen Dioxide (NO ₂)	µg/m³	80	2.1	
05.	Ammonia (NH ₃)	µg/m³	400	3.8	
06.	0 zone (0_3)	µg/m ³	180	6.5	
07.	Carbon Monoxide (CO)	mg/m ³	02	0.19	
08.	Lead (Pb)	µg/m ³	1.0	0.01	
09.	Nickel (Ni)	ng/m ³	20	1.3	
10.	Arsenic (As)	ng/m ³	06	0.6	
11.	Benzene (C ₆ H ₆)	µg/m ³	05	1.2	
12.	Benzo (a) Pyrene	µg/m ³	01	0.15	

Vijay Pandey SENIOR EXECUTIVE





At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries : Bagru

Environmental Monitoring Report

MARCH 2020

Report No.: MEEPL/APR/0116/2019-20	Date: 20th April, 2020					
Sample described by customer: AMBIENT AIR QUALITY MONITORING						
Client Name: Hindalco Industries Limited						
Client Address: Lohardaga						
Postal Code: 835203						
State: Jharkhand						
Country: India						
Sample type: AMBIENT AIR QUALITY MONITORING						
Marks on Sample: Location: Ropeway Unloading Station						
Sample collected on: 04.03.2020						

	LOCATION / IDENTIFICATION: Ropeway Unloading Station					
Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration		
01.	Particulate Matter (size less than 10 μ m) PM ₁₀	µg/m ³	100	64.9		
02.	Particulate Matter (size less than 2.5 μ m) PM _{2.5}	µg/m ³	60	30.3		
03.	Sulphur Dioxide (SO ₂)	µg/m ³	80	4.1		
04.	Nitrogen Dioxide (NO ₂)	µg/m³	80	2.8		
05.	Ammonia (NH ₃)	µg/m³	400	6.9		
06.	$Ozone(O_3)$	µg/m ³	180	7.5		
07.	Carbon Monoxide (CO)	mg/m ³	02	0.31		
08.	Lead (Pb)	µg/m ³	1.0	0.02		
09.	Nickel (Ni)	ng/m ³	20	1.5		
10.	Arsenic (As)	ng/m ³	06	1.3		
11.	Benzene (C ₆ H ₆)	µg/m ³	05	0.9		
12.	Benzo (a) Pyrene	µg/m ³	01	0.21		

Vijay Pandey SENIOR EXECUTIVE





At Booty, Near PHED Colony, Behind Pump House, PO – RMCC, District – Ranchi 834009, Mobile No: +91 9431.102.102 / +91 9955.358.262, E-mail:mahabalranchi@gmail.com

Hindalco Industries : Bagru

Environmental Monitoring Report

MARCH 2020

Report No.: MEEPL/APR/0117/2019-20	Date: 20 th April, 2020					
Sample described by customer: AMBIENT AIR QUALITY MONITORING						
Client Name: Hindalco Industries Limited						
Client Address: Lohardaga						
Postal Code: 835203						
State: Jharkhand						
Country: India						

Sample Type: **AMBIENT AIR QUALITY MONITORING** Marks on Sample: Location: **Ropeway Angle Station**

Sample collected on: 04.03.2020

	LOCATION / IDENTIFICATION: Ropeway Angle Station						
Sl. No.	PARAMETERS	UNIT	Standard Limit	Concentration			
01.	Particulate Matter (size less than 10 μ m) PM ₁₀	µg/m ³	100	56.8			
02.	Particulate Matter (size less than 2.5 μ m) PM _{2.5}	µg/m³	60	27.2			
03.	Sulphur Dioxide (SO ₂)	4.8					
04.	Nitrogen Dioxide (NO ₂)	µg/m³	80	2.5			
05.	Ammonia (NH ₃)	µg/m ³	400	5.8			
06.	Ozone (O_3)	µg/m ³	180	5.0			
07.	Carbon Monoxide (CO)	mg/m ³	02	0.29			
08.	Lead (Pb)	µg/m ³	1.0	0.03			
09.	Nickel (Ni)	ng/m ³	20	1.2			
10.	Arsenic (As)	ng/m ³	06	1.5			
11.	Benzene (C ₆ H ₆)	µg/m ³	05	2.1			
12.	Benzo (a) Pyrene	µg/m ³	01	0.25			

For Mahabal Enviro Engineers Pvt. Ltd.

Vijay Pandey SENIOR EXECUTIVE



Annexure-2

BREAK UP THE COST OF ENVIRONMENTAL MEASURES DURING THE YEAR 2019-20

The composite cost during the year 2019-20 for environmental protection & pollution control by Jharkhand Mines division of M/s Hindalco Industries Ltd & M/s Minerals & Minerals Ltd for implementation of the suggested measures in EC at our all the operating mines in the state of Jharkhand-namely Pakhar (115,13 Ha), Pakhar (15.58 Ha), Pakhar (109.507 Ha), Pakhar (8.09 Ha), Pakhar (35.12Ha), Serengdag (140.06 Ha), Serengdag (155.81 Ha), Jalim & Sanai (12.14 Ha), Gurdari (584.19 Ha), Amtipani (190.95 Ha), Kujam I (80.97 Ha) Kujam II (157.38 Ha), Bagru (75.41 Ha), Hisri New (14.55 Ha), Chiro kukud (152.57 ha), Orsa pat (196.36 Ha), Bhusar (65.31 Ha) and Bimarla Bauxite Mines (134.52 Ha).

S. No	Description	Budget (in Rupees) FY 2019-20	Actual (in Rupees) FY 2019-20 (from October'19 to March'20)
1	Pollution Control & Environment monitoring	3,351,809.00	10,81,028.82
2	Reclamation/Back filing & Rehabilitation**	25,300,000.00	2,97,49,624
3	Green belt, Plantation & Water spraying arrangement	4,725,854.00	38,57,433.80
	Rural Development	22,035,865.00	2,00,52,766.56

**Part of OB removed cost.

(Basudev Gangopadhyay) Convenor (Quality & Environment)



Annexure-3

Date: 10.01.19

Office Order

Environmental Cell has been re-constituted at Bhusar Bauxite Mines (Area 65.31 Ha) comprising below mentioned team members. The team will ensure compliance of Environment Act, Regulation & Rule in respect of the said mines of Hindalco Industries Limited.

- 1. Gauri Shankar Prasad –Geologist (Coordinator)
- 2. Mr. Rupak Kumar Dubey (Dy. Engineer)
- 3. Mr. Anil Kumar singh (Mining Engineer)

Basudev Gangopadhyay Convenor (Quality & Environment)

Hindalco Industries Limited Mines Division, Court Road, Lohardaga 835302, Jharkhand, India T: +91 6526 224112/224015/223113 | E: hindalco@adityabirla.com | W: www.hindalco.com Registered Office: Ahura Centre, 1st Floor, B Wing, Mahakali Caves Road, Andheri (East), Mumbai 400 093, India T: +91 22 6691 7000 | F: +91 22 6691 7001 Corporate ID No.: L27020MH1958PI C011238

Annexure 4

S No	Name of the Mines	Mining lease area (ha)	Production Capacity (MT)*	Lease Period*	Production (MT)	Mined out area (ha)	Back filled area (ha)	Over burden (Cu.M)
1	Bagru bauxite Mine	75.41	85000	22.01.1974 to 31.03.2030	NIL	NIL	NIL	NIL
2	Bhusar Bauxite Mine	65.31	280000	11.07.1981 to 31.03.2030	198	0	6.60	54137.88
3	Hisri (New) Bauxite Mine	14.55	100000	19.07.1981 to 31.03.2030	14190	0.81	0.48	25422.64
4	Kujam - I Bauxite Mine	80.87	150000	13.03.2006 to 12.03.2056	44245	3.26	0.13	29260.78
5	Kujam - II Bauxite Mine	157.38	300000	24.03.2006 to 23.03.2056	80395	3.81	0.55	78767.91
6	Amtipani Bauxite Mine	190.95	150000	13.03.2006 to 12.03.2056	59995	1.96	0.500	46744.920
7	Gurdari Bauxite Mine	584.19	325000	23.03.1985 to 22.03.2035	115250	10.45	7.34	261623.65
8	Shrengdag A Bauxite Mine	155.81	260000	16.10.1974 to 31.03.2030	63870	3.25	6.5	263958
9	Shrengdag B Bauxite Mine	140.07	100000	04.10.1978 to 31.03.2030	NIL	NIL	NIL	NIL
10	Jalim & Sanai Bauxite Mine	12.14	50000	16.10.1974 to 31.03.2030	17000	0.3	0.28	21500

Annexure 4

11	Orsapat Bauxite Mine	196.36	200000	17.07.1986 to	NIL	NIL	NIL	NIL
30005			A Contractor	16.07.2036		C THE REAL OF		
12	Chiro Kukud bauxite Mine	152.57	100000	29.01.1985 to 28.01.2035	NIL	NIL	NIL	NIL
13	Pakhar (8.09)	8.09	80000	16.05.1973 to 31.03.2030	NIL	NIL	NIL	NIL .
14	Pakhar (35.12)	35.12	200000	17.04.1975 to 31.03.2030	NIL	NIL	NIL	NIL
15	Pakhar (115.13)	115.13	300000	19.07.1996 to 31.03.2030	87200	0.46	0.72	84268.58
		Minerals & M	linerals Limited	CARLES THE STREET		A CONTRACTOR OF THE		
16	Pakhar (15.58)	15.58	60000	28.04.1965 to 31.03.2030	7500	0.15	0.10	14832.66
17	Pakhar (109.507)	109.507	280000	26.07.2008 to 25.07.2058	121400	0.67	1.00	167350.67
18	Bimarla Bauxite Mine	134.37	300000	18.07.2009 to 17.07.2059	67680	3.17	2.90	178732.51

*Static information about the mines included in the above table

Basudev Gangopadhyay Convenor (Quality & Environment)