



Hindalco Industries Limited
(Muri Works)

Environment Clearance Compliance Report
Period: April'2020 to September'2020

A. SPECIFIC CONDITIONS

Sr. No	Condition	Compliance Status
(i)	<p>The gaseous emissions from various units shall conform to the standards prescribed from time to time. The State Board may specify more stringent standards for the relevant parameters keeping in view the nature of the industry, its size and location. At no time the emission level should go beyond the prescribed standards. In the event of failure of any pollution control system adopted by the unit, the respective unit should not be restarted until the control measures are rectified to achieve the desired efficiency. Ambient Air Quality data should be regularly monitored and records maintained and report submitted to the Ministry /CPCB/Jharkhand State Pollution Control board once in six months.</p>	<p>Pollution control equipments have installed to conform the prescribed emission standard. Online Continuous Emission Monitoring System (OCEMS) have installed and attached with Refinery & Power Plant Boiler stacks to online continuous emission monitoring and uninterruptedly report being transferred to the CPCB & JSPCB through dedicated lease line server.</p> <p>Ambient air quality regularly monitored and report submitted to the MOEF&CC, CPCB & JSPCB and its Regional Offices with six monthly EC compliance report. Ref. Annexure-1.</p> <p>Moreover, 4 Nos. of CAAQMS have been installed and real time data is being displaying at factory main gate and also connected to JSPCB & CPCB servers.</p>
(ii)	<p>There shall be no discharge of process effluent. As reflected in the EIA/EMP report, the process waste water generation shall increase from 528m³/d to 5092m³/d. About 802m³/d of waste water will be recycled. Remaining 4290m³/d will be recycled back to the process after treatment in the ETP. In addition, efforts shall be made to re-use wastewater from the existing plant. The domestic wastewater shall be treated in STP to meet prescribed standards. The company shall undertake water conservation measures by recycling of power plant blow downs and domestic effluent in the refinery process. The storm water management shall be by use of water for sprinkling, recycling to process, ash moistening and plant keep up.</p>	<p>There is no any process effluent discharged and after treatment in ETP it is being recycled and reuse in the process. The domestic waste water generated from residential colony is after treatment in STP being used for the plantation purpose as well as necessary initiatives have been taken towards water conservation.</p> <p>The quality of effluent and domestic waste water is being maintained as per the prescribed standards and online effluent quality monitoring system installed in ETP & STP and real time data is being transferred to the JSPCB & CPCB server.</p>
(iii)	<p>In plant control measures for checking fugitive emission from spillage/raw materials handling shall be provided. Water sprinklers shall be provided to control the fugitive emissions from the active red mud disposal areas and ash coverage in inactive areas.</p>	<p>In plant for checking fugitive emissions, dust suppression systems are installed in Bauxite handling area, Coal storage yard and Red Mud loading area in railway siding.</p> <p>To control the fugitive emission from RMP following systems are already in place:</p> <ul style="list-style-type: none"> ▪ Dust suppression system with water sprinklers along the road and periphery of RMP.

		<ul style="list-style-type: none"> ▪ Dedicated water tankers in RMP area and road to suppress dust. ▪ Green belt developed in by growing grass on RMP by hydro-seeding technology (from USA).
(iv)	The particulate emissions from the Calciner shall be controlled by installation of electrostatic precipitator. The particulate emissions shall not exceed 50 mg/Nm ³ . The company shall install bag filters to control the emissions from the alumina kiln. All the boiler stacks shall be provided with stack height as per the CPCB guidelines. The boiler and Calciner stacks shall be equipped with continuous monitoring device to check SPM emission levels.	<p>Pollution control equipment has installed and attached with Calciner & Boiler stacks to control the emission as per the prescribed standard. The height of the stack provided as per the CPCB guidelines.</p> <p>The Boiler & Calciner stacks equipped with the continuous monitoring devices to check the PM (Calciner stack), PM, SO₂ & NO_x (in CGPP stack) and real time data being transferred to the CPCB & JSPCB server.</p>
(v)	The company shall adopt dry disposal system for red mud disposal and shall provide Geo membrane lining in red mud storage area. The ground water quality shall be monitored at various depths around the red mud ponds and action plan in this regard shall be submitted to the Ministry. The company shall rehabilitate the abandoned red mud pond areas with development of green cover.	Dry mud disposal system is being adopted for Red Mud filtration by installing New Pressure Filter Technology. In the RMP area, a well-designed system is installed to take care of any Leachate, seepage and runoff water. Pre & Post Monsoon Hydrological study is being done. Hydrological study was conducted by ISM, Dhanbad for ground water sources in Muri and as per the report all the parameters are well within the limit. Abandoned Red Mud Pond (RMP2) has rehabilitated and covered by development of green cover.
(vi)	As and when the new pond for red mud disposal is to be constructed, it shall be lined with geo lining to prevent leaching of effluent into the ground water.	We are using the existing Red Mud Pond for storage of 35 % mud of total generation and rest of red mud is being dispatched to various Cement Industries. Compliance condition on Geo Membrane Lining of Red Mud Pond will be adhered to while development of new pond for storage of Red Mud.
(vii)	Green belt of adequate width and density shall be developed in 5 ha. of area in addition to 48.97 ha of plant area already under green belt as per the CPCB guidelines.	Plantation is an ongoing activity and till date area covered under greenery 110.30 acres and survival rate is approx. 85%.
(viii)	Occupational Health Surveillance of the workers shall be done on a regular basis and records maintained as per the Factories Act.	Occupational Health Surveillance of the workers has been regularly being done and record maintained.
(ix)	All the recommendations of the Charter for Corporate Responsibility for Environment Protection (CREP) for the aluminium sector shall be strictly implemented.	Charter for Corporate Responsibility for Environment Protection (CREP) as applicable for our process is being complied and detailed report is enclosed as Annexure – 2 .

EC Compliance Status Report**Ref. No. J-11011/131/2005-IA.II (I) dated 20.09.05**

(x)	The environmental clearance for the expansion of alumina refinery and establishment of coal based co-generation proposal is subject to the condition that the company shall not undertake any construction or operation of the proposed expansion activity till the environmental clearance for the linked mining proposal is obtained.	The same is being complied.
-----	---	-----------------------------

B. GENERAL CONDITIONS:

Sr. No	Condition	Compliance Status
(i)	The project authorities must strictly adhere to the stipulations made by the Jharkhand State Pollution Control Board and the State Government.	Point noted and it is being adhered.
(ii)	No further expansion or modifications in the plant should be carried out without prior approval of the Ministry of Environment and Forests.	It is being complied as there is no further capacity expansion done till now.
(iii)	Adequate ambient air quality-monitoring stations should be established in the downward direction as well as where maximum ground level concentration of SPM, SO ₂ and NO ₂ are anticipated in consultation with the State Pollution Control Board. Data on ambient air quality, fugitive emission and stack emissions shall be regularly submitted to this Ministry including its Regional Office at Bhubaneswar and the State Pollution Control Board/Central Pollution Control Board once in six months.	Ambient air quality monitoring station have established with the consultation of SPCB and monitoring done on regular basis. Please refer Annexure - 1 for data on Ambient Air Quality & Fugitive emission and Stack emissions monitoring respectively. Moreover, 4 Nos. of CAAQMS have been installed and real time data is being displaying at factory main gate and also connected to JSPCB & CPCB servers.
(iv)	Industrial waste water shall be properly collected, treated so as to conform to the standards prescribed under GSR 422 (E) dated 19 th May, 1993 and 31 st December, 1993 or as amended from time to time. The treated wastewater should be utilized for plantation purpose.	The quality of waste water is being confirmed as per the prescribed standards and recycled in the process. Domestic waste water after treatment being used for the plantation purpose. The online effluent quality monitoring system installed in ETP & STP and real time data is being transferred to the JSPCB & CPCB servers.
(v)	The overall noise levels in and around the plant area shall be kept well within the standard (85 dBA) by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels should conform to the standards prescribed under EPA Rules, 1989 viz. 75 dBA (daytime) and 70 dBA (night time).	The noise control measures have taken and maintained the noise level within the prescribed limit. The ambient noise levels are maintained as per the EPA Rule, 1989. Please refer the Annexure – 2 .
(vi)	The project proponent shall also comply with the environmental protection measures and	All the necessary measures have been adopted towards environmental protection

	<p>safeguards recommended in the EIA/EMP report. Further, the company must undertake socio-economic development activities in the surrounding villages like community development programmes, educational programmes, drinking water supply and health care etc.</p>	<p>and socio-economic welfare of neighbouring area is being carried out under company's CSR activities. The details of expenditure spent thereon are given as below. Total expense is Rs 74.98 lacs (Apr-Sep 20)</p> <table border="1" data-bbox="869 414 1388 1003"> <thead> <tr> <th colspan="3" style="text-align: center;">CSR Expenditure for the period from Apr'20 to Sep'20</th> </tr> <tr> <th style="text-align: center;">Sr. No.</th> <th style="text-align: center;">Description</th> <th style="text-align: center;">Expenditure ₹ (in Lacs)</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;">1</td> <td>Education</td> <td style="text-align: center;">62.51</td> </tr> <tr> <td style="text-align: center;">2</td> <td>Health care</td> <td style="text-align: center;">12.47</td> </tr> <tr> <td style="text-align: center;">3</td> <td>Sustainable Livelihood</td> <td style="text-align: center;">0.00</td> </tr> <tr> <td style="text-align: center;">4</td> <td>Infrastructure Development</td> <td style="text-align: center;">0.00</td> </tr> <tr> <td style="text-align: center;">5</td> <td>Social Change</td> <td style="text-align: center;">0.00</td> </tr> <tr> <td style="text-align: center;">6</td> <td>If any other specify here</td> <td style="text-align: center;">0.00</td> </tr> <tr> <td colspan="2" style="text-align: center;">Total Rs.</td> <td style="text-align: center;">74.98</td> </tr> </tbody> </table>	CSR Expenditure for the period from Apr'20 to Sep'20			Sr. No.	Description	Expenditure ₹ (in Lacs)	1	Education	62.51	2	Health care	12.47	3	Sustainable Livelihood	0.00	4	Infrastructure Development	0.00	5	Social Change	0.00	6	If any other specify here	0.00	Total Rs.		74.98
CSR Expenditure for the period from Apr'20 to Sep'20																													
Sr. No.	Description	Expenditure ₹ (in Lacs)																											
1	Education	62.51																											
2	Health care	12.47																											
3	Sustainable Livelihood	0.00																											
4	Infrastructure Development	0.00																											
5	Social Change	0.00																											
6	If any other specify here	0.00																											
Total Rs.		74.98																											
(vii)	<p>The project authorities will provide requisite funds both recurring and non-recurring to implement the conditions stipulated by the Ministry of Environment and Forests as well as the State Government along with the implementation schedule for all the conditions stipulated herein. The funds so provided should not be diverted for any other purposes.</p>	<p>Requisite fund has been provided for environment protection measures and it has not been diverted for any other purpose. Expenditure details are given in Annexure-4.</p>																											
(viii)	<p>The Regional Office of this Ministry at Bhubaneswar/Central Pollution Control Board/State Pollution Control Board will monitor the stipulated conditions. A six monthly compliance report and the monitored data along with statistical interpretation should be submitted to them regularly.</p>	<p>Point noted, the monitored data along with EC compliance report is being submitted once in every six months to the concern authorities.</p>																											
(ix)	<p>The project proponent should inform the public that the project has been accorded environmental clearance by the ministry and copies of the clearance letter are available with the State Pollution Control board/Committee and may also be seen at website of the Ministry of Environment and Forests at http://envfor.nic.in. This should be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in</p>	<p>The project has accorded environmental clearance by the ministry has informed to the public by advertisement in two local newspapers namely 'Prabhat Khabar' and 'Hindustan' dtd. 30th Sep'2005 as well as the copy of the same forwarded to the concern authorities.</p>																											

	the region of which one shall be in the vernacular language of the locality concerned and a copy of the same should be forwarded to the Regional office.	
(x)	The Project Authorities should inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of commencing the land development work.	Point noted and will be complied.

Annexure-1

Ambient Air Quality monitoring report:



SCIENTIFIC RESEARCH LABORATORY

An ISO 9001:2015 (QMS) & OHSAS 18001:2007 Certified Organization
 Recognized by Jharkhand State Pollution Control Board
 Analytical & Environmental Engineering Laboratory
 C- 144, Aman Green City, Pundag, Ranchi- 834 004, Jharkhand
 Tele No.: 0651- 2950060, Mobile: 94701 30700, E-mail: nirajksingh2003@yahoo.co.in

Report No. : SRL/HINDALCO/JUN/20 Date: 14.07.2020

TEST REPORT

1. Name and Address of the Unit : M/s HINDALCO Industries Limited,
Muri, Ranchi,
Jharkhand.

2. Location of Monitoring : Near Sub Station- I

3. Date of Monitoring : 29.08.2020 to 30.08.2020

4. Ambient Temperature : 32°C

5. Average Relative Humidity : 58 %

6. Meteorological Condition : Cloudy (Rain)

7. Results of Ambient Air Quality :

Sl. No.	PARAMETERS	UNIT	RESULTS
1.	PM ₁₀	µg/m ³	74.50
2.	PM _{2.5}	µg/m ³	46.00
3.	Sulphur dioxide (SO ₂)	µg/m ³	08.60
4.	Nitrogen Oxides (NO _x)	µg/m ³	19.80
5.	Ozone (O ₃)	µg/m ³	20.60
6.	Ammonia (NH ₃)	µg/m ³	23.00
7.	Lead (Pb)	µg/m ³	<0.01
8.	Benzene (C ₆ H ₆)	µg/m ³	<0.01
9.	Arsenic (As)	ng/m ³	<0.01
10.	Benzo (a) Pyrene (BaP)	ng/m ³	<0.01
11.	Nickel (Ni)	ng/m ³	01.20
12.	Carbon monoxide (CO)	mg/m ³	00.61

Note: 01. Ambient Fine Dust Sampler [Make Ecotech Instruments, Greater Noida, Model-AAS 190] was used for PM_{2.5} collection.

02. Analysis of Lead (Pb), Arsenic (As), Nickel (Ni), and Benzo (a) Pyrene (BaP) was carried out on PM₁₀ fraction.

for Scientific Research Laboratory,

 (Dr. Niraj Kumar Singh)
 In-charge, Jharkhand office.

Head Office: 90, Lake East (4th Road) Santosagar, Jaduvpur, Kolkata-700075
 Tele Fax: 033 2416 2267, Tel: 033 2416 1311, E-mail: pyotimoy_srl_vsnl.net.



SCIENTIFIC RESEARCH LABORATORY

An ISO 9001:2015 (QMS) & OHSAS 18001:2007 Certified Organization
 Recognized by Jharkhand State Pollution Control Board
 Analytical & Environmental Engineering Laboratory
 C- 144, Aman Green City, Pundag, Ranchi- 834 004, Jharkhand
 Tele No.: 0651- 2950060, Mobile: 94701 30700, E-mail: nirajsingh2003@yahoo.co.in

Report No. : SRL/HINDALCO/JUN/20

Date: 14.07.2020

TEST REPORT

1. Name and Address of the Unit : M/s HINDALCO Industries Limited.
Muri, Ranchi,
Jharkhand.
2. Location of Monitoring : Near Union Club Campus (Near Football Ground)
3. Date of Monitoring : 29.06.2020 to 30.06.2020
4. Ambient Temperature : 32°C
5. Average Relative Humidity : 58 %
6. Meteorological Condition : Cloudy (Rain)
7. Results of Ambient Air Quality :

Sl. No.	PARAMETERS	UNIT	RESULTS
1.	PM ₁₀	µg/m ³	76.80
2.	PM _{2.5}	µg/m ³	47.00
3.	Sulphur dioxide (SO ₂)	µg/m ³	08.00
4.	Nitrogen Oxides (NOx)	µg/m ³	20.40
5.	Ozone (O ₃)	µg/m ³	22.50
6.	Ammonia (NH ₃)	µg/m ³	25.20
7.	Lead (Pb)	µg/m ³	<0.01
8.	Benzene (C ₆ H ₆)	µg/m ³	<0.01
9.	Arsenic (As)	ng/m ³	<0.01
10.	Benzo (a) Pyrene (BaP)	ng/m ³	<0.01
11.	Nickel (Ni)	ng/m ³	01.50
12.	Carbon monoxide (CO)	mg/m ³	00.67

Note: 01. Ambient Fine Dust Sampler [Make Ecotech Instruments, Greater Noida, Model-AAS 190] was used for PM_{2.5} collection.

02. Analysis of Lead (Pb), Arsenic (As), Nickel (Ni), and Benzo (a) Pyrene (BaP) was carried out on PM₁₀ fraction.

for Scientific Research Laboratory,

Niraj

(Dr. Niraj Kumar Singh)
 In-charge, Jharkhand office.



SCIENTIFIC RESEARCH LABORATORY

An ISO 9001:2015 (QMS) & OHSAS 18001:2007 Certified Organization
 Recognized by Jharkhand State Pollution Control Board
 Analytical & Environmental Engineering Laboratory
 C- 144, Aman Green City, Pundag, Ranchi- 834 004, Jharkhand
 Tele No.: 0651- 2950060, Mobile: 94701 30700, E-mail: nirajsingh2003@yahoo.co.in

Report No. : SRL/HINDALCO/JUN/20

Date: 14.07.2020

TEST REPORT

1. Name and Address of the Unit : M/s HINDALCO Industries Limited.
Muri, Ranchi,
Jharkhand.
2. Location of Monitoring : Steel Yard (Near Red Mud Pond- 2)
3. Date of Monitoring : 29.06.2020 to 30.06.2020
4. Ambient Temperature : 32°C
5. Average Relative Humidity : 58 %
6. Meteorological Condition : Cloudy (Rain)
7. Results of Ambient Air Quality :

Sl. No.	PARAMETERS	UNIT	RESULTS
1.	PM ₁₀	µg/m ³	80.60
2.	PM _{2.5}	µg/m ³	50.00
3.	Sulphur dioxide (SO ₂)	µg/m ³	11.40
4.	Nitrogen Oxides (NOx)	µg/m ³	23.50
5.	Ozone (O ₃)	µg/m ³	25.50
6.	Ammonia (NH ₃)	µg/m ³	28.00
7.	Lead (Pb)	µg/m ³	<0.01
8.	Benzene (C ₆ H ₆)	µg/m ³	<0.01
9.	Arsenic (As)	ng/m ³	00.20
10.	Benzo (a) Pyrene (BaP)	ng/m ³	<0.01
11.	Nickel (Ni)	ng/m ³	01.80
12.	Carbon monoxide (CO)	mg/m ³	00.78

Note: 01. Ambient Fine Dust Sampler [Make Ecotech Instruments, Greater Noida, Model-AAS 190] was used for PM_{2.5} collection.

02. Analysis of Lead (Pb), Arsenic (As), Nickel (Ni), and Benzo (a) Pyrene (BaP) was carried out on PM₁₀ fraction.

for Scientific Research Laboratory,

(Dr. Niraj Kumar Singh)
 In-charge, Jharkhand office.

Head Office: 90, Lake East (4th Road) Santoshpur, Jaduvpur, Kolkata-700075
 Tele Fax: 033 2416 2267, Tel: 033 2416 1311, E-mail: jyotirmoy_srl_vsnl.net.



SCIENTIFIC RESEARCH LABORATORY

An ISO 9001:2015 (QMS) & OHSAS 18001:2007 Certified Organization
 Recognized by Jharkhand State Pollution Control Board
 Analytical & Environmental Engineering Laboratory
 C- 144, Aman Green City, Pundag, Ranchi- 834 004, Jharkhand
 Tele No.: 0651- 2950060, Mobile: 94701 30700, E-mail: nirajksingh2003@yahoo.co.in

Report No. : SRL/HINDALCO/SEPT/20

Date: 07.10.2020

TEST REPORT

1. Name and Address of the Unit : M/s HINDALCO Industries Limited.
Muri, Ranchi,
Jharkhand.
2. Location of Monitoring : Near Sub Station- I
3. Date of Monitoring : 28.09.2020 to 29.09.2020
4. Ambient Temperature : 32^oC
5. Average Relative Humidity : 68 %
6. Meteorological Condition : Partly Cloudy
7. Results of Ambient Air Quality :

Sl. No.	PARAMETERS	UNIT	RESULTS
1.	PM ₁₀	µg/m ³	73.60
2.	PM _{2.5}	µg/m ³	44.00
3.	Sulphur dioxide (SO ₂)	µg/m ³	08.50
4.	Nitrogen Oxides (NO _x)	µg/m ³	18.70
5.	Ozone (O ₃)	µg/m ³	23.00
6.	Ammonia (NH ₃)	µg/m ³	21.00
7.	Lead (Pb)	µg/m ³	<0.01
8.	Benzene (C ₆ H ₆)	µg/m ³	<0.01
9.	Arsenic (As)	ng/m ³	<0.01
10.	Benzo (a) Pyrene (BaP)	ng/m ³	<0.01
11.	Nickel (Ni)	ng/m ³	01.60
12.	Carbon monoxide (CO)	mg/m ³	00.71

Note: 01. Ambient Fine Dust Sampler [Make Ecotech Instruments, Greater Noida, Model-AAS 190] was used for PM_{2.5} collection.

02. Analysis of Lead (Pb), Arsenic (As), Nickel (Ni), and Benzo (a) Pyrene (BaP) was carried out on PM₁₀ fraction.

for Scientific Research Laboratory,

Niraj

(Dr. Niraj Kumar Singh)
In-charge, Jharkhand office.

Fugitive emission (SPM) monitoring report:



SCIENTIFIC RESEARCH LABORATORY

An ISO 9001:2015 (QMS) & OHSAS 18001:2007 Certified Organization
 Recognized by Jharkhand State Pollution Control Board
 Analytical & Environmental Engineering Laboratory
 C- 144, Aman Green City, Pundag, Ranchi- 834 004, Jharkhand
 Tele No.: 0651- 2950060, Mobile: 94701 30700, E-mail: nirajksingh2003@yahoo.co.in

Report No. : SRL/HINDALCO/SEPT/20

Date: 07.10.2020

TEST REPORT

1. Name and Address of the Unit : M/s HINDALCO Industries Limited.
Muri, Ranchi,
Jharkhand.
2. Location of Monitoring : Near Union Club Campus (Near Football Ground)
3. Date of Monitoring : 28.09.2020 to 29.09.2020
4. Ambient Temperature : 32°C
5. Average Relative Humidity : 68 %
6. Meteorological Condition : Partly Cloudy
7. Results of Ambient Air Quality :

Sl. No.	PARAMETERS	UNIT	RESULTS
1.	PM ₁₀	µg/m ³	71.30
2.	PM _{2.5}	µg/m ³	42.00
3.	Sulphur dioxide (SO ₂)	µg/m ³	09.40
4.	Nitrogen Oxides (NOx)	µg/m ³	21.50
5.	Ozone (O ₃)	µg/m ³	20.00
6.	Ammonia (NH ₃)	µg/m ³	24.00
7.	Lead (Pb)	µg/m ³	<0.01
8.	Benzene (C ₆ H ₆)	µg/m ³	<0.01
9.	Arsenic (As)	ng/m ³	<0.01
10.	Benzo (a) Pyrene (BaP)	ng/m ³	<0.01
11.	Nickel (Ni)	ng/m ³	01.80
12.	Carbon monoxide (CO)	mg/m ³	00.74

Note: 01. Ambient Fine Dust Sampler [Make Ecotech Instruments, Greater Noida, Model-AAS 190] was used for PM_{2.5} collection.

02. Analysis of Lead (Pb), Arsenic (As), Nickel (Ni), and Benzo (a) Pyrene (BaP) was carried out on PM₁₀ fraction.

for Scientific Research Laboratory,

Niraj

(Dr. Niraj Kumar Singh)
In-charge, Jharkhand office.



SCIENTIFIC RESEARCH LABORATORY

An ISO 9001:2015 (QMS) & OHSAS 18001:2007 Certified Organization
 Recognized by Jharkhand State Pollution Control Board
 Analytical & Environmental Engineering Laboratory
 C- 144, Aman Green City, Pundag, Ranchi- 834 004, Jharkhand
 Tele No.: 0651- 2950060, Mobile: 94701 30700, E-mail: nirajksingh2003@yahoo.co.in

Report No. : SRL/HINDALCO/SEPT/20

Date: 07.10.2020

TEST REPORT

1. Name and Address of the Unit : M/s HINDALCO Industries Limited.
Muri, Ranchi,
Jharkhand.
2. Location of Monitoring : Steel Yard (Near Red Mud Pond- 2)
3. Date of Monitoring : 28.09.2020 to 29.09.2020
4. Ambient Temperature : 32°C
5. Average Relative Humidity : 68 %
6. Meteorological Condition : Partly Cloudy
7. Results of Ambient Air Quality :

Sl. No.	PARAMETERS	UNIT	RESULTS
1.	PM ₁₀	µg/m ³	84.00
2.	PM _{2.5}	µg/m ³	50.00
3.	Sulphur dioxide (SO ₂)	µg/m ³	12.00
4.	Nitrogen Oxides (NO _x)	µg/m ³	26.40
5.	Ozone (O ₃)	µg/m ³	28.50
6.	Ammonia (NH ₃)	µg/m ³	27.00
7.	Lead (Pb)	µg/m ³	<0.01
8.	Benzene (C ₆ H ₆)	µg/m ³	<0.01
9.	Arsenic (As)	ng/m ³	00.28
10.	Benzo (a) Pyrene (BaP)	ng/m ³	<0.01
11.	Nickel (Ni)	ng/m ³	02.60
12.	Carbon monoxide (CO)	mg/m ³	00.88

Note: 01. Ambient Fine Dust Sampler [Make Ecotech Instruments, Greater Noida, Model-AAS 190] was used for PM_{2.5} collection.

02. Analysis of Lead (Pb), Arsenic (As), Nickel (Ni), and Benzo (a) Pyrene (BaP) was carried out on PM₁₀ fraction.

for Scientific Research Laboratory.

Niraj

(Dr. Niraj Kumar Singh)
In-charge, Jharkhand office.

Head Office: 90, Lake East (4th Road) Santoshpur, Jadavpur, Kolkata-700075
 Tele Fax: 033 2416 2267. Tel: 033 2416 1311. E-mail: jyotirmoy_srl_vsnl.net.

FUGITIVE DUST EMISSION DATA_H1_FY'21

Locations	Red Mud Pond (3&4)	Bauxite Handling Area	Coal Handling Area
Limit	1200 µg/m ³	1200 µg/m ³	1200 µg/m ³
Month	Monitored Values in µg/m³		
Apr-20	818.8	611.5	773.1
May-20	665.9	603.8	980.0
Jun-20	803.8	601.2	841.4
Jul-20	712.6	641.8	982.7
Aug-20	682.9	611.0	880.7
Sep-20	692.1	673.7	889.1

Noise Monitoring Data:



HINDALCO INDUSTRIES LIMITED - MURI WORKS

AMBIENT NOISE MONITORING REPORT

Months: Apr'20 to Sep'20 (H1_FY'21)

Particulars	Near Factory Main gate		Near ETP gate		Near SS-1 Gate		Near Power Plant Gate	
	Day Time	Night Time	Day Time	Night Time	Day Time	Night Time	Day Time	Night Time
	75 dB(A)	70 dB(A)	75 dB(A)	70 dB(A)	75 dB(A)	70 dB(A)	75 dB(A)	70 dB(A)
Date of Monitoring	Monitored Values in dB(A)							
14-04-2020	62	54	54	50	62	51.7	66	55
10-05-2020	63	54	60	52	62	52	66	57
14-06-2020	67	54	66	52	64	55	65	58
07-07-2020	65	59	60	55	59	51	59	56
13-08-2020	64	55	61	50	59	50	61	57
16-09-2020	61	55	59	51	61	55	59	54

Remark: Above tested samples complies as per Ambient Air Quality Standards in respect of noise.

Note-

1. Day Time: 6:00 a.m. to 10:00 p.m.
2. Night Time: 10:00 P.m. to 6:00 a.m.

Arun Kumar
Environment

Charter on Corporate Responsibility for Environmental Protection (CREP) action points on red mud

S. No.	Action Points / Recommendations	Targets	Status																		
1.	Phasing Wet disposal Red Mud utilisation	To achieve minimum 50% solid in red mud by 2005	We have installed 2 no's Pressure filter to get around 72% and 3 rd Pressure Filter also under installation.																		
		A proposal for practical utilization to be prepared by Aluminium Association of India within six months	As you know various researches are going on worldwide for the red mud utilization and till date little scope is available for this. We have installed second pressure filter with Chinese technology to increase percentage solid in mud. One number of such pressure filters is already installed, commissioned and operating successfully. We had conducted hydrological study through ISM, Dhanbad. Bauxite Residue (Red Mud) is transported by dumpers to own red mud pond by a process called DMS (Dry Mud Stacking). In last 5 years mud despatched to the cement industry is given in the below – As is basis:																		
			<table border="1"> <thead> <tr> <th>Year</th> <th>Qty.(MT)</th> <th>Despatch To</th> </tr> </thead> <tbody> <tr> <td>2016-17</td> <td>31398</td> <td>ACC Cement Chaibasa</td> </tr> <tr> <td>2017-18</td> <td>27613</td> <td>ACC Cement Chaibasa</td> </tr> <tr> <td>2018-19</td> <td>25559</td> <td>ACC Cement Chaibasa & Ultra Tech Cement</td> </tr> <tr> <td>2019-20</td> <td>303935</td> <td>UltraTech Cement</td> </tr> <tr> <td>2020-21 (H1)</td> <td>264069</td> <td>UltraTech, ACC Chaibasa & Bargarh, Dalmia Cement Bharat Limited, Dalmia DSP Limited & Mangalam Cement Works</td> </tr> </tbody> </table>	Year	Qty.(MT)	Despatch To	2016-17	31398	ACC Cement Chaibasa	2017-18	27613	ACC Cement Chaibasa	2018-19	25559	ACC Cement Chaibasa & Ultra Tech Cement	2019-20	303935	UltraTech Cement	2020-21 (H1)	264069	UltraTech, ACC Chaibasa & Bargarh, Dalmia Cement Bharat Limited, Dalmia DSP Limited & Mangalam Cement Works
Year	Qty.(MT)	Despatch To																			
2016-17	31398	ACC Cement Chaibasa																			
2017-18	27613	ACC Cement Chaibasa																			
2018-19	25559	ACC Cement Chaibasa & Ultra Tech Cement																			
2019-20	303935	UltraTech Cement																			
2020-21 (H1)	264069	UltraTech, ACC Chaibasa & Bargarh, Dalmia Cement Bharat Limited, Dalmia DSP Limited & Mangalam Cement Works																			

EC Compliance Status Report**Ref. No. J-11011/131/2005-IA.II (I) dated 20.09.05****Annexure-4****Expenditure on environment protection measure during Apr'2020 to Sep'2020****Rs '000**

SO No	Description	Apr-20	May-20	Jun-20	Jul-20	Aug-20	Sep-20	Total
286N	Online Water Quality & Monitoring - AMC							-
5653	Tree plantation in plant premises and around	192	352	299	304	312	256	1,716
5654	Operation of Sewage and Sludge treatment plant (AMC)	110	69	-	138	-	69	386
5657	Water sprinkling on road, road cleaning, tankers maintenance & Repair	125	188	82	40	51	93	580
5658	Hydro geological Ground Water Quality Study around RMP and periphery							-
5660	Environment Monitoring Contract Labour	8	24	28	23	20	27	129
7441	Monitoring of Emission by Third Party	0	-	47	-	0	(9)	39
7442	Specific Env, Cell Operating supplies	6	2	11	4	1	5	28
14WM	EOHS (WM Scope)	68	-	12	9	367	(48)	408
31PR	Statutory Fees for Pollution Control	27	27	27	27	27	27	164
277N	ISO audit & IMS (QMS,EMS and OHSAS)	-	-	-	-	-	55	55
69PR	Pumping of Misc. Water to ETP for zero discharge	397	64	67	67	67	67	727
47PR	Effluent Treatment Plant - OEM(Outsourcing)	1,191	191	200	200	200	200	2,181
60PR	Effluent Treatment Plant - Housekeeping	-	-	-	-	-	-	-
61PR	Effluent Treatment Plant - Consumables	65	65	-	-	-	-	130
68PR	Corrosion Inhibitor for ETP recycled water	227	81	-	-	-	-	308
33PM	Stack monitoring system	-	-	-	-	-	-	-
	Total	2,416	1,062	773	812	1,046	742	6,850
